

Office of the Town Manager
Town of East Hampton
Connecticut 06424

Jeffery J. O'Keefe
Town Manager

Town Council
Melissa H. Engel, Chairperson
Thomas M. Cordeiro, Vice Chairman
William G. Devine
Christopher J. Goff
Scott A. Minnick
John W. Tuttle
Susan B. Weintraub

January 8, 2008

Mr. Gil Richards
Connecticut Department of Environmental Protection
79 Elm Street
Hartford, CT 06106

Subject: Notification pursuant to CGS 22a-6u
13 Watrous Street
East Hampton, CT

Dear Mr. Richards:

Please find enclosed a Significant Environmental Hazard Report for surface soil contamination at a parcel owned by the Town of East Hampton and located at 13 Watrous Street. This notification is made pursuant to Connecticut General Statute 22a-6u-(d). The specific condition noticed is the presence of polychlorinated biphenyl's in near surface soils at a concentration greater than thirty times the applicable direct exposure criteria.

Previous notifications of Significant Environmental Hazards associated with the investigation of this Site have been previously filed with the CTDEP. Both were associated with contaminants (TCE and pesticides) identified in groundwater collected from on-site monitoring wells. For your convenience, the 2005 receptor survey and laboratory data are attached.

As you are aware from your previous involvement, the property located at 13 Watrous Street was obtained by the Town of East Hampton in 2002 through a tax lien foreclosure. The property has been vacant since that time. The town has recently been awarded a Brownfields Cleanup Grant for this site and selected the consulting firm of Tighe & Bond to perform the remediation. As part of the remedial investigation, previously unknown occurrences of PCBs in soil were identified. The concentration and distribution of the PCBs have resulted in this notification.

We have not yet received a final report of the distribution of PCBs noted during the remedial investigation but expect one from our consultant soon. However, upon learning of the preliminary results of the remedial investigation, the Town of East Hampton took immediate steps to secure the property. A temporary fence was installed to help prevent unauthorized access to the site. In addition, the DEP and the EPA were immediately informed of the results. A meeting was held in the Town of East Hampton Community Center on November 6, 2008 with representatives of the DEP (yourself included) and the EPA to discuss the preliminary findings, the steps that the Town had undertaken to date to minimize exposure and to discuss the steps to be taken by the town in response to the discovery.


The steps taken by the town to date include:

- Immediate notification of town residents through the issuance of a press release dated September 24, 2008.
- Additional delineation of PCB impacts with particular focus upon the property boundary conditions.
- Redirection of available grant monies to perform additional delineation.
- Contracting with Metcalf & Eddy (M&E) to perform additional PCB delineation and to update receptor survey.
- Authorizing M&E to proceed with QAPP modifications to allow for additional delineation.
- The Town and local health director reviewed groundwater analytical data collected from the 2005 sampling event of 30 wells within a 500 foot buffer around 13 Watrous St. The groundwater collected from these wells was analyzed for pesticides and PCBs via EPA Method 505. No PCBs were detected (see attachment).
- Coordinating with the local health director, the DEP, and M&E to accomplish sampling of several nearby potable wells (to be conducted following update of receptor survey). These wells are believed to already have treatment systems in place due to other, long-standing groundwater quality issues within the Village Center area.
- Arrangements are being made to install a permanent fence around the perimeter of the property. This will replace the previously installed temporary fence.

The additional contamination delineation to be performed by M&E will include recommendations and requests made by state and federal PCB coordinators as discussed in our November 6, 2008 meeting. This will include, but not be limited to, a further evaluation of the risk to groundwater quality and an evaluation of the potential off-site impacts to storm sewers. As indicated above, the evaluation will also include the sampling and analysis of nearby potable wells, although the town is taking steps to prioritize this part of the evaluation.

The Town of East Hampton, through its Brownfields Steering Committee, will continue to keep the DEP and the EPA apprised of the findings of its additional investigations at the site. We will work with our consultant to ensure that the possible exposure pathways are identified and eliminated to the greatest degree possible. Once we have obtained the additional site data, we will take steps to permanently eliminate the exposure pathways through the implementation of appropriate remedial measures.

Sincerely,


Jeffrey J. O'Keefe
Town Manager

cc: Dan Wolfram, LEP, Chair Brownfields Steering Committee
Scott Bristol, LEP, Brownfields Steering Committee
Gary Trombley, DEP PCB Coordinator
Kim Tisa, EPA PCB Coordinator



STATE OF CONNECTICUT
DEPARTMENT OF ENVIRONMENTAL PROTECTION

Significant Environmental Hazard Report

Notification under CGS 22a-6u

Please print or type to complete this form in accordance with the instructions (DEP-EHR-INS-100).

Send completed report to:

SIGNIFICANT ENVIRONMENTAL HAZARD REPORTS
BUREAU OF WASTE MANAGEMENT - REMEDIATION SECTION
DEPARTMENT OF ENVIRONMENTAL PROTECTION
79 ELM STREET
HARTFORD, CT 06106-5127

BUREAU OF WASTE MANAGEMENT

SITE NAME _____
ADDRESS _____
TOWN _____
FILE TYPE: REM-HAZNOT

DEP USE ONLY

Check box if addendum pages used: ☐

Hazard Condition(s) Identified:

☐ Explosion threat [6u-(h)]	Conditions Threatening Public or Private/Residential Drinking Water Supply Wells:
☐ Volatile Organic Chemicals in groundwater threaten interior air quality [6u-(e)]	☐ Contamination is detected in supply well and is above groundwater protection criteria [6u-(b)]
☐ Surface water threatened [6u-(f)]	☐ Contamination is detected in supply well but is below groundwater protection criteria [6u-(c)]
☒ Surface soil contamination [6u-(d)]	☐ Groundwater above groundwater protection criteria threatens supply well within 500 ft [6u-(g)]

[xx] identifies CGS Section 22a-6u subsection

Part I - Site Information

1. Site identification for source of pollution causing an environmental hazard:

Name of Site	Former Summit Thread Powerhouse (aka former Ghezzi Motors)				
Address or Location	13 Watrous Street				
City/Town	East Hampton	State	CT	Zip Code	06424

2. Attach a copy of a topographic map with the site located thereon.

Map Attached ☒

3. Business/person submitting form: Is this entity/person the site's owner? YES ☐ NO ☐

Name	Town of East Hampton				
Mailing Address	20 East High Street				
City/Town	East Hampton	State	CT	Zip Code	06424
Business Phone	860.267-4468	Ext.		Fax	(860) 267-1027
Authorized Rep.	Jeff O'Keefe	Title	Town Manager		
Contact Person	Dan Wolfram	Title	Brownfields Steering Committee		

Part I - Site Information (continued)

3. & 4. Supplemental Information. *If the person submitting this form is not the site owner, describe that person's relationship to the site and its owner and enter the site owner information in #4 (see instructions).*

not applicable

4. Owner or Additional Party for site (see instructions):

Name	none				
Mailing Address					
City/Town		State		Zip Code	
Business Phone		Ext.		Fax	
Contact Person		Title			

5. Operator/Tenant at site, if different from owner:

Name/Firm	none				
Mailing Address					
City/Town		State		Zip Code	
Business Phone		Ext.		Fax	
Contact Person		Title			

6. Technical Environmental Professional (TEP) who identified hazard: CHECK IF NONE ☐

Firm	East Hampton Brownfields Steering Committee				
Mailing Address	20 East High Street				
City/Town	East Hampton	State	CT	Zip Code	06424
Business Phone	860.267-4468	Ext.		Fax	(860) 267-1027
Contact Person	Dan Wolfram	Title	Chairman		

7. Environmental consultant for abatement, if not above TEP:

Firm	to be determined				
Mailing Address					
City/Town		State		Zip Code	
Business Phone		Ext.		Fax	
Contact Person		Title			

Part II - Hazard Summary

*

1. How was the pollutant released?

☒ unknown	☐ landfill/wastepile	☐ septic system	☐ UST leak
☐ spill/dumping	☐ burial	☐ dry well	☐ drums
☐ agricultural activity	☐ pit	☐ lagoon	☐ discharge

*

2. What is the general nature of the contamination?

☐ petroleum/oils	<u>Organic Chemicals</u>		☐ metals	☐ sodium/salt
☐ gasoline	☐ volatile	☐ semivolatile	☐ cyanide	☐ leachate
☐ fuel oil/diesel	☐ nonchlorinated	☐ polyaromatic	☐ acid/base	☐ asbestos
☐ nitrate/fertilizer	☐ chlorinated	☐ pesticide/herbicide	☒ PCB	☐ radiation

*

3. For *environmental sampling (soil or monitoring wells)*, list the analytical data that are the basis for determining that a hazard condition exists. (See section 7 for *supply well data*.)

CHECK IF NO ENVIRONMENTAL SAMPLES ☐

Media (Soil/GW)	Sample Location ID	Pollutant	Concentration	Notes
Soil	RI-23	PCB	660 ppm	sample in upper 2 feet of soil

Note: List only the highest concentration for each medium/pollutant defining the hazard condition(s).

Attach additional sheets as needed.

*

4. Attach a site sketch map indicating the specific location of the contamination or condition and applicable sampling sites.

Site Map

Attached ☒

5. Was an inventory of drinking water supply wells within 500 feet conducted? YES ☐ NO ☐

6. If so, is this inventory report, including a parcel map of properties within 500 feet that may be served by wells, included? N/A ☐ YES ☐ NO ☐

7. Identify affected or threatened drinking water supply wells: N/A ☐ UNKNOWN ☐

For hazard conditions based on supply well samples, list analytical data establishing that the condition exists.

* Address/Town	Contact Name/Phone	No. of people	* Supply Well analyses (if any) * Pollutant/Concentration

Note: Refer to Significant Environmental Hazard Report Instructions.

Attach additional sheets as needed.

8. Is hydrogeologic data supporting the area considered threatened included? YES ☐ NO ☐

9. Identify any other affected properties:

Address/Town	Contact Name/Phone	How is Property Affected?
none identified at this time		

land use is a mixture of commercial, industrial and residential properties. Location is within the old village center of East Hampton. Many of the properties in the immediate area are or were associated with bell manufacturing. Three residential properties abut the site to the east. Pocotopaug Creek is located to the west of the site.

Date		DEP contact	
Remarks			

Date		DEP contact	
Remarks			

Date	Contact	
Remarks:		

Revised
December 20, 2005

Part III - Past DEP Involvement (OPTIONAL)**1. Voluntary Remediation/ECAF/Property Transfer filings:**CHECK IF NONE ☐

Form	Date	Certifying/Verifying/Filing Party	DEP Determination
ECAF	6/7/07	ECAF / Voluntary Remediation	LEP lead

2. DEP staff involved with assessment or remediation of the site:CHECK IF NONE ☐

Time Period	DEP Section	Name
current	Remediation	Gil Richards
current	PCB	Gary Trombley

3. Reports to CT DEP Oil & Chemical Spill Response Division:CHECK IF NONE ☒

Date	UST Release or other spill?	Material Released	Quantity

4. Describe other relevant DEP permitting or enforcement involvement:CHECK IF NONE ☒

EPA ID#: CT	DEP-WPC #:	DEP Inventory #:
RCRA Notifier Status:		RCRA Permit Status:
Remarks:		

5. What environmental reports exist for the site and are available to DEP?CHECK IF NONE ☐

Report Type	Date (mo/yr)	Preparer (Firm)	Attached? (Y/N)	Previously submitted?	DEP Unit to which sent
Phase 1	05/05	Tighe & Bond	N	unk	
Phase 2	11/05	Tighe & Bond	N	unk	
Phase 3					

Attach additional sheets as needed.

Part IV - Actions to Abate HazardCHECK IF PLAN OR REPORT ATTACHED ☐Describe actions *already taken* to abate the hazard condition:CHECK IF NONE ☐

1. Site was immediately fenced to limit access
2. DEP (Gil Richards, Gary Trombley) and EPA (Kim Tisa) were notified in September 2008.
3. Additional soil and groundwater sampling has been performed to help ascertain the extent of PCB impacts.
4. The residents of the Town of East Hampton have been advised through the issuance of a press release dated September 24, 2008.
5. A meeting was held with representatives from DEP and EPA on 11/6/2008 to discuss course of action and potential funding mechanisms.
6. A contractor has been identified for the delineation of the PCB impacts.
7. Delineation will be performed upon preparation and approval of EPA QAPP.

Attach additional sheets as needed.


Describe actions *to be taken* to abate the hazard condition:CHECK IF NONE ☐

1. A quasi-permanent fence will be installed.
2. The extent of PCB impacts in soil will be delineated
3. The potential for PCB impacts to groundwater will be evaluated through additional sampling.
4. A Remedial Action Plan will be developed to address the PCB and other impacts present at the site.
5. Funding for removal actions will be obtained. In-place funding includes an existing EPA Brownfields Cleanup Grant.
6. Corrective actions that are protective of human health and the environment will be undertaken.

Attach additional sheets as needed.

Part V - Signature

"I have personally examined and am familiar with the information submitted in this document and all attachments, and certify that based on reasonable investigation the submitted information is true and accurate to the best of my knowledge and belief. I certify that this form is complete and accurate as prescribed by the Commissioner without alteration of the text."

Name (print or type)	Jeffery O'Keefe	Title (if applicable)	Town Manager
Signature		Date	11/8/09

Signifies information required by CGS Section 22a-6u.

126136-11
September 29, 2005

Mr. Alan Bergren
Town Manager
Town of East Hampton
20 East High Street
East Hampton, CT 06424

Re: Receptor Survey for Reporting of
Environmental Hazards
13 Watrous Street and 103 Main Street
East Hampton Village Center

Dear Mr. Bergren:

Tighe & Bond prepared the Significant Environmental Hazard reports for 13 Watrous Street and 103 Main Street (sites) and submitted them to the Connecticut Department of Environmental Protection (CTDEP) on August 26, 2005 as required by Public Act 98-134. The reports were required because the Significant Environmental Hazard of "Drinking Water Well Threatened" was identified during the Phase II Environmental Site Assessment at both sites. Specifically, trichloroethene (TCE) was detected in the groundwater at 13 Watrous Street above the Groundwater Protection Criteria (GWPC). Additionally, antimony and lead were detected above the GWPC in the groundwater at 103 Main Street.

During preparation of the Significant Environmental Hazard reports for the two sites, the Town of East Hampton proactively sampled two water supply wells located at 13 Watrous Street. One of the wells is currently inactive but was formerly used to supply the facility. The other well supplies two residences located adjacent to the facility. TCE was not detected in the well that supplies the residences but was detected in the former facility well. Additionally pesticides were detected in the former facility well including chlordane, dieldrin, and trans-nonachlor. Tighe & Bond verbally notified Gilbert Richards of the CTDEP by voicemail of the detections of pesticides on September 27 and 29, 2005. It is assumed that analysis for pesticides will be included in the analysis of water supply wells identified by this receptor survey.

CTDEP acknowledged receipt of the reports in letters dated September 13, 2005. The letters contained specific requirements of the CTDEP including a receptor survey to locate supply wells within 500-feet of 13 Watrous street and 103 Main Street and sampling of identified properties with wells for the constituents of concern.

The methodology used in generating the receptor survey is provided in this report. A list of properties within a 500-foot radius of the 103 Main Street and 13 Watrous Street is provided as

Tables 1 and 2, respectively. A list of properties within a ¼-mile radius of 103 Main Street and 13 Watrous Street is included in Tables 2 and 4, respectively. A figure illustrating the locations of properties within a 500-foot and ¼-mile radius of both property boundaries is provided in Figure 1. A figure depicting the aerial view of the properties within the two buffers of both properties is provided in Figure 2. A ¼-mile radius was used for both properties to provide additional water supply well information for potential use in the assessment of other brownfield sites in the Village Center.

Creation of Receptor Area

ArcView 3.3 Geographical Information Systems (3.3) was used to create two sets of buffers around the sites, 1/4-mile and 500-ft. The ¼-mile radius buffer overlaps between sites for a contiguous area of 216 acres (Figure 1). The northern extent of the buffer includes portions of Lake Pocotopaug. The southern extent of the buffer ends near Edgerton Street. The entire Village Center Area is included within the buffer.

A digitized parcel map, last updated in 2002, was provided by the Midstate Regional Planning Authority and overlain on the buffered areas. The number of parcels contained within or touching the buffer numbered 126 properties.

A similar buffer was generated with a radius of 500-feet from the property boundaries of both sites (Figure 1). Once again, the 500-foot buffer contained an overlap between the two sites for a contiguous area of 51 acres. The northern extent of the buffer extends to the Bevin Manufacturing Company and the southern extent almost to Niles Street. The area encompasses the majority of the Village Center area. The number of parcels contained within or touching the buffer numbered 71 properties.

Both buffers were also overlain on an aerial photograph provided by SBC taken in 2001 (Figure 2). The photograph provides the locations of houses and landmarks within the 500-foot and ¼-mile buffered areas.

Community Water System

On September 1, 2005 Tighe & Bond personnel interviewed Vince Susco of the Water Pollution Control Authority. Mr. Susco identified the 29 properties served by the Village Center Community Water System. The Village Center Water System became operational in August of 1992 and has been owned and operated by the East Hampton Water Pollution Control Authority. The properties served by the water system are highlighted in blue on Figure 1. Mr. Susco subsequently reviewed the map and verified that the correct locations were identified. The properties are also shaded on the tables. Mr. Susco stated that all of the properties connected to the community water system were required to abandon their supply wells.

Tables 1 and 2, respectively. A list of properties within a ¼-mile radius of 103 Main Street and 13 Watrous Street is included in Tables 2 and 4, respectively. A figure illustrating the locations of properties within a 500-foot and ¼-mile radius of both property boundaries is provided in Figure 1. A figure depicting the aerial view of the properties within the two buffers of both properties is provided in Figure 2. A ¼-mile radius was used for both properties to provide additional water supply well information for potential use in the assessment of other brownfield sites in the Village Center.

Creation of Receptor Area

ArcView 3.3 Geographical Information Systems (3.3) was used to create two sets of buffers around the sites, 1/4-mile and 500-ft. The ¼-mile radius buffer overlaps between sites for a contiguous area of 216 acres (Figure 1). The northern extent of the buffer includes portions of Lake Pocotopaug. The southern extent of the buffer ends near Edgerton Street. The entire Village Center Area is included within the buffer.

A digitized parcel map, last updated in 2002, was provided by the Midstate Regional Planning Authority and overlain on the buffered areas. The number of parcels contained within or touching the buffer numbered 126 properties.

A similar buffer was generated with a radius of 500-feet from the property boundaries of both sites (Figure 1). Once again, the 500-foot buffer contained an overlap between the two sites for a contiguous area of 51 acres. The northern extent of the buffer extends to the Bevin Manufacturing Company and the southern extent almost to Niles Street. The area encompasses the majority of the Village Center area. The number of parcels contained within or touching the buffer numbered 71 properties.

Both buffers were also overlain on an aerial photograph provided by SBC taken in 2001 (Figure 2). The photograph provides the locations of houses and landmarks within the 500-foot and ¼-mile buffered areas.

Community Water System

On September 1, 2005 Tighe & Bond personnel interviewed Vince Susco of the Water Pollution Control Authority. Mr. Susco identified the 29 properties served by the Village Center Community Water System. The Village Center Water System became operational in August of 1992 and has been owned and operated by the East Hampton Water Pollution Control Authority. The properties served by the water system are highlighted in blue on Figure 1. Mr. Susco subsequently reviewed the map and verified that the correct locations were identified. The properties are also shaded on the tables. Mr. Susco stated that all of the properties connected to the community water system were required to abandon their supply wells.

J:\C\6136\Significant Environmental Hazard Report\Receptor Survey.doc

Enclosures

Copy: Gilbert Richards - CTDEP

Dave Terry - Chairman East Hampton Brownfields Steering Committee

Dan Wolfram - East Hampton Brownfields Steering Committee

Thad King - Director of Health, Chatham Health District

Table 1
Properties Contained within 500-foot Radius
Receptor Survey
103 Main Street
East Hampton, CT.

First Name	Last Name	Parcel ID			Property Address	Mailing Street Address (if different)	Mailing Town Address	Zip Code
		Map	Block	Lot				
Richard & Sandra	Mooney	6A	60	2	89 Main Street	186 Young Street		
Brookside Industrial Park Company		6A	60	2	Walnut Avenue	11 Skinner Street		
BIZMO ENTERPRISES LLC		6A	60	3	91 Main Street	73 Bay Road		
JMJ LLC		6A	60	3A	93 Main Street			
Dorino	Bastiani	6A	56	1	29 Watrous Street	21 East Street	Hebron	06248
Allen & Rita	Dunham	6A	58	2	Watrous Street	15 Walnut Avenue		
Allen & Rita	Dunham	6A	58	2A	5 Walnut Avenue	15 Walnut Avenue		
R A W PROPERTIES LLC		6A	57	1	95 Main Street	8 Emily Road	Marlborough	06447
Rullo	Liana	6A	57	1A	97 Main Street	474 Glastonbury Turnpike	Portland	
Sumner & Sheila	Einhorn	6A	57	2	101 Main Street	715 Middletown Road	Colchester	
Bonito	Fins Stoddard	6A	57	2A	8 Walnut Avenue	P.O. Box 150		
		6A	57	24	Walnut Avenue			
		6A	57	23	Walnut Avenue			
Karen & Keith	Wesner	6A	57	5J-7	47 Chatham Fields Road			
Fadi & Maureen	Maalouf	6A	57	5J-6	45 Chatham Fields Road			
Town of East Hampton		6A	57	3	105 Main Street	20 East High Street		
Masonic Temple Assoc. of E. Hampton		6A	57	4	111 Main Street	P.O. Box 112		
Rebecca	Thompson	6A	57	3A	107 Main Street			
Town of East Hampton		6A	57	2B	103 Main Street	20 East High Street		
Robert	McKinney	2A	48A	1	88 Main Street	P.O. Box 141	Middle Haddam	06456
John	Peterson	2A	48A	2	90 Main Street	62 Barton Hill Road		
Town of East Hampton		2A	48A	2A	Main Street	20 East High Street		
		2A	48A	4	Station Road			
		2A	48A	5	Station Road			
		2A	48A	6	Station Road			
		2A	48A	7	Station Road			
		2A	48A	8	Skinner Street			
Chesner Associates LLC		2A	48A	9B	16 Skinner Street	38 Gypsy Lane	Meriden	06450
JCB Real Estate LLC		2A	49	1-11	11 Skinner Street			
Leroy	Goff	2A	49	4-2	100 Main Street			
BENSON ENTERPRISES INC		2A	49	3-1	102 Main Street	P.O. Box 19	East Glastonbury	06025
David & Carrissa	Tomczyk	2A	49	3	108 Main Street			
William	Spencer	2A	49	4	112 Main Street	P.O. Box 90		
Galen & Cheryl	Tyler	2A	49	5	116 Main Street			
Jay & Michelle	Larson	2A	49	7	6 Niles Street			

Note:
 Shaded rows indicate property served by community water system

Table 2
Properties Contained within 500-foot Radius
Receptor Survey
13 Watrous Street
East Hampton, CT

First Name	Last Name	Parcel ID			Property Address	Mailing Street Address (if different)	Mailing Town Address	Zip Code
		Map	Block	Lot				
Bruce	Weitzman	5A	62A	22	2 Bevin Court			
		5A	62A	19	Summit Street			
		5A	62A	57	Bevin Road			
Bevin Bros MFG Co.		5A	62A	58	Bevin Road			
		5A	62A	56	Bevin Boulevard			
		5A	62A	20	Summit Street			
R & D Enterprises		6A	61B	51	12 Summit Street			
		6A	61B	1A	Watrous Street			
Carl E. Vale Properties LLC		6A	61B	29	10 Summit Street	58 Barton Hill		
Lionel	Valuzzo	6A	61B	2A	8 Summit Street	8-B Summit Street		
Larry & Mary	Baird	6A	61B	33	6 Summit Street			
William	Devine	6A	61B	7A	4 Summit Street	43 Main Street		
		6A	61B	52	Main Street			
		6A	61B	6B	Main Street			
Mynalis	Lambis	6A	61B	87	Main Street	31 Donna Drive	Burlington	06013
		6A	61B	7A	Summit Street			
Michael	Cummings	6A	61B	22	Watrous Street	91 St. Nicholas Avenue	New York, Ny	10032
Keith	Erbe	6A	59	12A	1 Watrous Street	14 Summit Street		
Victor	Biondi	6A	59	13	2 Starr Place			
Town of East Hampton		6A	59	12	13 Watrous Street	20 East High Street		
B B ENTERPRISES LLC		6A	59	11	4 Starr Place	77 Peterson Street	Vernon	06066
Donna	Daigle	6A	59	10	6 Starr Place	11 Valli Drive		
Merry	Atkinson	6A	59	9	8 Starr Place			
		6A	59	6	Railroad Avenue			
Phoenix Redevelopment		6A	59	8	17 Watrous Street	P.O. Box 278	Higganum	06441
Mark & Melody	Philhower	6A	59	7	Railroad Avenue	21 White Birch Road		
John & Sheri	Deheny	6A	59	5	5 Railroad Avenue			
Tina	Velasquez	6A	59	4	7 Railroad Avenue			
Robert & Lorraine	Valli	6A	59	3	9 Railroad Avenue			
Carol	Caplan	6A	59	2	11 Railroad Avenue			
Carol	Caplan	6A	59	1	Railroad Avenue	11 Railroad Avenue		
Wendy & Donald	Filis	6A	59	14	11 Starr Place			
Richard	Wood	6A	59	15A	9 Starr Place			




Table 3
Properties Contained within 1/4-Mile Radius
Receptor Survey
103 Main Street
East Hampton, CT

First Name	Last Name	Parcel ID			Property Address	Mailing Street Address (if different)	Mailing Town Address	Zip Code
		Map	Block	Lot				
Richard & Sandra	Mooney	6A	60	1	89 Main Street	188 Young Street		
Brookside Industrial Park Company		6A	60	2	Walnut Avenue	11 Skinner Street		
BIZMO ENTERPRISES LLC		6A	60	3	91 Main Street	73 Bay Road		
JMJ LLC		6A	60	2A	93 Main Street			
Dorino	Bastiani	6A	58	1	29 Watrous Street	21 East Street	Hebron	06248
Allen & Rita	Dunham	6A	58	2	Watrous Street	15 Walnut Avenue		
Allen & Rita	Dunham	6A	58	2A	5 Walnut Avenue	15 Walnut Avenue		
R A W PROPERTIES LLC		6A	57	1	95 Main Street	8 Emily Road	Marlborough	06447
Ruilto	Llena	6A	57	1A	97 Main Street	474 Glastonbury Turnpike	Portland	
Sumner & Sheila	Eihorn	6A	57	2	101 Main Street	715 Middletown Road	Colchester	
Bonito	Fins Stoddard	6A	57	2A	8 Walnut Avenue	P.O. Box 150		
		6A	57	24	Walnut Avenue			
		6A	57	23	Walnut Avenue			
Karen & Keith	Wesner	6A	57	5J-7	47 Chatham Fields Road			
Fadi & Maureen	Maalouf	6A	57	5J-6	45 Chatham Fields Road			
Town of East Hampton		6A	57	3	105 Main Street	20 East High Street		
Masonic Temple Assoc. of E. Hampton		6A	57	4	111 Main Street	P.O. Box 112		
Rebecca	Thompson	6A	57	3A	107 Main Street			
Town of East Hampton		6A	57	2B	103 Main Street	20 East High Street		
Robert	McKinney	2A	48A	1	88 Main Street	P.O. Box 141	Middle Haddam	06456
John	Peterson	2A	48A	2	90 Main Street	62 Barton Hill Road		
		2A	48A	2A	Main Street			
Town of East Hampton		2A	48A	3	94 Main Street	20 East High Street		
		2A	48A	4	Station Road			
		2A	48A	5	Station Road			
		2A	48A	6	Station Road			
		2A	48A	7	Station Road			
		2A	48A	8	Skinner Street			
Chesner Associates LLC		2A	48A	9B	16 Skinner Street	38 Gypsy Lane	Meriden	06450
JCB Real Estate LLC		2A	49	1-12	11 Skinner Street			
Leroy	Goff	2A	49	2	100 Main Street			
BENSON ENTERPRISES INC		2A	49	3-1	102 Main Street	P.O. Box 19	East Glastonbury	06025
David & Carrissa	Tomczyk	2A	49	3	108 Main Street			
William	Spencer	2A	49	4	112 Main Street			
Galen & Cheryl	Tyler	2A	49	5	116 Main Street	P.O. Box 90		
Jay & Michelle	Larson	2A	49	7	6 Niles Street			
					8 Niles Street			
					10 Niles Street			
					118 Main Street			
					122 Main Street			
					124 Main Street			
					126 Main Street			
					128 Main Street			
					133 Main Street			
					134 Main Street			
					136 Main Street			
					142 Main Street			
					146 Main Street			

Table 3
Properties Contained within 1/4-Mile Radius
Receptor Survey
103 Main Street
East Hampton, CT

First Name	Last Name	Parcel ID			Property Address	Mailing Street Address (if different)	Mailing Town Address	Zip Code
		Map	Block	Lot				
					148 Main Street			
					2 Chatham Fields Road			
					3 Chatham Fields Road			
					5 Chatham Fields Road			
					7 Chatham Fields Road			
					9 Chatham Fields Road			
					11 Chatham Fields Road			
					13 Chatham Fields Road			
					14 Chatham Fields Road			
					16 Chatham Fields Road			
					17 Chatham Fields Road			
					18 Chatham Fields Road			
					3 Crescent Street			
					5 Crescent Street			
					8 Crescent Street			
					11 Crescent Street			
					14 Crescent Street			
					15 Crescent Street			
					16 Crescent Street			
					7 Barton Hill Road			
					9 Barton Hill Road			
					13 Barton Hill Road			
					15 Barton Hill Road			
					18 Barton Hill Road			
					21 Barton Hill Road			
					23 Barton Hill Road			
					12 Walnut Avenue			
					14 Walnut Avenue			
					15 Walnut Avenue			
					17 Walnut Avenue			
					19 Walnut Avenue			
					21 Walnut Avenue			
					23 Walnut Avenue			
					25 Walnut Avenue			
					28 Walnut Avenue			
					29 Walnut Avenue			
					31 Walnut Avenue			

Note:
Shaded rows indicate property served by community water system

Environmental Hazard Report January 8, 2008 (Read-Only) - Laserfiche

File Edit View Tasks Tools Window Help

Image

Table 4

Properties Contained within 1/4-mile Radius

Receptor Survey

103 Main Street

East Hampton, CT

First Name	Last Name	Parcel ID			Property Address	Mailing Street Address (if different)	Mailing Town Address	Zip Code
		Map	Block	Lot				
					148 Main Street			
					2 Chatham Fields Road			
					3 Chatham Fields Road			
					5 Chatham Fields Road			
					7 Chatham Fields Road			
					9 Chatham Fields Road			
					11 Chatham Fields Road			
					13 Chatham Fields Road			
					14 Chatham Fields Road			
					16 Chatham Fields Road			
					17 Chatham Fields Road			
					18 Chatham Fields Road			
					3 Crescent Street			
					5 Crescent Street			
					8 Crescent Street			
					11 Crescent Street			
					14 Crescent Street			
					15 Crescent Street			
					16 Crescent Street			
					7 Barton Hill Road			
					9 Barton Hill Road			
					13 Barton Hill Road			
					15 Barton Hill Road			
					18 Barton Hill Road			
					21 Barton Hill Road			
					23 Barton Hill Road			
					12 Walnut Avenue			
					14 Walnut Avenue			
					15 Walnut Avenue			
					17 Walnut Avenue			
					19 Walnut Avenue			
					21 Walnut Avenue			
					23 Walnut Avenue			
					25 Walnut Avenue			
					28 Walnut Avenue			
					29 Walnut Avenue			
					31 Walnut Avenue			

Metadata

Fields Tags Links Versions

Template: Town of East Hampton Browns

FOLDER NAME

Environmental Hazard Report January

Add/Re


Table 4
Properties Contained within 1/4-mile Radius
Receptor Survey
13 Watrous Street
East Hampton, CT

First Name	Last Name	Parcel ID			Property Address	Mailing Street Address (if different)	Mailing Town Address	Zip Code
		Map	Block	Lot				
John & Sheri	Deheny	6A	59	5	5 Railroad Avenue			
Tina	Velasquez	6A	59	4	7 Railroad Avenue			
Robert & Lorraine	Valli	6A	59	3	9 Railroad Avenue			
Carol	Caplan	6A	59	2	11 Railroad Avenue			
Carol	Caplan	6A	59	1	Railroad Avenue	11 Railroad Avenue		
Wendy & Donald	Fis	6A	59	14	11 Starr Place			
Richard	Wood	6A	59	15A	9 Starr Place			
Edward	Roy	6A	59	15	7 Starr Place			
William & Michelle	Drolar	6A	59	16	5 Starr Place			
Jason	Baltrucki	6A	59	17A	3 Starr Place			
Eleanor	Lancey	6A	59	17	1 Starr Place			
		6A	59	18	Starr Place			
		6A	59	19	Starr Place			
Dorino	Bastiani	6A	58	1	29 Watrous Street	21 East Street	Hebron	06248
Allen & Rita	Dunham	6A	58	2	Watrous Street	15 Walnut Avenue		
Allen & Rita	Dunham	6A	58	2A	5 Walnut Avenue	15 Walnut Avenue		
Allen & Rita	Dunham	6A	58	3	9 Walnut Avenue	15 Walnut Avenue		
John & Linda	Grenman	6A	58	2B	17 Walnut Avenue			
Richard & Sandra	Mooney	6A	60	1	89 Main Street	188 Young Street		
Brookside Industrial Park Company		6A	60	2	Walnut Avenue	11 Skinner Street		
BIZMO ENTERPRISES LLC		6A	60	3	91 Main Street	73 Bay Road		
JMUJ LLC		6A	60	2A	93 Main Street			
					2 Bishop Hill Road			
					4 Bishop Hill Road			
					5 Bishop Hill Road			
					6 Bishop Hill Road			
					10 Bishop Hill Road			
					12 Bishop Hill Road			
					13 Bishop Hill Road			
					14 Bishop Hill Road			
					15 Bishop Hill Road			
					16 Bishop Hill Road			
					17 Bishop Hill Road			
					12 Summit Street			
					13 Summit Street			
					15 Summit Street			
					17 Summit Street			
					19 Summit Street			

Table 4
Properties Contained within 1/4-mile Radius
Receptor Survey
13 Watrous Street
East Hampton, CT

First Name	Last Name	Parcel ID			Property Address	Mailing Street Address (if different)	Mailing Town Address	Zip Code
		Map	Block	Lot				
					20 Summit Street			
					21 Summit Street			
					23 Summit Street			
					25 Summit Street			
					27 Summit Street			
					28 Summit Street			
					30 Summit Street			
					33 Summit Street			
					34 Summit Street			
					36 Summit Street			
					38 Summit Street			
					38 Main Street			
					42 Main Street			
					44 Main Street			
					50 Main Street			
					52 Main Street			
					7 Barton Hill Road			
					9 Barton Hill Road			
					13 Barton Hill Road			
					15 Barton Hill Road			
					18 Barton Hill Road			
					21 Barton Hill Road			
					23 Barton Hill Road			
					3 Crescent Street			
					5 Crescent Street			

Note:
Shaded rows indicate property served by community water system



LEGEND

- Approximate location of visible wellhead. Observed during windshield survey.
- Town-owned property
- ∕ East Hampton parcels/property boundaries
- Community water customer
- ▨ 500-foot buffer of town-owned property
- 1/4-mile buffer of town-owned property

0.1 0 0.1 0.2 Miles

600 0 600 1200 Feet



Site

Receptor Survey



East Hampton Village Center
East Hampton, CT

Tighe & Bond, Inc.

Consulting Engineers

270 Main Street, Suite 200, East Hampton, CT 06424
Tel: 860/328-1234 Fax: 860/328-1235
E-mail: info@tighebond.com Website: www.tighebond.com

Figure 1



Receptor Survey
 East Hampton Village Center
 East Hampton, CT

Tighe & Bond, Inc.
 Consulting Engineers
 210 East Street, Suite 200, Middletown, CT 06457
 Tel: 860.346.1336 Fax: 860.346.1335
 E-mail: info@tigheandbond.com
 Date: 10/20/2005
 Figure 2

12-6136
January 25, 2007

Mr. Gilbert Richards
Bureau of Waste Management
Department of Environmental Protection
Hartford, CT 06106-5127

Re: Significant Hazard Report
13 Watrous Street and 103 Main Street
East Hampton Village Center

Dear Mr. Richards:

Tighe & Bond has prepared this combined Significant Environmental Hazard report for 13 Watrous Street and 103 Main Street (sites). This report provides the actions, including analytical results, status of untested wells, and recommended further actions and monitoring as required by Connecticut Public Act 98-134. This report represents one component of an Environmental Protection Agency (EPA) Brownfields Assessment Grant awarded to the Town of East Hampton.

Background

Tighe & Bond performed Phase I and II environmental site assessments (ESAs) on 13 Watrous and 103 Main Street. The Town of East Hampton submitted two Significant Environmental Reports to the Connecticut Department of Environmental Protection (CTDEP) on August 26, 2005 as required by CGS 22a-6u.. The reports were required because the Significant Environmental Hazard of "Drinking Water Well Threatened" was identified during the Phase II Environmental Site Assessment at both sites. Specifically, trichloroethene (TCE) was detected in the groundwater at 13 Watrous Street above the Groundwater Protection Criteria (GWPC). Additionally, antimony and lead were detected above the GWPC in the groundwater at 103 Main Street.

During preparation of the Significant Environmental Hazard reports for the two sites, the Town of East Hampton proactively sampled two water supply wells located at 13 Watrous Street. One of the wells, located with the interior of the building, is currently inactive but was formerly used to supply the facility. The other well, exterior to the building, formerly supplied two residences located adjacent to the facility. TCE was not detected in the exterior well but was detected in the former interior facility well. Additionally pesticides were detected in the interior well including chlordane, dieldrin, and trans-nonachlor. Tighe & Bond verbally

notified Gilbert Richards of the CTDEP by voicemail of the detections of pesticides on September 27 and 29, 2005. The analysis for pesticides was included in the analysis of water supply wells identified within the receptor survey.

CTDEP acknowledged receipt of the reports in a letter for each site dated September 13, 2005. The letters contained specific requirements of the CTDEP including a receptor survey to locate supply wells within 500-feet of 13 Watrous Street and 103 Main Street and sampling of identified properties with wells for the constituents of concern (COCs).

Tighe & Bond prepared a receptor survey report on September 27, 2005. This report was provided to the Town of East Hampton, Gil Richards of the CTDEP, and Thad King of the Chatham Health Department. Tighe & Bond used ArcView 3.3 Geographical Information Systems (3.3) to create two sets of buffers around the sites, 1/4-mile and 500-foot (Figure 1). The 500-foot buffer contained an overlap between the two sites for a contiguous area of 51 acres. The buffer extends north to the Bevin Manufacturing Company and the south to Niles Street. The area encompasses the majority of the Village Center area. A digitized parcel map, last updated in 2002, was provided by the Midstate Regional Planning Authority and overlain on the buffered areas. The number of parcels contained within or touching the buffer numbered 71 properties. Both buffers were also overlain on an aerial photograph provided by SBC taken in 2001 (Figure 2). The photograph provides the locations of houses and landmarks within the 500-foot and 1/4-mile buffered areas.

On September 1, 2005 Tighe & Bond personnel interviewed Vince Susco of the Water Pollution Control Authority. Mr. Susco identified the 29 properties served by the Village Center Community Water System. The Village Center Water System became operational in August of 1992 and has been owned and operated by the East Hampton Water Pollution Control Authority. The properties served by the water system are highlighted in blue on Figure 1. Mr. Susco subsequently reviewed the map and verified that the correct locations were identified. The properties are also shaded on the tables. Mr. Susco stated that all of the properties connected to the community water system were required to abandon their supply wells.

On September 1, 2005 Tighe & Bond personnel conducted a windshield survey of the receptor area. The purpose of the windshield survey was to identify street addresses within a 1/4-mile radius of the sites and to note visible wellhead locations within the same area. Figure 1 contains the locations of the 58 visible well heads.

Tighe & Bond also researched the locations of public water systems monitored by the Connecticut Department of Public Health. The following locations were proximate to the Village Center and the locations are provided on Figure 1.

System ID	Name	Address	Type of System
CT0429031	East Hampton WPCA - Town Center System	Main Street	Community Water System
CT0420264	Food Bag-East High Street	318 Main Street	Transient Non-Community
CT0420474	Spencers Funeral Home	112 Main Street	Transient Non-Community
CT0429113	Masonic Temple Association of East Hampton	111 Main Street	Non-Transient Non-Community

Results

The receptor survey was used by The Chatham Health Department to conduct sampling at the properties. All of the data presented in this report was collected by the Chatham Health Department and provided to Tighe & Bond for this report. The data is provided at the end of this report. All sampling analysis was performed by the Department of Public Health Laboratory in Hartford, Connecticut. It should be noted that additional historic drinking water results collected from sites within the study area are available through the Chatham Health District. However, this data was not collected as part of the Significant Hazard Reporting requirements and therefore not included within this report.

Table 1 provides the results of the 45 residences sampled between October 2005 and June 2006. The data is compared to the following standards:

- National Primary Drinking Water Regulations promulgated by the EPA.
- Action Limits for Private Wells, promulgated by the Connecticut Department of Public Health.
- The Connecticut Remediation Standard Regulation Groundwater Protection Criteria.

Three analytical methods were employed: EPA Method 524.2 for volatile organic compounds (VOCs), EPA Method 505 for pesticides and polychlorinated biphenyls (PCBs), and EPA Method 200.8 for lead and antimony. The proximity of the property to either 103 Main Street or 13 Watrous Street determined which analytical method was performed. All of the analytical results used within this report are provided in Appendix A. Figure 3 provides an illustration of the sampling results.

VOC analysis was performed on 34 properties located within proximity to 13 Watrous Street. Table 1 provides the 12 analytes detected in a supply well in at least one property. No VOC detections exceeded drinking water standards.

- Groundwater samples collected from 13 Watrous and 17 Watrous Street contained detections of TCE at 3.9 and 2.3 $\mu\text{g/L}$, respectively.
- Groundwater samples collected from 17 Watrous and 22 Watrous Street contained cis-1,2-dichloroethylene, a breakdown product of TCE, at a concentration of 0.6 $\mu\text{g/L}$.
- Methyl Tert Butyl-Ether (MTBE) was detected in well water from three sites, 107 and 111 Main Street and 5 Railroad Avenue, at concentrations ranging from 0.5 to 0.6 $\mu\text{g/L}$. The MTBE on Main Street is likely attributed to the documented release at the Food Bag located at 1 Colchester Avenue.
- Toluene was detected in supply wells at two properties including 2 and 6 Starr Place at concentrations of 0.8 and 1.4 $\mu\text{g/L}$, respectively.
- Groundwater collected from the interior drilled well at 13 Watrous Street contained a detection of trichlorofluoroethene at 7.8 $\mu\text{g/L}$.
- The remaining compounds detected in the samples are grouped and regulated under Federal drinking water standards as trihalomethanes. None of the properties contained concentrations approaching these Federal limits.

Pesticide analysis was performed on 30 properties located within proximity to 13 Watrous Street. Table 1 provides the four pesticides detected. Eight properties contained groundwater with pesticide concentrations above drinking water standards.

- Alpha Chlordane was detected above drinking water standards at three properties located at 15, 16, and 19 Summit Street. The constituent was also detected, below applicable standards, in the groundwater collected from the interior supply well at 13 Watrous Street.
- Gamma Chlordane was only detected, below applicable standards, in the groundwater collected from the interior well located at 13 Watrous Street.
- Dieldrin was detected in groundwater from eight sample locations. Due to the low standard (0.03 $\mu\text{g/L}$) all eight detections were exceedences.
- Trans-nonachlor was detected in the groundwater samples collected from 13 Watrous Street below applicable standards.

Lead and antimony analysis was performed on 16 properties located within proximity to 103 Main Street. Table 1 provides the results. No lead or antimony detections exceeded drinking water standards.

- Antimony was not detected above reporting limits in any of the groundwater samples.

- Lead was detected at 4 µg/L for two samples collected from properties located at 1 Starr Place and 116 Main Street.

According to the Chatham Health Department, all of the property owners sampled were notified of the results. The Chatham Health Department has notified the CTDEP of all of the drinking water exceedences. The CTDEP placed five of the properties containing pesticides immediately on bottled water. Three properties, 2 Starr Place, 13 and 17 Watrous Street are used for commercial purpose and therefore do not qualify for state response. Thad King of the Chatham Health Department indicated that the owners of 2 Starr Place and 17 Watrous Street have been informed of the drinking water exceedences and their obligation to notify their employees of potential workplace exposure. The Town of East Hampton owns the property at 13 Watrous Street which is currently vacant. CTDEP has indicated that filtration systems have been provided for the residences at 29 Watrous Street and 2 Bevin Court. All five residential properties will be provided with filtration systems and removed from bottle water.

Recommendations for Further Actions

The Chatham Health Department is performing additional sampling within the Village Center. A third significant hazard notification, to be addressed as a separate report, was triggered during a Phase II ESA at 3 Walnut Avenue (Water Tower Property). CTDEP is currently conducting additional testing of residential wells as part of their investigation into the pesticide groundwater contamination. It is recommended that the data gathered from both efforts continue to be exchanged to address any data gaps. Figure 3 depicts the locations of wells that have not been sampled and identified during this investigation as possible data gaps. In particular, no data was provided for 11, 13, 17 and 20 Summit Street. These locations should be sampled for VOCs and pesticides in accordance with the Significant Hazard Notification.

The Town of East Hampton, Chatham Health Department, and CTDEP have been in regular communication to eliminate the health risks posed by the contaminated groundwater within the Village Center area. We recommend that these parties continue to work in a collaborative fashion. Additional recommendations include requesting the Chatham Health Department to conduct a quarterly monitoring program to further define and identify the spatial distribution of the affected wells. Based on the results provided in this report, we recommend the following monitoring program:

Vicinity of 13 Watrous Street

- | | | |
|---------------------|---------------------|--------------------|
| • 17 Watrous Street | • 6 Starr Place | • 16 Summit Street |
| • 22 Watrous Street | • 8 Starr Place | • 19 Summit Street |
| • 29 Watrous Street | • 10 Starr Place | • 2 Bevin Court |
| • 2 Starr Place | • 5 Railroad Avenue | |
| • 4 Starr Place | • 15 Summit Street | |

Vicinity of 103 Main Street

- 105 Main Street
- 107 Main Street


The locations of these properties are provided as Figure 4. Wells in the vicinity of 13 Watrous Street should be analyzed for VOCs and pesticides/herbicides. Wells in the vicinity of 103 Main Street should be analyzed for priority pollutant 13 metals. It is recommended that the CTDEP continue to investigate wells impacted by the confirmed petroleum release at the Food Bag on 1 Colchester Street. The release appears to have impacted wells located south of 103 Main Street.

The scope and frequency of the monitoring program should be reviewed annually and as additional data are available to maintain effectiveness. As indicated above, the CTDEP is leading the investigation into pesticide/herbicide impact and additional monitoring points should be added as appropriate. Additional recommendations for the program will be provided following completion of the Significant Environmental Hazard report for 3 Walnut Avenue (Water Tower Property). The Chatham Health Department should also research well construction details and conditions. This data will provide a more accurate depiction of the contaminant plume.


The Town of East Hampton believes this report satisfies the reporting requirements for 103 Main Street and 13 Watrous Street under Connecticut Public Act 98-134 and stated in the CTDEP notification response letters. If you have any questions or comments, please contact Brian Conte at (860) 704-4763 or James Olsen (860) 704-4761.

Very truly yours,

TIGHE & BOND, INC.



James T. Olsen, LEP
Senior Hydrogeologist / Office Manager



Brian C. Conte
Environmental Scientist

J:\C\6136\Reports\Significant Environmental Hazard Report\Report.doc

Enclosures


Copy: Alan Bergren - Town Manager, Town of East Hampton

Dave Terry - Chairman East Hampton Brownfields Steering Committee
Dan Wolfram - East Hampton Brownfields Steering Committee
Thad King - Director of Health, Chatham Health District



LEGEND

- Approximate location of visible wellhead. Observed during windshield survey.
- Town-owned property
- East Hampton parcels/property boundaries
- Community water customer
- 500-foot buffer of town-owned property
- 1/4-mile buffer of town-owned property






Receptor Survey

East Hampton Village Center
East Hampton, CT

Tighe & Bond, Inc.

Consulting Engineers
20 South Street, Suite 200, Middletown, CT 06457
Tel: 860.336.1234 Fax: 860.336.1235
www.tigheandbond.com

Figure 1



No.	Design No.	Title	Date
128136	RCC	10/20/05	

Figure 2

Figure 2



LEGEND

- Possible vacant property / no well available
- Possible data gap
- Parcel contained the presence of dieldrin
- Parcel contained the presence of dieldrin and chlordane
- Parcel contained the presence of a volatile organic compound
- Parcel contained no detectable concentration of a pesticide and/or volatile organic compound
- Parcel boundaries
- Parcels connected to community water system according to Vince Susco
- Areas contained with 500-ft buffer of town-owned properties triggering receptor survey

SCALE: 1 inch = 340 feet
T Town-owned properties triggering receptor survey

Tighe & Bond


*Creating Solutions
Environmental Specialists*

Job Number: 126136

Drawn By: BCC

Last Revised 1/10/07

FIGURE 3



0 500 1000 1500 Feet



Proposed Sampling Location



Site

Proposed Sampling Locations

East Hampton Village Center
East Hampton, CT

Tighe-Bond, Inc.
Consulting Engineers

213 Court Street, Suite 200 - Middletown, CT 06457
Job No. 126136 Drawn By: BCC Date: 9/7/05
File: #126136\Figure4.pdf

Figure 4

Table 1
Significant Environmental Hazard Report
East Hampton Village Center

	National Primary Drinking Water Regulations	CTDPH Action Level	GWPC	2 Bevin Court	46 Chatham Fields Road	47 Chatham Field Road	64 Main Street	66 Main Street	91 Main Street	95 Main Street	101 Main Street	105 Main Street	107 Main Street	108 Main Street	111 Main Street	112 Main Street	116 Main Street	6 Nasa Street
Date Sampled				11/2/2005	10/27/2005	10/27/2005	10/27/2005	10/27/2005	10/27/2005	10/27/2005	10/27/2005	10/27/2005	10/27/2005	10/27/2005	10/27/2005	10/27/2005	10/27/2005	10/27/2005
VOCs via EPA Method 524.2-1 (µg/L)																		
Toluene	1,000	1,000	1,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Methyl Tert Butyl Ethylene (MTBE)	NS	70	100	ND	ND	ND	ND	J+0.5	J+0.5	ND	ND	J+0.5	0.6	ND	ND	J+0.5	0.7	J+0.5
Methylene Chloride	NS	NS	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Trichloroethylene	5	5	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloroform	80 ¹	NS	6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromoform	80 ¹	NS	4	ND	ND	ND	ND	0.9	0.9	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dibromochloromethane	80 ¹	NS	NS	ND	ND	ND	ND	0.7	0.8	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromodichloromethane	80 ¹	NS	0.56	ND	ND	ND	ND	J+0.5	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloroethane	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Trichlorofluoroethane	NS	NS	20,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
cis-1,2-Dichloroethylene	70	NS	70	ND	ND	ND	ND	J+0.5	J+0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND
Trichloroethylene	5	5	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Pesticides via EPA Method 505¹ (µg/L)																		
Alpha Chlordane	2	0.3	0.3	ND<0.008														
Gamma Chlordane	2	0.3	0.3	ND<0.006														
Dieldrin	NS	0.03	0.002	0.008														
Trans-nonachlor	NS	NS	NS	ND<0.005														
Metals via EPA Method 200.8 (µg/L)																		
Lead	15	NS	15	ND<3		ND<3	ND<3	ND<3	ND<3	ND<3	ND<3	ND<3	ND<3	ND<3	ND<3	ND<3	4	ND<3
Antimony	6	NS	6	ND<5		ND<5	ND<5	ND<5	ND<5	ND<5	ND<5	ND<5	ND<5	ND<5	ND<5	ND<5	ND<5	ND<5

Notes:
1 - Only detected analytes listed
2 - Total trichloroethylene standard applies.
GWPC - The Connecticut Remediation Standard Regulations Groundwater Protection Criteria
CTDPH - Connecticut Department of Public Health Action Limit for Private Wells, Updated March 2004
National Primary Drinking Water Regulations, update May 2005
Results with border and bold typeface indicate an exceedance of one or more drinking water standards
All results reported in micrograms per liter
VOC - Volatile Organic Compounds
NS - No standard
J - Constituent detected below reporting limit
ND - Not detected. Note: No reporting limits were provided for analytical method 524.2.
All results provided by the Chatham Health Department

Table 1 (continued)
Significant Environmental Hazard Report
East Hampton Village Center

	National Primary Drinking Water Regulations	CTDPA Action Level	GWPC	4 Railroad Avenue	5 Railroad Avenue	7 Railroad Avenue	9 Railroad Avenue	1 Star Phase	2 Star Phase	3 Star Phase	4 Star Phase	5 Star Phase	6 Star Phase	7 Star Phase	8 Star Phase	9 Star Phase	10 Star Phase
Date Sampled				12/8/2005	10/13/2005	10/13/2005	10/13/2005	11/2/2005	10/13/2005	10/13/2005	8/30/2008	10/13/2005	10/13/2005	10/13/2005	10/13/2005	10/13/2005	6/30/2006
VOCs via EPA Method 524.2-1 (µg/L)																	
Toluene	1,000	1,000	1,000	ND				ND	0.8	ND	ND	ND	1.4		ND		ND
Methyl Tert Butyl Ethylene (MTBE)	NS	70	100	0.5				ND	ND	ND	ND	ND	J<0.5		ND		ND
Methylene Chloride	NS	NS	5	ND				ND	ND	ND	ND	ND	ND	J<0.5		ND	ND
Trichloroethylene	5	5	5	ND				ND	ND	ND	ND	ND	ND		ND		ND
Chloroform	60 ¹	NS	6	ND				ND	ND	ND	ND	ND	ND		ND		ND
Bromoform	60 ¹	NS	4	ND				ND	ND	ND	ND	ND	ND		ND		ND
Dibromochloromethane	60 ¹	NS	NS	ND				ND	ND	ND	J<0.5	ND	ND		ND		ND
Bromodichloromethane	60 ¹	NS	0.56	ND				ND	ND	ND	J<0.5	ND	ND		ND		ND
Chloroethane	NS	NS	NS	ND				ND	ND	ND	ND	ND	ND		ND		ND
Trichloroethene	NS	NS	NS	ND				ND	ND	ND	ND	ND	ND		ND		ND
cis-1,2-Dichloroethylene	70	NS	70	ND				ND	ND	ND	ND	ND	ND		ND		ND
Trans-1,2-Dichloroethylene	5	5	5	ND				ND	J<0.5	ND	ND	ND	ND		ND		ND
Pesticides via EPA Method 505¹ (µg/L)																	
Alpha Chlordane	2	0.3	0.3	ND<0.008	ND<0.008	ND<0.008	ND<0.008	ND<0.008	ND<0.008	ND<0.008	ND<0.008	ND<0.008	ND<0.008	ND<0.008	ND<0.008	ND<0.008	ND<0.008
Gamma Chlordane	2	0.3	0.3	ND<0.008	ND<0.008	ND<0.008	ND<0.008	ND<0.008	ND<0.008	ND<0.008	ND<0.008	ND<0.008	ND<0.008	ND<0.008	ND<0.008	ND<0.008	ND<0.008
Dieldrin	NS	0.03	0.002	ND<0.008	ND<0.008	ND<0.008	ND<0.008	ND<0.008	0.333	ND<0.008	ND<0.008	ND<0.008	ND<0.008	ND<0.008	ND<0.008	ND<0.008	ND<0.008
Trans-nonachlor	NS	NS	NS	ND<0.008	ND<0.008	ND<0.008	ND<0.008	ND<0.008	ND<0.008	ND<0.008	ND<0.008	ND<0.008	ND<0.008	ND<0.008	ND<0.008	ND<0.008	ND<0.008
Metals via EPA Method 200.8 (µg/L)																	
Lead	15	NS	15					4									
Arsimony	6	NS	6					ND<3									

Notes:
1 - Only detected analytes listed
2 - Total trihalomethane standard applies.
GWPC - The Connecticut Remediation Standard Regulations Groundwater Protection Criteria
CTDPA - Connecticut Department of Public Health Action Limit for Private Wells, Updated March 2004
National Primary Drinking Water Regulations, update May 2005
Results with border and bold typeface indicate an exceedance of one or more drinking water standards
All results reported in micrograms per liter
VOC - Volatile Organic Compounds
NS - No standard
J - Constituent detected below reporting limit
ND - Not detected. Note: No reporting limits were provided for analytical method 524.2.
All results provided by the Chatham Health Department

Table 1 (continued)
Significant Environmental Hazard Report
East Hampton Village Center

	National Primary Drinking Water Regulations	CTDPR Action Level	GWPC	11 Star Place	15 Summit Street	16 Summit Street	18 Summit Street	19 Summit Street	23 Summit Street	8 Walnut Avenue	9 Walnut Avenue	10 Walnut Avenue	12 Walnut Avenue	17 Walnut Avenue	13 Walnut Street Interior Well	13 Walnut Street Exterior Well	17 Walnut Street	22 Walnut Street	29 Walnut Street
Date Sampled				10/13/2005	10/13/2005	10/13/2005	10/13/2005	10/13/2005	11/2/2005	11/2/2005	10/13/2005	10/13/2005	10/13/2005	10/13/2005	8/10/2005	7/12/2005	7/12/2005	6/30/2006	6/30/2006
VOCs via EPA Method 824.2 1 (µg/L)																			
Toluene	1,000	1,000	1,000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Methyl Tert Butyl Ethylene (MTBE)	NS	70	100	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	J<0.5	J<0.5
Methylene Chloride	NS	NS	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	J<0.5	ND	ND	ND	ND
Trichloroethylene	5	5	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.9	ND	2.3	ND	J<0.5
Chloroform	80 ²	NS	8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	J<0.5	ND	ND	2.6	ND
Bromoform	80 ²	NS	4	ND	ND	ND	ND	ND	0.6	ND	ND	ND	ND	ND	ND	ND	ND	1.8	ND
Dibromochloromethane	80 ²	NS	NS	ND	ND	ND	ND	ND	0.6	ND	ND	ND	ND	ND	ND	ND	ND	3.5	ND
Bromodichloromethane	80 ²	NS	0.56	ND	ND	ND	ND	ND	J<0.5	ND	ND	ND	ND	ND	ND	ND	ND	3.7	ND
Chloroethane	NS	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	J<0.5	ND
Trichlorofluoromethane	NS	NS	2000	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.8	ND	ND	ND	ND
cis-1,2-Dichloroethylene	70	NS	70	ND	ND	ND	ND	ND	J<0.5	ND	ND	ND	ND	ND	ND	ND	0.6	0.6	ND
Tetrachloroethylene	5	5	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	J<0.5	ND	ND	ND	ND
Pesticides via EPA Method 505¹ (µg/L)																			
Alpha Chlordane	2	0.3	0.3	ND<0.008	3.86	0.346	ND<0.008	0.38	ND<0.008	ND<0.008	ND<0.008	ND<0.008	ND<0.008	ND<0.008	0.056	ND	ND<0.008	ND<0.008	ND<0.008
Gamma Chlordane	2	0.3	0.3	ND<0.008	ND<0.008	ND<0.008	ND<0.008	ND<0.008	ND<0.008	ND<0.008	ND<0.008	ND<0.008	ND<0.008	ND<0.008	0.056	ND	ND<0.008	ND<0.008	ND<0.008
Dieldrin	NS	0.03	0	ND<0.008	6.52	2.05	ND<0.008	2.04	ND<0.008	ND<0.008	ND<0.008	ND<0.008	ND<0.008	ND<0.008	1.863	ND	6.096	6.091	6.091
Trans-nonachlor	NS	NS	NS	ND<0.008	ND<0.008	ND<0.008	ND<0.008	ND<0.008	ND<0.008	ND<0.008	ND<0.008	ND<0.008	ND<0.008	ND<0.008	0.03	ND	ND<0.008	ND<0.008	ND<0.008
Metals via EPA Method 200.8 (µg/L)																			
Lead	15	NS	15							ND<3									
Antimony	6	NS	6							ND<3									

Notes:
1 - Only detected analytes listed
2 - Total trihalomethane standard applies
GWPC - The Connecticut Remediation Standard Regulations Groundwater Protection Criteria
CTDPR - Connecticut Department of Public Health Action Limit for Private Wells, Updated March 2004
National Primary Drinking Water Regulations, update May 2005
Results with border and bold typeface indicate an exceedance of one or more drinking water standards
All results reported in micrograms per liter
VOC - Volatile Organic Compounds
NS - No standard
J - Constituent detected below reporting limit
ND - Not detected. Note: No reporting limits were provided for analytical method 824.2.
All results provided by the Chatham Health Department



STATE OF CONNECTICUT

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT
THAD KING MPH, RS
20 E. HIGH ST.
EAST HAMPTON CT 06424

LAB	ACCESSION NO.	ACCOUNT NO.	AGE	SEX	PAGE
NR:1K233	18020775	D06424	0		
INFORMATION					
042EAST HAMPTON LANCEY 1 STARR PL EAST HAMPTON CT 06424					
COLLECTED		RECEIVED		REPORTED	
11/02/05 13:00		11/02/05 15:08		11/17/05 13:57	

REPORT	FINAL REPORT	COMMENT
TEST(S)	RESULT(S)	
*** PESTICIDES METHOD	SAMPLING POINT: KITCHEN SINK COLLECTOR: KING, THAD PRIVATE WELL.	
	TITLE: DOH RS	
	ANALYTICAL METHOD - EPA METHOD 505 ANALYSIS OF ORGANOHALIDE PESTICIDES AND COMMERCIAL POLYCHLORINATED BIPHENYLS (PCB) PRODUCTS IN WATER BY MICROEXTRACTION AND GAS CHROMATOGRAPHY	
Date Extracted	11/02/05	
Date Analyzed	11/02/05	
RESULTS	COMPOUND	RESULT MDL (ug/l) PGL (ug/l)
	ALDRIN	ND 0.006 0.0286
	ALACHLOR	ND 0.080 0.2886
	ATRAZINE	ND 1.438 * 2.0000
	ALPHA CHLORDANE	ND 0.008 0.0286
	GAMMA CHLORDANE	ND 0.006 0.0286
	CHLORDANE (TECHNICAL)	ND 0.247 0.2869
	DIELDRIN	ND 0.008 0.0286
	ENDRIN	ND 0.037 0.0286
	HEPTACHLOR	ND 0.005 0.0286
	HEPTACHLOR EPOXIDE	ND 0.006 0.0286
	HEXACHLOROBENZENE	ND 0.004 0.0286
	HEXACHLOROCYCLOPENTADIENE	ND 0.007 0.0286
	LINDANE	ND 0.005 0.0286
	METHOXYCHLOR	ND 0.025 0.1429
	CIS-NONACHLOR	ND 0.007 0.0286
	TRANS-NONACHLOR	ND 0.006 0.0286
	SIMAZINE	ND 2.262 ** 2.0000
	TOXAPHENE	ND 0.859 1.4329
	AROCLOR 1016	ND N/A N/A
	AROCLOR 1221	ND N/A N/A
	AROCLOR 1232	ND N/A N/A
	AROCLOR 1242	ND N/A N/A

*** CONTINUED ***



STATE OF CONNECTICUT

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT
THAD KING MPH, RS
20 E. HIGH ST.
EAST HAMPTON CT 06424

ID	ACCESSION NO.	ACCOUNT NO.	AGE	SEX	PAGE
NR:TK233	18020775	D06424	0		2
INFORMATION					
042EAST HAMPTON LANCEY 1 STARR PL EAST HAMPTON CT 06424					
COLLECTED		RECEIVED		REPORTED	
11/02/05 13:00		11/02/05 15:08		11/17/05 13:57	

REPORT	FINAL REPORT	COMMENT
TEST(S)	RESULTS	
AROCLOR 1248	ND	N/A
AROCLOR 1254	ND	0.486
AROCLOR 1260	ND	0.582
BUTACHLOR	ND	N/A
PROPACHLOR	ND	0.104
METOLACHLOR	ND	N/A
METRIBUZIN	ND	N/A
P,p'-DDE	ND	N/A
P,p'-DDD	ND	N/A
P,p'-DDT	ND	N/A
ND = NONE DETECTED (RESULT LESS THAN THE PQL) PQL = PRACTICAL QUANTITATION LIMIT		
Values Calculated based on a Signal/Noise Ratio of 5:1 according to CFR Part 136 Appendix B		
* The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.22		
** The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.154		
		
** END OF REPORT **		

**STATE OF CONNECTICUT**

Department of Public Health
Division of Laboratory Services
10 Clason St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8300

CHATHAM HEALTH DISTRICT
THAD KING MPH, RS
20 E. HIGH ST.
EAST HAMPTON CT 06424

ID	ACCESSION NO.	ACCOUNT NO.	AGE	S	PAGE
NR: TK30	18021318	D06424	0		1

042EAST HAMPTON
DIPACE MICHAEL
2 BEVIN CT
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
09/13/06 13:50	09/14/06 09:31	09/27/06 09:50

REPORT	FINAL REPORT	COMMENT		
TEST(S)				
RESULT(S)				
SAMPLING POINT: COLLECTOR: KING, THAD TITLE: DGH RS PRIVATE WELL TREATMENT:				
** PESTICIDES METHOD				
ANALYTICAL METHOD - EPA METHOD 505 ANALYSIS OF ORGANOHALIDE PESTICIDES AND COMMERCIAL POLYCHLORINATED BIPHENYLS (PCB) PRODUCTS IN WATER BY MICROEXTRACTION AND GAS CHROMATOGRAPHY				
Date Extracted	09/19/06			
Date Analyzed	09/19/06			
RESULTS	COMPOUND	RESULT	MDL (ug/l)	PDL (ug/l)
	ALDRIN	ND	0.006	0.0286
	ALACHLOR	ND	0.080	0.2886
	ATRAZINE	ND	1.438	* 2.0000
	ALPHA CHLORDANE	ND	0.008	0.0286
	GAMMA CHLORDANE	ND	0.006	0.0286
	CHLORDANE (TECHNICAL)	ND	0.247	0.2869
	DIELDRIN	0.076ug/l	0.008	0.0286
	ENDRIN	ND	0.037	0.0286
	HEPTACHLOR	ND	0.005	0.0286
	HEPTACHLOR EPOXIDE	ND	0.006	0.0286
	HEXACHLOROBENZENE	ND	0.004	0.0286
	HEXACHLOROCYCLOPENTADIENE	ND	0.007	0.0286
	LINDANE	ND	0.005	0.0286
	METHOXYCHLOR	ND	0.025	0.1429
	CIS-NONACHLOR	ND	0.007	0.0286
	TRANS-NONACHLOR	ND	0.006	0.0286
	SEMAZINE	ND	2.262	** 2.0000
	TOXAPHENE	ND	0.859	1.4329
	AROCLOR 1016	ND	N/A	N/A
	AROCLOR 1221	ND	N/A	N/A
	AROCLOR 1232	ND	N/A	N/A
	AROCLOR 1242	ND	N/A	N/A
*** CONTINUED ***				



STATE OF CONNECTICUT

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT
THAD KING MPH, RS
20 E. HIGH ST.
EAST HAMPTON CT 06424

LD	ACCESSION NO.	ACCOUNT NO.	AGE	SEX	PAGE
NR:TK30	18021318	D06424	0		2

INFORMATION
042EAST HAMPTON
DIPACE MICHAEL
2 BEVIN CT
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
09/13/06 13:50	09/14/06 09:31	09/27/06 09:50

REPORT	FINAL REPORT	COMMENT
TEST(S)	RESULT(S)	
AROCLOL 1245	ND	N/A
AROCLOL 1254	ND	0.486
AROCLOL 1260	ND	0.562
BUTACHLOR	ND	N/A
PROPACHLOR	ND	0.104
METOLACHLOR	ND	N/A
METRIBUZIN	ND	N/A
P,p'-DDE	ND	N/A
P,p'-DDD	ND	N/A
P,p'-DDT	ND	N/A
ND = NONE DETECTED (RESULT LESS THAN THE PQL) PQL = PRACTICAL QUANTITATION LIMIT		
Values Calculated based on a Signal/Noise Ratio of 5:1 according to CFR Part 136 Appendix B		
* The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.22		
** The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.154		
<i>AM. Jensen</i>		
*** END OF REPORT ***		



STATE OF CONNECTICUT

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT
THAD KING, MPH, RS
20 E. HIGH ST.
EAST HAMPTON CT 06424

ID	ACCESSION NO.	ACCOUNT NO.	AGE	PAGE
NR:TK138	18020668	D06424	0	1

042 EAST HAMPTON
BIONDI
2 STARR PLACE
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
10/13/05 11:50	10/14/05 09:33	10/27/05 16:24

REPORT	FINAL REPORT	COMMENT
TEST(S)	RESULT(S)	
** PESTICIDES METHOD	SAMPLING POINT: DRILLED WELL COLLECTOR: KING, THAD PRIVATE WELL	TITLE: DOH RS <i>ATH Juncos</i>
Date Extracted	10/18/05	
Date Analyzed	10/18/05	
RESULTS	ANALYTICAL METHOD -- EPA METHOD 505 ANALYSIS OF ORGANOHALIDE PESTICIDES AND COMMERCIAL POLYCHLORINATED BIPHENYLS (PCB) PRODUCTS IN WATER BY MICROEXTRACTION AND GAS CHROMATOGRAPHY	
COMPOUND	RESULT	MDL (ug/l) PBL (ug/l)
ALDRIN	ND	0.006 0.0286
ALACHLOR	ND	0.080 0.2886
ATRAZINE	ND	1.438 * 2.0000
ALPHA CHLORDANE	ND	0.008 0.0286
GAMMA CHLORDANE	ND	0.006 0.0286
CHLORDANE (TECHNICAL)	ND	0.247 0.2869
DIELDRIN	0.333 ug/L	0.008 0.0286
ENDRIN	ND	0.037 0.0286
HEPTACHLOR	ND	0.005 0.0286
HEPTACHLOR EPOXIDE	ND	0.006 0.0286
HEXACHLOROBENZENE	ND	0.004 0.0286
HEXACHLOROCYCLOPENTADIENE	ND	0.007 0.0286
LINDANE	ND	0.005 0.0286
METHOXYCHLOR	ND	0.025 0.1429
CIS-NONACHLOR	ND	0.007 0.0286
TRANS-NONACHLOR	ND	0.006 0.0286
SIMAZINE	ND	2.262 ** 2.0000
TOXAPHENE	ND	0.859 1.4329
ARUCLOR 1016	ND	N/A N/A
AROCLOR 1221	ND	N/A N/A
AROCLOR 1232	ND	N/A N/A
AROCLOR 1242	ND	N/A N/A

*** CONTINUED ***

**STATE OF CONNECTICUT**

Department of Public Health
Division of Laboratory Services
10 Climen St., P.O. Box 1689
Hartford, CT 06144

CONN CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT

THAD KING MPH,RS

20 E.HIGH ST.

EAST HAMPTON

CT 06424

ID	ACCESSION NO	ACCOUNT NO	AGE	SEX	PAGE
NR:TK138	18020668	D06424	0		2

042EAST HAMPTON
BIONDI
2 STARR PLACE
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
10/13/05 11:50	10/14/05 09:33	10/27/05 16:24

REPORT	FINAL REPORT	COMMENT
TEST(S)	RESULT(S)	
AROCLOR 1248	ND	N/A
AROCLOR 1254	ND	0.486
AROCLOR 1260	ND	0.582
BUTACHLOR	ND	N/A
PROPACHLOR	ND	0.104
METOLACHLOR	ND	N/A
METRIBUZIN	ND	N/A
P,p'-DDE	ND	N/A
P,p'-DDD	ND	N/A
P,p'-DDT	ND	N/A
ND = NONE DETECTED (RESULT LESS THAN THE PQL) PQL = PRACTICAL QUANTITATION LIMIT		
Values Calculated based on a Signal/Noise Ratio of 5:1 according to CFR Part 136 Appendix B		
* The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.22		
** The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.154		

** END OF REPORT **		



STATE OF CONNECTICUT

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT
THAD KING MPH, RS
20 E. HIGH ST.
EAST HAMPTON CT 06424

ID	ACCESSION NO.	ACCOUNT NO.	AGE	SEX	PAGE
NR: TK139	18020669	D06424	0		1

INFORMATION

042EAST HAMPTON:
BALTRUCKI
3 STARR PLACE
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
10/13/05 11:45	10/14/05 09:33	10/27/05 16:24

REPORT	FINAL REPORT	COMMENT																																																																																												
TEST(S)	RESULT(S)																																																																																													
** PESTICIDES METHOD	SAMPLING POINT: DRILLED WELL COLLECTOR: KING, THAD PRIVATE WELL TITLE: DOH, RS <i>R.M. Jones</i> ANALYTICAL METHOD - EPA METHOD 505 ANALYSIS OF ORGANOHALIDE PESTICIDES AND COMMERCIAL POLYCHLORINATED BIPHENYLS (PCB) PRODUCTS IN WATER BY MICROEXTRACTION AND GAS CHROMATOGRAPHY																																																																																													
Date Extracted	10/18/05																																																																																													
Date Analyzed	10/18/05																																																																																													
RESULTS	<table><thead><tr><th>COMPOUND</th><th>RESULT</th><th>MDL (ug/l)</th><th>PGL (ug/l)</th></tr></thead><tbody><tr><td>ALDRIN</td><td>ND</td><td>0.006</td><td>0.0286</td></tr><tr><td>ALACHLOR</td><td>ND</td><td>0.080</td><td>0.2886</td></tr><tr><td>ATRAZINE</td><td>ND</td><td>1.438</td><td>* 2.0000</td></tr><tr><td>ALPHA CHLORDANE</td><td>ND</td><td>0.008</td><td>0.0286</td></tr><tr><td>GAMMA CHLORDANE</td><td>ND</td><td>0.006</td><td>0.0286</td></tr><tr><td>CHLORDANE (TECHNICAL)</td><td>ND</td><td>0.247</td><td>0.2869</td></tr><tr><td>DIELDRIN</td><td>ND</td><td>0.008</td><td>0.0286</td></tr><tr><td>ENDRIN</td><td>ND</td><td>0.037</td><td>0.0286</td></tr><tr><td>HEPTACHLOR</td><td>ND</td><td>0.005</td><td>0.0286</td></tr><tr><td>HEPTACHLOR EPOXIDE</td><td>ND</td><td>0.006</td><td>0.0286</td></tr><tr><td>HEXACHLOROBENZENE</td><td>ND</td><td>0.004</td><td>0.0286</td></tr><tr><td>HEXACHLOROCYCLOPENTADIENE</td><td>ND</td><td>0.007</td><td>0.0286</td></tr><tr><td>LINDANE</td><td>ND</td><td>0.005</td><td>0.0286</td></tr><tr><td>METHOXYCHLOR</td><td>ND</td><td>0.025</td><td>0.1429</td></tr><tr><td>CIS-NONACHLOR</td><td>ND</td><td>0.007</td><td>0.0286</td></tr><tr><td>TRANS-NONACHLOR</td><td>ND</td><td>0.006</td><td>0.0286</td></tr><tr><td>SIMAZINE</td><td>ND</td><td>2.262</td><td>** 2.0000</td></tr><tr><td>TDKAPHENE</td><td>ND</td><td>0.859</td><td>1.4329</td></tr><tr><td>AROCLOR 1016</td><td>ND</td><td>N/A</td><td>N/A</td></tr><tr><td>AROCLOR 1221</td><td>ND</td><td>N/A</td><td>N/A</td></tr><tr><td>AROCLOR 1232</td><td>ND</td><td>N/A</td><td>N/A</td></tr><tr><td>AROCLOR 1242</td><td>ND</td><td>N/A</td><td>N/A</td></tr></tbody></table>		COMPOUND	RESULT	MDL (ug/l)	PGL (ug/l)	ALDRIN	ND	0.006	0.0286	ALACHLOR	ND	0.080	0.2886	ATRAZINE	ND	1.438	* 2.0000	ALPHA CHLORDANE	ND	0.008	0.0286	GAMMA CHLORDANE	ND	0.006	0.0286	CHLORDANE (TECHNICAL)	ND	0.247	0.2869	DIELDRIN	ND	0.008	0.0286	ENDRIN	ND	0.037	0.0286	HEPTACHLOR	ND	0.005	0.0286	HEPTACHLOR EPOXIDE	ND	0.006	0.0286	HEXACHLOROBENZENE	ND	0.004	0.0286	HEXACHLOROCYCLOPENTADIENE	ND	0.007	0.0286	LINDANE	ND	0.005	0.0286	METHOXYCHLOR	ND	0.025	0.1429	CIS-NONACHLOR	ND	0.007	0.0286	TRANS-NONACHLOR	ND	0.006	0.0286	SIMAZINE	ND	2.262	** 2.0000	TDKAPHENE	ND	0.859	1.4329	AROCLOR 1016	ND	N/A	N/A	AROCLOR 1221	ND	N/A	N/A	AROCLOR 1232	ND	N/A	N/A	AROCLOR 1242	ND	N/A	N/A
COMPOUND	RESULT	MDL (ug/l)	PGL (ug/l)																																																																																											
ALDRIN	ND	0.006	0.0286																																																																																											
ALACHLOR	ND	0.080	0.2886																																																																																											
ATRAZINE	ND	1.438	* 2.0000																																																																																											
ALPHA CHLORDANE	ND	0.008	0.0286																																																																																											
GAMMA CHLORDANE	ND	0.006	0.0286																																																																																											
CHLORDANE (TECHNICAL)	ND	0.247	0.2869																																																																																											
DIELDRIN	ND	0.008	0.0286																																																																																											
ENDRIN	ND	0.037	0.0286																																																																																											
HEPTACHLOR	ND	0.005	0.0286																																																																																											
HEPTACHLOR EPOXIDE	ND	0.006	0.0286																																																																																											
HEXACHLOROBENZENE	ND	0.004	0.0286																																																																																											
HEXACHLOROCYCLOPENTADIENE	ND	0.007	0.0286																																																																																											
LINDANE	ND	0.005	0.0286																																																																																											
METHOXYCHLOR	ND	0.025	0.1429																																																																																											
CIS-NONACHLOR	ND	0.007	0.0286																																																																																											
TRANS-NONACHLOR	ND	0.006	0.0286																																																																																											
SIMAZINE	ND	2.262	** 2.0000																																																																																											
TDKAPHENE	ND	0.859	1.4329																																																																																											
AROCLOR 1016	ND	N/A	N/A																																																																																											
AROCLOR 1221	ND	N/A	N/A																																																																																											
AROCLOR 1232	ND	N/A	N/A																																																																																											
AROCLOR 1242	ND	N/A	N/A																																																																																											

*** CONTINUED ***

**STATE OF CONNECTICUT**

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT
THAD KING MPH, RS
20 E. HIGH ST.
EAST HAMPTON CT 06424

ID	ACCESSION NO.	ACCOUNT NO.	AGE	SEX	PAGE
NR:TK139	18020669	D06424	0		2

042EAST HAMPTON
BAL TRUCK I
3 STARR PLACE
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
10/13/05 11:45	10/14/05 09:33	10/27/05 16:24

REPORT	FINAL REPORT	COMMENT
TEST(S)	RESULT(S)	
AROCLOR 1248	ND	N/A
AROCLOR 1254	ND	0.486
AROCLOR 1260	ND	0.582
BUTACHLOR	ND	N/A
PROPACHLOR	ND	0.104
METOLACHLOR	ND	N/A
METRIBUZIN	ND	N/A
P,p'-DDE	ND	N/A
P,p'-DDD	ND	N/A
P,p'-DDT	ND	N/A
ND = NONE DETECTED (RESULT LESS THAN THE PQL) PQL = PRACTICAL QUANTITATION LIMIT		
Values Calculated based on a Signal/Noise Ratio of 5:1 according to CFR Part 136 Appendix B		
* The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.22		
** The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.154		
** END OF REPORT **		

**STATE OF CONNECTICUT**

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT

THAD KING MPH, RS

20 E. HIGH ST.

EAST HAMPTON

CT 06424

LAB	ACCESSION NO.	ACCOUNT NO.	AGE	S	PAGE
NR:TK273	18020828	006424	0		1

INFORMATION

042 EAST HAMPTON

KIMBERLY FONTAINE

4 RAIL ROAD AV

EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
12/08/05 11:00	12/08/05 13:56	12/27/05 14:13

REPORT	FINAL REPORT	COMMENT
--------	--------------	---------

TEST(S)	RESULT(S)
---------	-----------

SAMPLING POINT: DRILL WELL

COLLECTOR: KARRENBURG, JAMES

TITLE: SANITARIAN

PRIVATE WELL

* PESTICIDES
METHOD

ANALYTICAL METHOD - EPA METHOD 505
ANALYSIS OF ORGANOHALIDE PESTICIDES AND
COMMERCIAL POLYCHLORINATED BIPHENYLS (PCB)
PRODUCTS IN WATER BY MICROEXTRACTION AND
GAS CHROMATOGRAPHY

Date Extracted

12/09/05

Date Analyzed

12/09/05

RESULTS

COMPOUND	RESULT	MDL (ug/l)	PQL (ug/l)
ALDRIN	ND	0.006	0.0286
ALACHLOR	ND	0.080	0.2886
ATRAZINE	ND	1.438	* 2.0000
ALPHA CHLORDANE	ND	0.008	0.0286
GAMMA CHLORDANE	ND	0.006	0.0286
CHLORDANE (TECHNICAL)	ND	0.247	0.2867
DIELDRIN	ND	0.008	0.0286
ENDRIN	ND	0.037	0.0286
HEPTACHLOR	ND	0.005	0.0286
HEPTACHLOR EPOXIDE	ND	0.006	0.0286
HEXACHLOROBENZENE	ND	0.004	0.0286
HEXACHLOROCYCLOPENTADIENE	ND	0.007	0.0286
LINDANE	ND	0.005	0.0286
METHOXYCHLOR	ND	0.025	0.1429
CIS-NONACHLOR	ND	0.007	0.0286
TRANS-NONACHLOR	ND	0.006	0.0286
SIMAZINE	ND	2.262	** 2.0000
TOXAPHENE	ND	0.859	1.4329
AROCLOR 1016	ND	N/A	N/A
AROCLOR 1221	ND	N/A	N/A
AROCLOR 1232	ND	N/A	N/A
AROCLOR 1242	ND	N/A	N/A

*** CONTINUED ***

**STATE OF CONNECTICUT**

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT
THAD KING MPH, RS
20 E. HIGH ST.
EAST HAMPTON CT 06424

ID	ACCESSION NO.	ACCOUNT NO.	AGE	SEX	PAGE
NR:TK273	8020828	006424	0		2

INFORMATION

EAST HAMPTON
KIMBERLY FONTAINE
4 RAIL ROAD AV
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
12/08/05 11:00	12/08/05 13:56	12/27/05 14:13

REPORT	FINAL REPORT	COMMENT
TEST(S)	RESULTS	
AROCLOR 1248	ND	N/A
AROCLOR 1254	ND	0.486
AROCLOR 1260	ND	0.582
BUTACHLOR	ND	N/A
PROPACHLOR	ND	0.104
METOLACHLOR	ND	N/A
METRIBUZIN	ND	N/A
p,p'-DDE	ND	N/A
p,p'-DDD	ND	N/A
p,p'-DDT	ND	N/A
ND = NONE DETECTED (RESULT LESS THAN THE PQL)		
PQL = PRACTICAL QUANTITATION LIMIT		
Values Calculated based on a Signal/Noise Ratio of 5:1 according to CFR Part 136 Appendix B		
* The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.22		
** The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.154		
** END OF REPORT **		

**STATE OF CONNECTICUT**

Department of Public Health
Division of Laboratory Services
10 Clifton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8300

CHATHAM HEALTH DISTRICT
THAD KING MPH,RS
20 E. HIGH ST.
EAST HAMPTON CT 06424

ID	ACCESSION NO	ACCOUNT NO	AGE	S	PAGE
NR1TK135	18020665	D06424	0		1

INFORMATION

042EAST HAMPTON
DEHENY
5 RALLROAD AVE
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
10/13/05 11:40	10/14/05 09:33	10/27/05 16:24

REPORT	FINAL REPORT	COMMENT
--------	--------------	---------

TEST(S)	RESULT(S)
---------	-----------

** PESTICIDES
METHOD

SAMPLING POINT: DRILLED WELL
COLLECTOR: KING, THAD
PRIVATE WELL

TITLE: DOH RS

A.M. [Signature]

ANALYTICAL METHOD - EPA METHOD 505
ANALYSIS OF ORGANOHALIDE PESTICIDES AND
COMMERCIAL POLYCHLORINATED BIPHENYLS (PCB)
PRODUCTS IN WATER BY MICROEXTRACTION AND
GAS CHROMATOGRAPHY

Date Extracted

10/18/05

Date Analyzed

10/18/05

RESULTS

COMPOUND	RESULT	MDL(ug/l)	PQL(ug/l)
ALDRIN	ND	0.006	0.0286
ALACHLOR	ND	0.080	0.2986
ATRAZINE	ND	1.438	* 2.0000
ALPHA CHLORDANE	ND	0.008	0.0286
GAMMA CHLORDANE	ND	0.006	0.0286
CHLORDANE (TECHNICAL)	ND	0.247	0.2869
DIELDRIN	ND	0.008	0.0286
ENDRIN	ND	0.037	0.0286
HEPTACHLOR	ND	0.005	0.0286
HEPTACHLOR EPOXIDE	ND	0.006	0.0286
HEXACHLOROBENZENE	ND	0.004	0.0286
HEXACHLOROCYCLOPENTADIENE	ND	0.007	0.0286
LINDANE	ND	0.005	0.0286
METHOXYCHLOR	ND	0.025	0.1429
CIS-NDNACHLOR	ND	0.007	0.0286
TRANS-NDNACHLOR	ND	0.006	0.0286
SIMAZINE	ND	2.262	** 2.0000
TOXAPHENE	ND	0.859	1.4329
AROCLOR 1016	ND	N/A	N/A
AROCLOR 1221	ND	N/A	N/A
AROCLOR 1232	ND	N/A	N/A
AROCLOR 1242	ND	N/A	N/A

*** CONTINUED ***

**STATE OF CONNECTICUT**

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT
THAD KING MPH,RS
20 E. HIGH ST.
EAST HAMPTON

CT 06424

ID	ACCESSION NO.	ACCOUNTING NO.	AGE	PAGE
NR:TK135	18020665	D06424	0	2

042EAST HAMPTON
DEHENY
5 RAILROAD AVE
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
10/13/05 11:40	10/14/05 09:33	10/27/05 16:24

REPORT	FINAL REPORT	COMMENT
TEST(S)	RESULT(S)	
AROCLOR 1248	ND	N/A
AROCLOR 1254	ND	0.486
AROCLOR 1260	ND	0.582
BUTACHLOR	ND	N/A
PROPACHLOR	ND	0.104
METOLACHLOR	ND	N/A
METRIBUZIN	ND	N/A
P,p'-DDE	ND	N/A
P,p'-DDD	ND	N/A
P,p'-DDT	ND	N/A
ND = NONE DETECTED (RESULT LESS THAN THE PQL)		
PQL = PRACTICAL QUANTITATION LIMIT		
Values Calculated based on a Signal/Noise Ratio of 5:1 according to CFR Part 136 Appendix B		
* The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.22		
** The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.154		
** END OF REPORT **		



STATE OF CONNECTICUT

Department of Public Health
Division of Laboratory Services
10 Clincon St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8300

CHATHAM HEALTH DISTRICT
THAD KING MPH, RS
20 E. HIGH ST.
EAST HAMPTON CT 06424

ID	ACCESSION NO.	ACCOUNT NO.	AGE	SEX	RACE
NR:TK141	18020671	D06424	0		1

042 EAST HAMPTON
DROTAR
5 STARR PLACE
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
10/13/05 11:30	10/14/05 09:33	10/27/05 17:12

REPORT	FINAL REPORT	COMMENT
TEST(S)	RESULTS	
** PESTICIDES METHOD	SAMPLING POINT: DRILLED WELL COLLECTOR: KING, THAD PRIVATE WELL ANALYTICAL METHOD - EPA METHOD 805 ANALYSIS OF ORGANOHALIDE PESTICIDES AND COMMERCIAL POLYCHLORINATED BIPHENYLS (PCB) PRODUCTS IN WATER BY MICROEXTRACTION AND GAS CHROMATOGRAPHY Date Extracted 10/18/05 Date Analyzed 10/18/05	TITLE: DOH RS <i>R.M. Jones</i>
RESULTS	COMPOUND	RESULT MDL (ug/l) PGL (ug/l)
	ALDRIN	ND 0.006 0.0286
	ALACHLOR	ND 0.080 0.2886
	ATRAZINE	ND 1.438 * 2.0000
	ALPHA CHLORDANE	ND 0.008 0.0286
	GAMMA CHLORDANE	ND 0.006 0.0286
	CHLORDANE (TECHNICAL)	ND 0.247 0.2869
	DIELDRIN	ND 0.008 0.0286
	ENDRIN	ND 0.037 0.0286
	HEPTACHLOR	ND 0.005 0.0286
	HEPTACHLOR EPOXIDE	ND 0.006 0.0286
	HEXACHLOROBENZENE	ND 0.004 0.0286
	HEXACHLOROCYCLOPENTADIENE	ND 0.007 0.0286
	LINDANE	ND 0.005 0.0286
	METHOXYCHLOR	ND 0.025 0.1429
	CIS-NONACHLOR	ND 0.007 0.0286
	TRANS-NONACHLOR	ND 0.006 0.0286
	SIMAZINE	ND 2.262 ** 2.0000
	TOXAPHENE	ND 0.859 1.4329
	AROCLOR 1016	ND N/A N/A
	AROCLOR 1221	ND N/A N/A
	AROCLOR 1232	ND N/A N/A
	AROCLOR 1242	ND N/A N/A
*** CONTINUED ***		

**STATE OF CONNECTICUT**

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT
THAD KING MPH.RS
20 E. HIGH ST.

EAST HAMPTON CT 06424

LD	ACCESSION NO.	ACCOUNT NO.	AGE	SEX	PAGE
NR:TK141	18020671	D06424	0		2

042EAST HAMPTON
DROTAR
5 STARR PLACE
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
10/13/05 11:30	10/14/05 09:33	10/27/05 17:12

REPORT	FINAL REPORT	COMMENT
TEST(S)	RESULT(S)	
AROCLOR 1248	ND	N/A
AROCLOR 1254	ND	0.486
AROCLOR 1260	ND	0.582
BUTACHLOR	ND	N/A
PROPACHLOR	ND	0.104
METOLACHLOR	ND	N/A
METRIBUZIN	ND	N/A
P,p'-DDE	ND	N/A
P,p'-DDD	ND	N/A
P,p'-DDT	ND	N/A
ND = NONE DETECTED (RESULT LESS THAN THE PQL) PQL = PRACTICAL QUANTITATION LIMIT		
Values Calculated based on a Signal/Noise Ratio of 5:1 according to CFR Part 136 Appendix B		
* The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.22		
** The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.154		
** END OF REPORT **		



STATE OF CONNECTICUT

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8300

CHATHAM HEALTH DISTRICT
THAD KING MPH,RS
20 E.HIGH ST.
EAST HAMPTON CT 06424

ID	ACCESSION NO.	ACCOUNT NO.	AGE	S	PAGE
NR:TK 216	18020747	D06424	0		1

042EAST HAMPTON

6 NILES
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
10/27/05 11:45	10/28/05 09:15	11/17/05 13:57

REPORT	FINAL REPORT	COMMENT
TEST(S)	RESULTS	
** PESTICIDES METHOD	SAMPLING POINT: COLLECTOR: KING, THAD PRIVATE WELL	
	TITLE: DOH RS	
	ANALYTICAL METHOD - EPA METHOD 505 ANALYSIS OF ORGANOHALIDE PESTICIDES AND COMMERCIAL POLYCHLORINATED BIPHENYLS (PCB) PRODUCTS IN WATER BY MICROEXTRACTION AND GAS CHROMATOGRAPHY	
Date Extracted	11/01/05	
Date Analyzed	11/02/05	
RESULTS	COMPOUND	RESULT MDL (ug/l) PQL (ug/l)
	ALDRIN	ND 0.006 0.0286
	ALACHLOR	ND 0.080 0.2886
	ATRAZINE	ND 1.438 * 2.0000
	ALPHA CHLORDANE	ND 0.008 0.0286
	GAMMA CHLORDANE	ND 0.006 0.0286
	CHLORDANE (TECHNICAL)	ND 0.247 0.2869
	DIELDRIN	ND 0.008 0.0286
	ENDRIN	ND 0.037 0.0286
	HEPTACHLOR	ND 0.005 0.0286
	HEPTACHLOR EPOXIDE	ND 0.006 0.0286
	HEXACHLOROBENZENE	ND 0.004 0.0286
	HEXACHLOROCYCLOPENTADIENE	ND 0.007 0.0286
	LINDANE	ND 0.005 0.0286
	METHOXYCHLOR	ND 0.025 0.1429
	CIS-NONACHLOR	ND 0.007 0.0286
	TRANS-NONACHLOR	ND 0.006 0.0286
	SIMAZINE	ND 2.262 ** 2.0000
	TOXAPHENE	ND 0.859 1.4329
	AROCLOR 1016	ND N/A N/A
	AROCLOR 1221	ND N/A N/A
	AROCLOR 1232	ND N/A N/A
	AROCLOR 1242	ND N/A N/A
*** CONTINUED ***		

**STATE OF CONNECTICUT**

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT
THAD KING MPH, RS
20 E. HIGH ST.
EAST HAMPTON CT 06424

ID	ACCESSION NO.	ACCOUNT NO.	AGE	SEX	PAGE
NR:TK 216	18020747	D06424	0		1

042EAST HAMPTON

6 NILES
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
10/27/05 11:45	10/28/05 09:15	11/17/05 13:57

REPORT	FINAL REPORT	COMMENT
--------	--------------	---------

TEST(S)	RESULT(S)
AROCLOR 1248	ND N/A N/A
AROCLOR 1254	ND 0.486 0.2871
AROCLOR 1260	ND 0.582 0.2869
BUTACHLOR	ND N/A N/A
PROPACHLOR	ND 0.104 0.1431
METOLACHLOR	ND N/A N/A
METRIBUZIN	ND N/A N/A
p,p'-DDE	ND N/A N/A
p,p'-DDD	ND N/A N/A
p,p'-DDT	ND N/A N/A

ND = NONE DETECTED (RESULT LESS THAN THE PQL)
PQL = PRACTICAL QUANTITATION LIMIT

Values Calculated based on a Signal/Noise Ratio of 5:1
according to CFR Part 136 Appendix B

- * The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.22
- ** The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.154

Bill Spence

** END OF REPORT **



STATE OF CONNECTICUT

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT
THAD KING MPH, RS
20 E. HIGH ST.
EAST HAMPTON CT 06424

ID	ACCESSION NO.	ACCOUNT NO.	AGE	S.	PAGE
NR:TK142	18020672	D06424	0		1

042EAST HAMPTON
DAIGLE
6 STARR PLACE
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
10/13/05 10:35	10/14/05 09:34	10/27/05 17:12

REPORT	FINAL REPORT	COMMENT
--------	--------------	---------

TEST(S)	RESULT(S)
* PESTICIDES METHOD	SAMPLING POINT: DRILLED WELL COLLECTOR: KING, THAD PRIVATE WELL TITLE: DOH RS <i>MM Jensen</i>

ANALYTICAL METHOD - EPA METHOD 505
ANALYSIS OF ORGANOHALIDE PESTICIDES AND
COMMERCIAL POLYCHLORINATED BIPHENYLS (PCB)
PRODUCTS IN WATER BY MICROEXTRACTION AND
GAS CHROMATOGRAPHY

Date Extracted
Date Analyzed
RESULTS

10/18/05
10/19/05

COMPOUND	RESULT	MDL (ug/l)	PQL (ug/l)
ALDRIN	ND	0.006	0.0286
ALACHLOR	ND	0.080	0.2856
ATRAZINE	ND	1.438	* 2.0000
ALPHA CHLORDANE	ND	0.008	0.0286
GAMMA CHLORDANE	ND	0.006	0.0286
CHLORDANE (TECHNICAL)	ND	0.247	0.2869
DIELDRIN	ND	0.008	0.0286
ENDRIN	ND	0.037	0.0286
HEPTACHLOR	ND	0.005	0.0286
HEPTACHLOR EPOXIDE	ND	0.006	0.0286
HEXACHLOROBENZENE	ND	0.004	0.0286
HEXACHLOROCYCLOPENTADIENE	ND	0.007	0.0286
LINDANE	ND	0.005	0.0286
METHOXYCHLOR	ND	0.025	0.1429
CIS-NONACHLOR	ND	0.007	0.0286
TRANS-NONACHLOR	ND	0.006	0.0286
SIMAZINE	ND	2.262	** 2.0000
TOXAPHENE	ND	0.859	1.4329
AROCLOR 1016	ND	N/A	N/A
AROCLOR 1221	ND	N/A	N/A
AROCLOR 1232	ND	N/A	N/A
AROCLOR 1242	ND	N/A	N/A

*** CONTINUED ***

**STATE OF CONNECTICUT**

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT
THAD KING MPH, RS
20 E. HIGH ST.
EAST HAMPTON

CT 06424

LAB ID	ACCESSION NO.	ACCOUNT NO.	AGE	SEX	PAGE
NR:TK142	18020672	D06424	0		2

INFORMATION

042 EAST HAMPTON
DAIGLE
6 STARR PLACE
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
10/13/05 10:35	10/14/05 09:34	10/27/05 17:12

REPORT	FINAL REPORT	COMMENT
TEST(S)	RESULT(S)	
AROCLO 1248	ND	N/A
AROCLO 1254	ND	0.486
AROCLO 1260	ND	0.582
BUTACHLO	ND	N/A
PROPACHLO	ND	0.104
METOLACHLO	ND	N/A
METRIBUZIN	ND	N/A
P,p'-DDE	ND	N/A
P,p'-DDD	ND	N/A
P,p'-DDT	ND	N/A
ND = NONE DETECTED (RESULT LESS THAN THE PQL) PQL = PRACTICAL QUANTITATION LIMIT		
Values Calculated based on a Signal/Noise Ratio of 5:1 according to CFR Part 136 Appendix B		
* The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.22		
** The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.154		
** END OF REPORT **		



STATE OF CONNECTICUT

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8300

CHATHAM HEALTH DISTRICT
THAD KING MPH,RS
20 E.HIGH ST.
EAST HAMPTON

CT 06424

ID	ACCESSION NO.	ACCOUNT NO.	AGE	SEX	PAGE
NR:TK136	18020666	D06424	0		3

042EAST HAMPTON
VELASQUEZ
7 RAILROAD AVE.
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
10/13/05 11:43	10/14/05 09:33	10/27/05 16:24

REPORT

FINAL REPORT

COMMENT

TEST(S)

RESULT(S)

* PESTICIDES
METHOD

SAMPLING POINT: DRILLED WELL
COLLECTOR: KING, THAD
PRIVATE WELL

TITLE: DDH RS

ANALYTICAL METHOD -- EPA METHOD 505
ANALYSIS OF ORGANOHALIDE PESTICIDES AND
COMMERCIAL POLYCHLORINATED BIPHENYLS (PCB)
PRODUCTS IN WATER BY MICROEXTRACTION AND
GAS CHROMATOGRAPHY

Date Extracted

10/18/05

Date Analyzed

10/18/05

RESULTS

COMPOUND	RESULT	MDL (ug/l)	PQL (ug/l)
ALDRIN	ND	0.006	0.0286
ALACHLOR	ND	0.080	0.2886
ATRAZINE	ND	1.438	* 2.0000
ALPHA CHLORDANE	ND	0.008	0.0286
GAMMA CHLORDANE	ND	0.006	0.0286
CHLORDANE (TECHNICAL)	ND	0.247	0.2869
DIELDRIN	ND	0.008	0.0286
ENDRIN	ND	0.037	0.0286
HEPTACHLOR	ND	0.005	0.0286
HEPTACHLOR EPOXIDE	ND	0.006	0.0286
HEXACHLOROBENZENE	ND	0.004	0.0286
HEXACHLOROCYCLOPENTADIENE	ND	0.007	0.0286
LINDANE	ND	0.005	0.0286
METHOXYCHLOR	ND	0.025	0.1429
CIS-NONACHLOR	ND	0.007	0.0286
TRANS-NONACHLOR	ND	0.006	0.0286
SIMAZINE	ND	2.262	** 2.0000
TOXAPHENE	ND	0.859	1.4329
AROCLOR 1016	ND	N/A	N/A
AROCLOR 1221	ND	N/A	N/A
AROCLOR 1232	ND	N/A	N/A
AROCLOR 1242	ND	N/A	N/A

*** CONTINUED ***

**STATE OF CONNECTICUT**

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 569-8500

CHATHAM HEALTH DISTRICT
THAD KING MPH, RS
20 E. HIGH ST.
EAST HAMPTON

CT 06424

ID	ACCESSION NO.	ACCOUNT NO.	AGE	3	PAGE
NR:TK136	18020666	D06424	0		2

INFORMATION

042EAST HAMPTON
VELASQUEZ
7 RAILROAD AVE
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
10/13/05 11:43	10/14/05 09:33	10/27/05 16:24

REPORT	FINAL REPORT	COMMENT
--------	--------------	---------

TEST(S)	RESULT(S)
AROCLOR 1248	ND N/A N/A
AROCLOR 1254	ND 0.486 0.2871
AROCLOR 1260	ND 0.582 0.2869
BUTACHLOR	ND N/A N/A
PROPACHLOR	ND 0.104 0.1431
METOLACHLOR	ND N/A N/A
METRIBUZIN	ND N/A N/A
P,p'-DDE	ND N/A N/A
P,p'-DDD	ND N/A N/A
P,p'-DDT	ND N/A N/A

ND = NONE DETECTED (RESULT LESS THAN THE PQL)
PQL = PRACTICAL QUANTITATION LIMIT

Values Calculated based on a Signal/Noise Ratio of 5:1
according to CFR Part 136 Appendix B

- * The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.22
- ** The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.154

** END OF REPORT **

**STATE OF CONNECTICUT**

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8300

CHATHAM HEALTH DISTRICT
THAD KING MPH, RS

20 E. HIGH ST.

EAST HAMPTON

CT 06424

ID	ACCESSION NO.	ACCOUNT NO.	AGE	SEX	PAGE
NR:TK143	18020673	D06424	0		1

INFORMATION

042EAST HAMPTON

ROY

7 STARR PLACE

EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
10/13/05 10:38	10/14/05 09:34	10/27/05 17:12

REPORT**FINAL REPORT****COMMENT****TEST(S)****RESULT(S)**

PESTICIDES
METHOD

SAMPLING POINT: DRILLED WELL.

COLLECTOR: KING, THAD

PRIVATE WELL

TITLE: DOH RS

M. J. G. J.

ANALYTICAL METHOD - EPA METHOD 505
ANALYSIS OF ORGANOHALIDE PESTICIDES AND
COMMERCIAL POLYCHLORINATED BIPHENYLS (PCB)
PRODUCTS IN WATER BY MICROEXTRACTION AND
GAS CHROMATOGRAPHY

Date Extracted
Date Analyzed
RESULTS

10/18/05

10/19/05

COMPOUND	RESULT	MDL (ug/l)	PQL (ug/l)
ALDRIN	ND	0.006	0.0286
ALACHLOR	ND	0.080	0.2886
ATRAZINE	ND	1.438	* 2.0000
ALPHA CHLORDANE	ND	0.008	0.0286
GAMMA CHLORDANE	ND	0.006	0.0286
CHLORDANE (TECHNICAL)	ND	0.247	0.2869
DIELDRIN	ND	0.008	0.0286
ENDRIN	ND	0.037	0.0286
HEPTACHLOR	ND	0.005	0.0286
HEPTACHLOR EPOXIDE	ND	0.006	0.0286
HEXACHLOROBENZENE	ND	0.004	0.0286
HEXACHLOROCYCLOPENTADIENE	ND	0.007	0.0286
LINDANE	ND	0.005	0.0286
METHOXYCHLOR	ND	0.025	0.1429
CIS-NONACHLOR	ND	0.007	0.0286
TRANS-NONACHLOR	ND	0.006	0.0286
SIMAZINE	ND	2.262	** 2.0000
TOXAPHENE	ND	0.859	1.4329
AROCLOR 1016	ND	N/A	N/A
AROCLOR 1221	ND	N/A	N/A
AROCLOR 1232	ND	N/A	N/A
AROCLOR 1242	ND	N/A	N/A

*** CONTINUED ***

**STATE OF CONNECTICUT**

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT
THAD KING MPH,RS
20 E.HIGH ST.
EAST HAMPTON CT 06424

ID	ACCESSION NO.	ACCOUNT NO.	AGE	SEX	PAGE
NR:TK143	18020673	D06424	0		2

INFORMATION
042EAST HAMPTON
ROY
7 STARR PLACE
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
10/13/05 10:38	10/14/05 09:34	10/27/05 17:12

REPORT	FINAL REPORT	COMMENT
TEST(S)	RESULT(S)	
AROCLOR 1248	ND	N/A
AROCLOR 1254	ND	0.486
AROCLOR 1260	ND	0.582
BUTACHLOR	ND	N/A
PROPACHLOR	ND	0.104
METOLACHLOR	ND	N/A
METRIBUZIN	ND	N/A
P,p'-DDE	ND	N/A
P,p'-DDD	ND	N/A
P,p'-DDT	ND	N/A
ND = NONE DETECTED (RESULT LESS THAN THE PQL) PQL = PRACTICAL QUANTITATION LIMIT		
Values Calculated based on a Signal/Noise Ratio of 5:1 according to CFR Part 136 Appendix B		
* The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.22		
** The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.154		
** END OF REPORT **		



STATE OF CONNECTICUT

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT
THAD KING MPH,RS
20 E.HIGH ST.
EAST HAMPTON CT 06424

LAB	ACCESSION NO.	ACCOUNT NO.	AGE	S	PAGE
NR:TK144	18020674	D06424	0		1

042EAST HAMPTON
ATKINSON
8 STARR PLACE
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
10/13/05 10:16	10/14/05 09:34	10/27/05 17:12

REPORT	FINAL REPORT	COMMENT
--------	--------------	---------

TEST(S)	RESULT(S)
---------	-----------

SAMPLING POINT: DRILLED WELL
COLLECTOR: KING, THAD
PRIVATE WELL

TITLE: DOH RS

* PESTICIDES
METHOD

R.M. Jones

ANALYTICAL METHOD -- EPA METHOD 505
ANALYSIS OF ORGANOHALIDE PESTICIDES AND
COMMERCIAL POLYCHLORINATED BIPHENYLS (PCB)
PRODUCTS IN WATER BY MICROEXTRACTION AND
GAS CHROMATOGRAPHY

Date Extracted
Date Analyzed
RESULTS

10/18/05
10/19/05

COMPOUND	RESULT	MDL(ug/l)	PQL(ug/l)
ALDRIN	ND	0.006	0.0286
ALACHLOR	ND	0.080	0.2886
ATRAZINE	ND	1.438	* 2.0000
ALPHA CHLORDANE	ND	0.008	0.0286
GAMMA CHLORDANE	ND	0.006	0.0286
CHLORDANE (TECHNICAL)	ND	0.247	0.2869
DIELDRIN	ND	0.008	0.0286
ENDRIN	ND	0.037	0.0286
HEPTACHLOR	ND	0.005	0.0286
HEPTACHLOR EPOXIDE	ND	0.006	0.0286
HEXACHLOROBENZENE	ND	0.004	0.0286
HEXACHLOROCYCLOPENTADIENE	ND	0.007	0.0286
LINDANE	ND	0.005	0.0286
METHOXYCHLOR	ND	0.025	0.1429
CIS-NONACHLOR	ND	0.007	0.0286
TRANS-NONACHLOR	ND	0.006	0.0286
SIMAZINE	ND	2.262	** 2.0000
TOXAPHENE	ND	0.859	1.4329
AROCLOR 1016	ND	N/A	N/A
AROCLOR 1221	ND	N/A	N/A
AROCLOR 1232	ND	N/A	N/A
AROCLOR 1242	ND	N/A	N/A

*** CONTINUED ***



STATE OF CONNECTICUT

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT
THAD KING MPH, RS
20 E. HIGH ST.
EAST HAMPTON CT 06424

ID	ACCESSION NO.	ACCOUNT NO.	AGE	SEX	PAGE
NR:TK144	18020674	D06424	0		2

042EAST HAMPTON
ATIKINSON
8 STARR PLACE
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
10/13/05 10:16	10/14/05 09:34	10/27/05 17:12

REPORT	FINAL REPORT	COMMENT																						
<table border="1"><thead><tr><th>TEST(S)</th><th>RESULT(S)</th></tr></thead><tbody><tr><td>AROCLO 1248</td><td>ND N/A N/A</td></tr><tr><td>AROCLO 1254</td><td>ND 0.486 0.2871</td></tr><tr><td>AROCLO 1260</td><td>ND 0.582 0.2869</td></tr><tr><td>BUTACHLO</td><td>ND N/A N/A</td></tr><tr><td>PROPACHLO</td><td>ND 0.104 0.1431</td></tr><tr><td>METOLACHLO</td><td>ND N/A N/A</td></tr><tr><td>METRIBUZIN</td><td>ND N/A N/A</td></tr><tr><td>P,p'-DDE</td><td>ND N/A N/A</td></tr><tr><td>P,p'-DDD</td><td>ND N/A N/A</td></tr><tr><td>P,p'-DDT</td><td>ND N/A N/A</td></tr></tbody></table>			TEST(S)	RESULT(S)	AROCLO 1248	ND N/A N/A	AROCLO 1254	ND 0.486 0.2871	AROCLO 1260	ND 0.582 0.2869	BUTACHLO	ND N/A N/A	PROPACHLO	ND 0.104 0.1431	METOLACHLO	ND N/A N/A	METRIBUZIN	ND N/A N/A	P,p'-DDE	ND N/A N/A	P,p'-DDD	ND N/A N/A	P,p'-DDT	ND N/A N/A
TEST(S)	RESULT(S)																							
AROCLO 1248	ND N/A N/A																							
AROCLO 1254	ND 0.486 0.2871																							
AROCLO 1260	ND 0.582 0.2869																							
BUTACHLO	ND N/A N/A																							
PROPACHLO	ND 0.104 0.1431																							
METOLACHLO	ND N/A N/A																							
METRIBUZIN	ND N/A N/A																							
P,p'-DDE	ND N/A N/A																							
P,p'-DDD	ND N/A N/A																							
P,p'-DDT	ND N/A N/A																							
ND = NONE DETECTED (RESULT LESS THAN THE PQL) PQL = PRACTICAL QUANTITATION LIMIT																								
Values Calculated based on a Signal/Noise Ratio of 3:1 according to CFR Part 136 Appendix B																								
* The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.22																								
** The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.154																								
*** END OF REPORT ***																								



STATE OF CONNECTICUT

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT

THAD KING MPH, RS

20 E. HIGH ST.

EAST HAMPTON

CT 06424

ID	ACCESSION NO.	ACCOUNT NO.	AGE	SEX	PAGE
NR:TK235	18020777	D06424	0		1

042EAST HAMPTON
FINS STODDARD
8 WALNUT AVE
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
11/02/05 12:55	11/02/05 15:08	11/17/05 13:57

REPORT

FINAL REPORT

COMMENT

TEST(S)

RESULT(S)

** PESTICIDES
METHOD

SAMPLING POINT: TAP
COLLECTOR: KING, THAD
PRIVATE WELL

TITLE: DOH RS

ANALYTICAL METHOD - EPA METHOD 505
ANALYSIS OF ORGANOHALIDE PESTICIDES AND
COMMERCIAL POLYCHLORINATED BIPHENYLS (PCB)
PRODUCTS IN WATER BY MICROEXTRACTION AND
GAS CHROMATOGRAPHY

Date Extracted

Date Analyzed

RESULTS

11/02/05

11/02/05

COMPOUND	RESULT	MDL (ug/l)	PQL (ug/l)
ALDRIN	ND	0.006	0.0286
ALACHLOR	ND	0.080	0.2886
ATRAZINE	ND	1.438	* 2.0000
ALPHA CHLORDANE	ND	0.008	0.0286
GAMMA CHLORDANE	ND	0.006	0.0286
CHLORDANE (TECHNICAL)	ND	0.247	0.2869
DIELDRIN	ND	0.008	0.0286
ENDRIN	ND	0.037	0.0286
HEPTACHLOR	ND	0.005	0.0286
HEPTACHLOR EPOXIDE	ND	0.006	0.0286
HEXACHLOROBENZENE	ND	0.004	0.0286
HEXACHLOROCYCLOPENTADIENE	ND	0.007	0.0286
LINDANE	ND	0.005	0.0286
METHOXYCHLOR	ND	0.025	0.1429
CIS-NONACHLOR	ND	0.007	0.0286
TRANS-NONACHLOR	ND	0.006	0.0286
SIMAZINE	ND	2.262	** 2.0000
TOXAPHENE	ND	0.859	1.4329
AROCLOR 1016	ND	N/A	N/A
AROCLOR 1221	ND	N/A	N/A
AROCLOR 1232	ND	N/A	N/A
AROCLOR 1242	ND	N/A	N/A

*** CONTINUED ***

**STATE OF CONNECTICUT**

Department of Public Health
Division of Laboratory Services
10 Clifton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT
THAD KING MPH,RS
20 E.HIGH ST.
EAST HAMPTON CT 06424

I.D.	ACCESSION NO.	ACCOUNT NO.	AGE	SEX	PAGE
NR:TK235	18020777	006424			
INFORMATION					
042EAST HAMPTON FINS STODDARD 8 WALNUT AVE EAST HAMPTON CT 06424					
COLLECTED		RECEIVED		REPORTED	
11/02/05 12:55		11/02/05 15:08		11/17/05 13:57	

REPORT	FINAL REPORT	COMMENT
TEST(S)	RESULT(S)	
AROCOR 1248	ND	N/A
AROCOR 1254	ND	0.486
AROCOR 1260	ND	0.582
BUTACHLOR	ND	N/A
PROPACHLOR	ND	0.104
METOLACHLOR	ND	N/A
METRIDJIN	ND	N/A
p,p'-DDE	ND	N/A
p,p'-DDD	ND	N/A
p,p'-DDT	ND	N/A
ND = NONE DETECTED (RESULT LESS THAN THE PQL) PQL = PRACTICAL QUANTITATION LIMIT		
Values Calculated based on a Signal/Noise Ratio of 5:1 according to CFR Part 136 Appendix B		
* The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.22		
** The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.154		
<i>[Signature]</i>		
** END OF REPORT **		



STATE OF CONNECTICUT

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8300

CHATHAM HEALTH DISTRICT
THAD KING MPH,RS
20 E.HIGH ST.
EAST HAMPTON CT 06424

ID	ACCESSION NO.	ACCOUNT NO.	AGE	SEX	PAGE
NR:TX137	18020667	D06424	0		1

INFORMATION

042EAST HAMPTON
VALLI
9 RAILROAD AVE
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
10/13/05 12:15	10/14/05 09:33	10/27/05 16:24

REPORT

FINAL REPORT

COMMENT

TEST(S)	RESULT(S)
---------	-----------

PESTICIDES
METHOD

SAMPLING POINT: DRILLED WELL
COLLECTOR: KING, THAD
PRIVATE WELL

TITLE: DGH RS

Handwritten signature

ANALYTICAL METHOD -- EPA METHOD 505
ANALYSIS OF ORGANOHALIDE PESTICIDES AND
COMMERCIAL POLYCHLORINATED BIPHENYLS (PCB)
PRODUCTS IN WATER BY MICROEXTRACTION AND
GAS CHROMATOGRAPHY

Date Extracted

10/18/05

Date Analyzed

10/18/05

RESULTS

COMPOUND	RESULT	MDL (ug/l)	PQL (ug/l)
ALDRIN	ND	0.006	0.0286
ALACHLOR	ND	0.080	0.2886
ATRAZINE	ND	1.438	* 2.0000
ALPHA CHLORDANE	ND	0.008	0.0286
GAMMA CHLORDANE	ND	0.006	0.0286
CHLORDANE (TECHNICAL)	ND	0.247	0.2869
DIELDRIN	ND	0.008	0.0286
ENDRIN	ND	0.037	0.0286
HEPTACHLOR	ND	0.005	0.0286
HEPTACHLOR EPOXIDE	ND	0.006	0.0286
HEXACHLOROBENZENE	ND	0.004	0.0286
HEXACHLOROCYCLOPENTADIENE	ND	0.007	0.0286
LINDANE	ND	0.005	0.0286
METHOXYCHLOR	ND	0.025	0.1429
CIS-NONACHLOR	ND	0.007	0.0286
TRANS-NONACHLOR	ND	0.006	0.0286
SIMAZINE	ND	2.262	** 2.0000
TOXAPHENE	ND	0.859	1.4329
AROCLOR 1016	ND	N/A	N/A
AROCLOR 1221	ND	N/A	N/A
AROCLOR 1232	ND	N/A	N/A
AROCLOR 1242	ND	N/A	N/A

*** CONTINUED ***

**STATE OF CONNECTICUT**

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT

THAD KING MPH, RS

20 E. HIGH ST.

EAST HAMPTON CT 06424

ID	ACCESSION NO.	ACCOUNT NO.	AGE	S	PAGE
NR:TK137	18020667	D06424	0		2

INFORMATION

042EAST HAMPTON
VALLI
9 RAILROAD AVE
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
10/13/05 12:15	10/14/05 09:33	10/27/05 16:24

REPORT	FINAL REPORT	COMMENT
TEST(S)	RESULT(S)	
AROCOR 1248	ND	N/A
AROCOR 1254	ND	0.486
AROCOR 1260	ND	0.582
BUTACHLOR	ND	N/A
PROPACHLOR	ND	0.104
METOLACHLOR	ND	N/A
METRIBUZIN	ND	N/A
P,p'-DDE	ND	N/A
P,p'-DDD	ND	N/A
P,p'-DDT	ND	N/A
ND = NONE DETECTED (RESULT LESS THAN THE PQL)		
PQL = PRACTICAL QUANTITATION LIMIT		
Values Calculated based on a Signal/Noise Ratio of 5:1 according to CFR Part 136 Appendix B		
* The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.22		
** The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.154		

** END OF REPORT **		



STATE OF CONNECTICUT

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT

THAD KING MPH,RS

20 E.HIGH ST.,

EAST HAMPTON CT 06424

ID	ACCESSION NO.	ACCOUNT NO.	AGE	SEX	PAGE
NR:TX145	18020675	D06424	0		1

INFORMATION

042EAST HAMPTON

WOOD

9 STARR PLACE

EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
10/13/05 11:17	10/14/05 09:34	10/27/05 17:12

REPORT	FINAL REPORT	COMMENT
--------	--------------	---------

TEST(S)	RESULT(S)
---------	-----------

1* PESTICIDES
METHOD

SAMPLING POINT: DRILLED WELL

COLLECTOR: KING, THAD

PRIVATE WELL.

TITLE: DOH RS

R.W. Jones

ANALYTICAL METHOD - EPA METHOD 505
ANALYSIS OF ORGANOHALIDE PESTICIDES AND
COMMERCIAL POLYCHLORINATED BIPHENYLS (PCB)
PRODUCTS IN WATER BY MICROEXTRACTION AND
GAS CHROMATOGRAPHY

Date Extracted

10/18/05

Date Analyzed

10/19/05

RESULTS

COMPOUND	RESULT	MDL (ug/l)	PQL (ug/l)
ALDRIN	ND	0.006	0.0286
ALACHLOR	ND	0.080	0.2886
ATRAZINE	ND	1.438	* 2.0000
ALPHA CHLORDANE	ND	0.008	0.0286
GAMMA CHLORDANE	ND	0.006	0.0286
CHLORDANE (TECHNICAL)	ND	0.247	0.2869
DIELDRIN	ND	0.008	0.0286
ENDRIN	ND	0.037	0.0286
HEPTACHLOR	ND	0.005	0.0286
HEPTACHLOR EPOXIDE	ND	0.006	0.0286
HEXACHLOROBENZENE	ND	0.004	0.0286
HEXACHLOROCYCLOPENTADIENE	ND	0.007	0.0286
LINDANE	ND	0.005	0.0286
METHOXYCHLOR	ND	0.025	0.1429
CIS-NONACHLOR	ND	0.007	0.0286
TRANS-NONACHLOR	ND	0.006	0.0286
SIMAZINE	ND	2.262	** 2.0000
TOXAPHENE	ND	0.859	1.4329
AROCLOR 1016	ND	N/A	N/A
AROCLOR 1221	ND	N/A	N/A
AROCLOR 1232	ND	N/A	N/A
AROCLOR 1242	ND	N/A	N/A

*** CONTINUED ***

**STATE OF CONNECTICUT**

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 559-8300

CHATHAM HEALTH DISTRICT
THAD KING MPH, RS
20 E. HIGH ST.
EAST HAMPTON CT 06424

LD.	ACCESSION NO.	ACCOUNT NO.	AGE	TS	PAGE
NR:TK145	18020675	D06424	0		2

INFORMATION

042EAST HAMPTON
WOOD
9 STARR PLACE
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
10/13/05 11:17	10/14/05 09:34	10/27/05 17:12

REPORT	FINAL REPORT	COMMENT
TEST(S)	RESULT(S)	
AROCLOR 1248	ND	N/A
AROCLOR 1254	ND	0.486
AROCLOR 1260	ND	0.582
BUTACHLOR	ND	N/A
PROPACHLOR	ND	0.104
METOLACHLOR	ND	N/A
METRIBUZIN	ND	N/A
P,p'-DDE	ND	N/A
P,p'-DDD	ND	N/A
P,p'-DDT	ND	N/A
ND = NONE DETECTED (RESULT LESS THAN THE PQL) PQL = PRACTICAL QUANTITATION LIMIT		
Values Calculated based on a Signal/Noise Ratio of 5:1 according to CFR Part 136 Appendix B		
* The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.22		
** The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.154		
** END OF REPORT **		



STATE OF CONNECTICUT

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8300

CHATHAM HEALTH DISTRICT
THAD KING MPH, RS
20 E. HIGH ST.
EAST HAMPTON CT 06424

LAB	ACCESSION NO.	ACCOUNT NO.	AGE	5	PAGE
NR:TK149	18020679	D06424	0		1

042 EAST HAMPTON
DUNHAM
9 WALNUT AVE
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
10/13/05 12:30	10/14/05 09:34	10/27/05 17:12

REPORT	FINAL REPORT	COMMENT
--------	--------------	---------

TEST(S)	RESULT(S)
---------	-----------

SAMPLING POINT: DRILLED WELL
COLLECTOR: KING, THAD
PRIVATE WELL

TITLE: DDH RS

* PESTICIDES
METHOD

ANALYTICAL METHOD - EPA METHOD 505
ANALYSIS OF ORGANOHALIDE PESTICIDES AND
COMMERCIAL POLYCHLORINATED BIPHENYLS (PCB)
PRODUCTS IN WATER BY MICROEXTRACTION AND
GAS CHROMATOGRAPHY

Date Extracted
Date Analyzed
RESULTS

10/18/05
10/19/05

COMPOUND	RESULT	MDL (ug/l)	PQL (ug/l)
ALDRIN	ND	0.006	0.0286
ALACHLOR	ND	0.080	0.2886
ATRAZINE	ND	1.438	* 2.0000
ALPHA CHLORDANE	ND	0.008	0.0286
GAMMA CHLORDANE	ND	0.006	0.0286
CHLORDANE (TECHNICAL)	ND	0.247	0.2869
DIELDRIN	ND	0.008	0.0286
ENDRIN	ND	0.037	0.0286
HEPTACHLOR	ND	0.005	0.0286
HEPTACHLOR EPOXIDE	ND	0.006	0.0286
HEXACHLOROBENZENE	ND	0.004	0.0286
HEXACHLOROCYCLOPENTADIENE	ND	0.007	0.0286
LINDANE	ND	0.005	0.0286
METHOXYCHLOR	ND	0.025	0.1429
CIS-NONACHLOR	ND	0.007	0.0286
TRANS-NONACHLOR	ND	0.006	0.0286
SIMAZINE	ND	2.262	** 2.0000
TOXAPHENE	ND	0.859	1.4329
AROCLOR 1016	ND	N/A	N/A
AROCLOR 1221	ND	N/A	N/A
AROCLOR 1232	ND	N/A	N/A
AROCLOR 1242	ND	N/A	N/A

*** CONTINUED ***

**STATE OF CONNECTICUT**

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT
THAD KING MPH,RS
20 E.HIGH ST.
EAST HAMPTON CT 06424

ID	ACCESSION NO.	ACCOUNT NO.	AGE	SEX	PAGE
NR:TK149	18020679	D06424	0		2

INFORMATION

042EAST HAMPTON
DUNHAM
9 WALNUT AVE
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
10/13/05 12:30	10/14/05 09:34	10/27/05 17:12

REPORT**FINAL REPORT****COMMENT**

TEST(S)	RESULT(S)
AROCOR 1248	ND N/A N/A
AROCOR 1254	ND 0.486 0.2871
AROCOR 1260	ND 0.582 0.2869
BUTACHLOR	ND N/A N/A
PROPACHLOR	ND 0.104 0.1431
METOLACHLOR	ND N/A N/A
METRIBUZIN	ND N/A N/A
P,p'-DDE	ND N/A N/A
P,p'-DDD	ND N/A N/A
P,p'-DDT	ND N/A N/A

ND = NONE DETECTED (RESULT LESS THAN THE PQL)

PQL = PRACTICAL QUANTITATION LIMIT

Values Calculated based on a Signal/Noise Ratio of 3:1
according to CFR Part 136 Appendix B

- * The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.22
- ** The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.154

** END OF REPORT **



STATE OF CONNECTICUT

Department of Public Health Laboratory
Clinical Testing License: CL-0197
10 Clinton St.
P.O. Box 1689
Hartford, CT 06144
Telephone (860) 509-8500

CHATHAM HEALTH DISTRICT
THAD KING MPH, RS
20 E. HIGH ST.
EAST HAMPTON CT 06424

LAB	ACCUSSION NO	ACCOUNT NO	AGE	PAGE
MR:TK78	18021452	D06424	0	1
INFORMATION				
042EAST HAMPTON PHILMOWER 10 STARR PLACE EAST HAMPTON CT				
COLLECTED	RECEIVED	REPORTED		
11/30/06 12:00	11/30/06 13:11	12/12/06 16:06		

REPORT	FINAL REPORT	COMMENT																																																																
TESTS	RESULTS																																																																	
*** PESTICIDES METHOD	SAMPLING POINT: DRILLED WELL COLLECTOR: KING, THAD PRIVATE WELL TITLE: DOA RS ANALYTICAL METHOD - EPA METHOD 505 ANALYSIS OF ORGANOHALIDE PESTICIDES AND COMMERCIAL POLYCHLORINATED BIPHENYLS (PCB) PRODUCTS IN WATER BY MICROEXTRACTION AND GAS CHROMATOGRAPHY Date Extracted 12/05/06 Date Analyzed 12/06/06 *****QUALITY ASSURANCE NOTE***** This method requires that the sample be chilled to 4 degrees centigrade or less at the time of collection and maintained at that temperature until analysis. This sample was received by the DPH Laboratory at a temperature greater than 4 degrees centigrade.	Robt. Jensen																																																																
RESULTS	<table><thead><tr><th>COMPOUND</th><th>RESULT</th><th>MDL (ug/l)</th><th>PQL (ug/l)</th></tr></thead><tbody><tr><td>ALDRIN</td><td>ND</td><td>0.006</td><td>0.0286</td></tr><tr><td>ALACHLOR</td><td>ND</td><td>0.080</td><td>0.2886</td></tr><tr><td>ATRAZINE</td><td>ND</td><td>1.438</td><td>* 2.0000</td></tr><tr><td>ALPHA CHLORDANE</td><td>ND</td><td>0.008</td><td>0.0286</td></tr><tr><td>GAMMA CHLORDANE</td><td>ND</td><td>0.006</td><td>0.0286</td></tr><tr><td>CHLORDANE (TECHNICAL)</td><td>ND</td><td>0.247</td><td>0.2869</td></tr><tr><td>DIELDRIN</td><td>ND</td><td>0.008</td><td>0.0286</td></tr><tr><td>ENDRIN</td><td>ND</td><td>0.037</td><td>0.0286</td></tr><tr><td>HEPTACHLOR</td><td>ND</td><td>0.005</td><td>0.0286</td></tr><tr><td>HEPTACHLOR EPOXIDE</td><td>ND</td><td>0.006</td><td>0.0286</td></tr><tr><td>HEXACHLOROBENZENE</td><td>ND</td><td>0.004</td><td>0.0286</td></tr><tr><td>HEXACHLOROCYCLOPENTADIENE</td><td>ND</td><td>0.007</td><td>0.0286</td></tr><tr><td>LINDANE</td><td>ND</td><td>0.005</td><td>0.0286</td></tr><tr><td>METHOXYCHLOR</td><td>ND</td><td>0.025</td><td>0.1429</td></tr><tr><td>CIS-NONACHLOR</td><td>ND</td><td>0.007</td><td>0.0286</td></tr></tbody></table>	COMPOUND	RESULT	MDL (ug/l)	PQL (ug/l)	ALDRIN	ND	0.006	0.0286	ALACHLOR	ND	0.080	0.2886	ATRAZINE	ND	1.438	* 2.0000	ALPHA CHLORDANE	ND	0.008	0.0286	GAMMA CHLORDANE	ND	0.006	0.0286	CHLORDANE (TECHNICAL)	ND	0.247	0.2869	DIELDRIN	ND	0.008	0.0286	ENDRIN	ND	0.037	0.0286	HEPTACHLOR	ND	0.005	0.0286	HEPTACHLOR EPOXIDE	ND	0.006	0.0286	HEXACHLOROBENZENE	ND	0.004	0.0286	HEXACHLOROCYCLOPENTADIENE	ND	0.007	0.0286	LINDANE	ND	0.005	0.0286	METHOXYCHLOR	ND	0.025	0.1429	CIS-NONACHLOR	ND	0.007	0.0286	
COMPOUND	RESULT	MDL (ug/l)	PQL (ug/l)																																																															
ALDRIN	ND	0.006	0.0286																																																															
ALACHLOR	ND	0.080	0.2886																																																															
ATRAZINE	ND	1.438	* 2.0000																																																															
ALPHA CHLORDANE	ND	0.008	0.0286																																																															
GAMMA CHLORDANE	ND	0.006	0.0286																																																															
CHLORDANE (TECHNICAL)	ND	0.247	0.2869																																																															
DIELDRIN	ND	0.008	0.0286																																																															
ENDRIN	ND	0.037	0.0286																																																															
HEPTACHLOR	ND	0.005	0.0286																																																															
HEPTACHLOR EPOXIDE	ND	0.006	0.0286																																																															
HEXACHLOROBENZENE	ND	0.004	0.0286																																																															
HEXACHLOROCYCLOPENTADIENE	ND	0.007	0.0286																																																															
LINDANE	ND	0.005	0.0286																																																															
METHOXYCHLOR	ND	0.025	0.1429																																																															
CIS-NONACHLOR	ND	0.007	0.0286																																																															
*** CONTINUED ***																																																																		



STATE OF CONNECTICUT

Department of Public Health Laboratory
Clinical Testing License: CL-0197
10 Clinton St.
P.O. Box 1689
Hartford, CT 06144
Telephone (860) 509-8500

CHATHAM HEALTH DISTRICT
THAD KING MPH, RS
20 E. HIGH ST.
EAST HAMPTON CT 06424

ID	ACCESSION NO	ACCOUNT NO	AGE	PAGE
MR:TK78	18021452	D06424	0	2
INFORMATION				
042EAST HAMPTON PHILHOMER 10 STARR PLACE EAST HAMPTON CT				
COLLECTED	RECEIVED	REPORTED		
11/30/06 12:00	11/30/06 13:11	12/12/06 16:06		

REPORT	FINAL REPORT	COMMENT
TESTS	RESULTS	
TRANS-MONACHLOR	ND	0.006 0.0286
SIMAZINE	ND	2.262 ** 2.0000
TOXAPHENE	ND	0.859 1.4329
AROCLOL 1016	ND	N/A N/A
AROCLOL 1221	ND	N/A N/A
AROCLOL 1232	ND	N/A N/A
AROCLOL 1242	ND	N/A N/A
AROCLOL 1248	ND	N/A N/A
AROCLOL 1254	ND	0.486 0.2871
AROCLOL 1260	ND	0.582 0.2869
BUTACHLOR	ND	N/A N/A
PROPACHLOR	ND	0.104 0.1431
METOLACHLOR	ND	N/A N/A
METRIBUZIN	ND	N/A N/A
p,p'-DDE	ND	N/A N/A
p,p'-DDD	ND	N/A N/A
p,p'-DDT	ND	N/A N/A
ND = NONE DETECTED (RESULT LESS THAN THE POL)		
POL = PRACTICAL QUANTITATION LIMIT		
Values Calculated based on a Signal/Noise Ratio of 5:1 according to CFR Part 136 Appendix B		
* The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.22		
** The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.154		
***** ** END OF REPORT **		



STATE OF CONNECTICUT

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT
THAD KING MPH, RS
20 E. HIGH ST.
EAST HAMPTON CT 06424

ID	ACCESSION NO.	ACCOUNT NO.	AGE	S	PAGE
NR:TK147	18020677	D06424	0		1

INFORMATION

042EAST HAMPTON
NICHOLS
10 WALNUT AVE
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
10/13/05 12:15	10/14/05 09:34	10/27/05 17:12

REPORT	FINAL REPORT	COMMENT																																																																																												
TEST(S)	RESULT(S)																																																																																													
** PESTICIDES METHOD	SAMPLING POINT: DRILLED WELL COLLECTOR: KING, THAD PRIVATE WELL TITLE: DOH RS <i>TH. King</i>																																																																																													
Date Extracted	10/18/05																																																																																													
Date Analyzed	10/19/05																																																																																													
RESULTS	<table><thead><tr><th>COMPOUND</th><th>RESULT</th><th>MDL (ug/l)</th><th>PQL (ug/l)</th></tr></thead><tbody><tr><td>ALDRIN</td><td>ND</td><td>0.006</td><td>0.0286</td></tr><tr><td>ALACHLOR</td><td>ND</td><td>0.080</td><td>0.2886</td></tr><tr><td>ATRAZINE</td><td>ND</td><td>1.438</td><td>* 2.0000</td></tr><tr><td>ALPHA CHLORDANE</td><td>ND</td><td>0.008</td><td>0.0286</td></tr><tr><td>GAMMA CHLORDANE</td><td>ND</td><td>0.006</td><td>0.0286</td></tr><tr><td>CHLORDANE (TECHNICAL)</td><td>ND</td><td>0.247</td><td>0.2869</td></tr><tr><td>DIELDRIN</td><td>ND</td><td>0.008</td><td>0.0286</td></tr><tr><td>ENDRIN</td><td>ND</td><td>0.037</td><td>0.0286</td></tr><tr><td>HEPTACHLOR</td><td>ND</td><td>0.005</td><td>0.0286</td></tr><tr><td>HEPTACHLOR EPOXIDE</td><td>ND</td><td>0.006</td><td>0.0286</td></tr><tr><td>HEXACHLOROBENZENE</td><td>ND</td><td>0.004</td><td>0.0286</td></tr><tr><td>HEXACHLOROCYCLOPENTADIENE</td><td>ND</td><td>0.007</td><td>0.0286</td></tr><tr><td>LINDANE</td><td>ND</td><td>0.005</td><td>0.0286</td></tr><tr><td>METHOXYCHLOR</td><td>ND</td><td>0.025</td><td>0.1429</td></tr><tr><td>CIS-NONACHLOR</td><td>ND</td><td>0.007</td><td>0.0286</td></tr><tr><td>TRANS-NONACHLOR</td><td>ND</td><td>0.006</td><td>0.0286</td></tr><tr><td>SIMAZINE</td><td>ND</td><td>2.262</td><td>** 2.0000</td></tr><tr><td>TOXAPHENE</td><td>ND</td><td>0.859</td><td>1.4329</td></tr><tr><td>AROCLOR 1016</td><td>ND</td><td>N/A</td><td>N/A</td></tr><tr><td>AROCLOR 1221</td><td>ND</td><td>N/A</td><td>N/A</td></tr><tr><td>AROCLOR 1232</td><td>ND</td><td>N/A</td><td>N/A</td></tr><tr><td>AROCLOR 1242</td><td>ND</td><td>N/A</td><td>N/A</td></tr></tbody></table>		COMPOUND	RESULT	MDL (ug/l)	PQL (ug/l)	ALDRIN	ND	0.006	0.0286	ALACHLOR	ND	0.080	0.2886	ATRAZINE	ND	1.438	* 2.0000	ALPHA CHLORDANE	ND	0.008	0.0286	GAMMA CHLORDANE	ND	0.006	0.0286	CHLORDANE (TECHNICAL)	ND	0.247	0.2869	DIELDRIN	ND	0.008	0.0286	ENDRIN	ND	0.037	0.0286	HEPTACHLOR	ND	0.005	0.0286	HEPTACHLOR EPOXIDE	ND	0.006	0.0286	HEXACHLOROBENZENE	ND	0.004	0.0286	HEXACHLOROCYCLOPENTADIENE	ND	0.007	0.0286	LINDANE	ND	0.005	0.0286	METHOXYCHLOR	ND	0.025	0.1429	CIS-NONACHLOR	ND	0.007	0.0286	TRANS-NONACHLOR	ND	0.006	0.0286	SIMAZINE	ND	2.262	** 2.0000	TOXAPHENE	ND	0.859	1.4329	AROCLOR 1016	ND	N/A	N/A	AROCLOR 1221	ND	N/A	N/A	AROCLOR 1232	ND	N/A	N/A	AROCLOR 1242	ND	N/A	N/A
COMPOUND	RESULT	MDL (ug/l)	PQL (ug/l)																																																																																											
ALDRIN	ND	0.006	0.0286																																																																																											
ALACHLOR	ND	0.080	0.2886																																																																																											
ATRAZINE	ND	1.438	* 2.0000																																																																																											
ALPHA CHLORDANE	ND	0.008	0.0286																																																																																											
GAMMA CHLORDANE	ND	0.006	0.0286																																																																																											
CHLORDANE (TECHNICAL)	ND	0.247	0.2869																																																																																											
DIELDRIN	ND	0.008	0.0286																																																																																											
ENDRIN	ND	0.037	0.0286																																																																																											
HEPTACHLOR	ND	0.005	0.0286																																																																																											
HEPTACHLOR EPOXIDE	ND	0.006	0.0286																																																																																											
HEXACHLOROBENZENE	ND	0.004	0.0286																																																																																											
HEXACHLOROCYCLOPENTADIENE	ND	0.007	0.0286																																																																																											
LINDANE	ND	0.005	0.0286																																																																																											
METHOXYCHLOR	ND	0.025	0.1429																																																																																											
CIS-NONACHLOR	ND	0.007	0.0286																																																																																											
TRANS-NONACHLOR	ND	0.006	0.0286																																																																																											
SIMAZINE	ND	2.262	** 2.0000																																																																																											
TOXAPHENE	ND	0.859	1.4329																																																																																											
AROCLOR 1016	ND	N/A	N/A																																																																																											
AROCLOR 1221	ND	N/A	N/A																																																																																											
AROCLOR 1232	ND	N/A	N/A																																																																																											
AROCLOR 1242	ND	N/A	N/A																																																																																											
*** CONTINUED ***																																																																																														

**STATE OF CONNECTICUT**

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT

THAD KING MPH,RS

20 E. HIGH ST.

EAST HAMPTON

CT 06424

ID.	ACCESSION NO.	ACCOUNT NO.	AGE	SEX	PAGE
NR:TK147	18020677	D06424	0		2

INFORMATION

042EAST HAMPTON
NICHOLS
10 WALNUT AVE
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
10/13/05 12:15	10/14/05 09:34	10/27/05 17:12

REPORT	FINAL REPORT	COMMENT
TEST(S)	RESULT(S)	
AROCLO 1248	ND	N/A
AROCLO 1254	ND	0.486
AROCLO 1260	ND	0.562
BUTACHLOR	ND	N/A
PROPACHLOR	ND	0.104
METULACHLOR	ND	N/A
METRIBUZIN	ND	N/A
P,P'-DDE	ND	N/A
P,P'-DDD	ND	N/A
P,P'-DDT	ND	N/A
ND = NONE DETECTED (RESULT LESS THAN THE PQL) PQL = PRACTICAL QUANTITATION LIMIT		
Values Calculated based on a Signal/Noise Ratio of 5:1 according to CFR Part 136 Appendix B		
* The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.22		
** The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.154		
** END OF REPORT **		



STATE OF CONNECTICUT

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT
THAD KING MPH, RS
20 E. HIGH ST.
EAST HAMPTON CT 06424

ID	ACCESSION NO.	ACCOUNT NO.	AGE	SEX	RACE
NR: TK146	18020676	D06424	0		1

INFORMATION

042EAST HAMPTON
FILIS
11 STARR PLACE
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
10/13/05 10:50	10/14/05 09:34	10/27/05 17:12

REPORT	FINAL REPORT	COMMENT
--------	--------------	---------

TEST(S)	RESULT(S)
---------	-----------

* PESTICIDES
METHOD

SAMPLING POINT: DRILLED WELL
COLLECTOR: KING, THAD TITLE: DOH RS
PRIVATE WELL.

AM. Jensen

ANALYTICAL METHOD - EPA METHOD 505
ANALYSIS OF ORGANOHALIDE PESTICIDES AND
COMMERCIAL POLYCHLORINATED BIPHENYLS (PCB)
PRODUCTS IN WATER BY MICROEXTRACTION AND
GAS CHROMATOGRAPHY

Date Extracted
Date Analyzed
RESULTS

10/18/05
10/19/05

COMPOUND	RESULT	MDL (ug/l)	PQL (ug/l)
ALDRIN	ND	0.006	0.0286
ALACHLOR	ND	0.080	0.2886
ATRAZINE	ND	1.438	* 2.0000
ALPHA CHLORDANE	ND	0.008	0.0286
GAMMA CHLORDANE	ND	0.006	0.0286
CHLORDANE (TECHNICAL)	ND	0.247	0.2869
DIELDRIN	ND	0.008	0.0286
ENDRIN	ND	0.037	0.0286
HEPTACHLOR	ND	0.005	0.0286
HEPTACHLOR EPOXIDE	ND	0.006	0.0286
HEXACHLOROBENZENE	ND	0.004	0.0286
HEXACHLOROCYCLOPENTADIENE	ND	0.007	0.0286
LINDANE	ND	0.005	0.0286
METHOXYCHLOR	ND	0.025	0.1429
CIS-NONACHLOR	ND	0.007	0.0286
TRANS-NONACHLOR	ND	0.006	0.0286
SIMAZINE	ND	2.262	** 2.0000
TOXAPHENE	ND	0.859	1.4329
AROCLOR 1016	ND	N/A	N/A
AROCLOR 1221	ND	N/A	N/A
AROCLOR 1232	ND	N/A	N/A
AROCLOR 1242	ND	N/A	N/A

*** CONTINUED ***

**STATE OF CONNECTICUT**

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT
THAD KING MPH,RS
20 E. HIGH ST.

EAST HAMPTON CT 06424

ID	ACCESSION NO.	ACCOUNT NO.	AGE	S	PAGE
NR:TK146	18020676	D06424	0		2

INFORMATION

042EAST HAMPTON
FILIS
11 STARR PLACE
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
10/13/05 10:50	10/14/05 09:34	10/27/05 17:12

REPORT**FINAL REPORT****COMMENT**

TEST(S)	RESULT(S)
AROCLOR 1248	ND N/A N/A
AROCLOR 1254	ND 0.486 0.2871
AROCLOR 1260	ND 0.582 0.2869
BUTACHLOR	ND N/A N/A
PROPACHLOR	ND 0.104 0.1431
METOLACHLOR	ND N/A N/A
METRIBUZIN	ND N/A N/A
p,p'-DDE	ND N/A N/A
p,p'-DDD	ND N/A N/A
p,p'-DDT	ND N/A N/A

ND = NONE DETECTED (RESULT LESS THAN THE PQL)
PQL = PRACTICAL QUANTITATION LIMIT

Values Calculated based on a Signal/Noise Ratio of 5:1
according to CFR Part 136 Appendix B

- * The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.22
- ** The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.154

** END OF REPORT **



STATE OF CONNECTICUT

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT

THAD KING MPH, RS

20 E. HIGH ST.

EAST HAMPTON

CT 06424

ID	ACCESSION NO.	ACCOUNT NO.	AGE	SEX	PAGE
NR:TK148	18020678	D06424	0		3

042EAST HAMPTON
VON DECK
12 WALNUT AVE
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
10/13/05 12:25	10/14/05 09:34	10/27/05 17:12

REPORT	FINAL REPORT	COMMENT
--------	--------------	---------

TEST(S)	RESULT(S)
---------	-----------

** PESTICIDES
METHOD

SAMPLING POINT: DRILLED WELL

COLLECTOR: KING, THAD
PRIVATE WELL

TITLE: DOH RS

H. H. H. H.

ANALYTICAL METHOD - EPA METHOD 505
ANALYSIS OF ORGANOHALIDE PESTICIDES AND
COMMERCIAL POLYCHLORINATED BIPHENYLS (PCB)
PRODUCTS IN WATER BY MICROEXTRACTION AND
GAS CHROMATOGRAPHY

Date Extracted
Date Analyzed
RESULTS

10/18/05

10/19/05

COMPOUND	RESULT	MDL (ug/l)	PGL (ug/l)
ALDRIN	ND	0.006	0.0286
ALACHLOR	ND	0.080	0.2886
ATRAZINE	ND	1.438	* 2.0000
ALPHA CHLORDANE	ND	0.008	0.0286
GAMMA CHLORDANE	ND	0.006	0.0286
CHLORDANE (TECHNICAL)	ND	0.247	0.2869
DIELDRIN	ND	0.008	0.0286
ENDRIN	ND	0.037	0.0286
HEPTACHLOR	ND	0.005	0.0286
HEPTACHLOR EPOXIDE	ND	0.006	0.0286
HEXACHLOROBENZENE	ND	0.004	0.0286
HEXACHLOROCYCLOPENTADIENE	ND	0.007	0.0286
LINDANE	ND	0.005	0.0286
METHOXYCHLOR	ND	0.025	0.1429
CIS-NONACHLOR	ND	0.007	0.0286
TRANS-NONACHLOR	ND	0.006	0.0286
SIMAZINE	ND	2.262	** 2.0000
TOXAPHENE	ND	0.859	1.4329
AROCLOR 1016	ND	N/A	N/A
AROCLOR 1221	ND	N/A	N/A
AROCLOR 1232	ND	N/A	N/A
AROCLOR 1242	ND	N/A	N/A

*** CONTINUED ***

**STATE OF CONNECTICUT**

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 309-8500

CHATHAM HEALTH DISTRICT
THAD KING MPH,RS
20 E.HIGH ST.
EAST HAMPTON CT 06424

ID	ACCESSION NO.	ACCOUNT NO.	AGE	8	PAGE
NR:TK148	18020678	D06424	0		2

042EAST HAMPTON
VON DECK
12 WALNUT AVE
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
10/13/05 12:25	10/14/05 09:34	10/27/05 17:12

REPORT	FINAL REPORT	COMMENT
TEST(S)	RESULT(S)	
AROCLOR 1248	ND	N/A
AROCLOR 1254	ND	0.486
AROCLOR 1260	ND	0.582
BUTACHLOR	ND	N/A
PROPACHLOR	ND	0.104
METOLACHLOR	ND	N/A
METRIBUZIN	ND	N/A
P-P'-DDE	ND	N/A
P-P'-DDD	ND	N/A
P-P'-DDT	ND	N/A
ND = NONE DETECTED (RESULT LESS THAN THE PQL) PQL = PRACTICAL QUANTITATION LIMIT		
Values Calculated based on a Signal/Noise Ratio of 5:1 according to CFR Part 136 Appendix B		
* The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.22		
** The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.154		
*** END OF REPORT ***		



STATE OF CONNECTICUT

Department of Public Health
Division of Laboratory Services
10 Clinton St.
P.O. Box 1689
Hartford, CT 06144
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT
THAD KING MPH,RS
20 E.HIGH ST.
EAST HAMPTON CT 06424

ID	ACCESSION NO.	ACCOUNT NO.	AGE	S	PAGE
NR:TK22	8020576	006424	0		1

06424 EAST HAMPTON
TOWN OF EAST HAMPTON
13 WATROUS
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
07/12/05 17:24	07/13/05 14:54	07/27/05 10:44

REPORT	FINAL REPORT	COMMENT
--------	--------------	---------

TEST(S)	RESULT(S)
---------	-----------

* PESTICIDES
METHOD

SAMPLING POINT: DUG WELL
COLLECTOR: KING, THAD TITLE: DOH RS
PRIVATE WELL TREATMENT:

A.M. Spencer

ANALYTICAL METHOD - EPA METHOD 505
ANALYSIS OF ORGANOHALIDE PESTICIDES AND
COMMERCIAL POLYCHLORINATED BIPHENYLS (PCB)
PRODUCTS IN WATER BY MICROEXTRACTION AND
GAS CHROMATOGRAPHY

ate Extracted
ate Analyzed
RESULTS

07/18/05
07/19/05

COMPOUND	RESULT	MDL (ug/l)	PQL (ug/l)
* ALDRIN	ND	0.006	0.0286
ALACHLOR	ND	0.080	0.2886
ATRAZINE	ND	1.438	* 2.0000
ALPHA CHLORDANE	ND	0.008	0.0286
GAMMA CHLORDANE	ND	0.006	0.0286
CHLORDANE (TECHNICAL)	ND	0.247	0.2869
DIELDRIN	ND	0.008	0.0286
ENDRIN	ND	0.037	0.0286
HEPTACHLOR	ND	0.005	0.0286
HEPTACHLOR EPOXIDE	ND	0.006	0.0286
HEXACHLOROBENZENE	ND	0.004	0.0286
HEXACHLOROCYCLOPENTADIENE	ND	0.007	0.0286
LINDANE	ND	0.005	0.0286
METHOXYCHLOR	ND	0.025	0.1429
CIS-NONACHLOR	ND	0.007	0.0286
TRANS-NONACHLOR	ND	0.006	0.0286
SIMAZINE	ND	2.262	** 2.0000
TOXAPHENE	ND	0.859	1.4329
AROCLOR 1016	ND	N/A	N/A
AROCLOR 1221	ND	N/A	N/A
AROCLOR 1232	ND	N/A	N/A
AROCLOR 1242	ND	N/A	N/A

*** CONTINUED ***

**STATE OF CONNECTICUT**

Department of Public Health
Division of Laboratory Services
10 Clinton St.
P.O. Box 1689
Hartford, CT 06144
TELEPHONE (860) 509-8500

CHATHAM HEALTH DISTRICT
THAD KING MPH,RS
20 E.HIGH ST.
EAST HAMPTON CT 06424

ID.	ACCESSION NO.	ACCOUNT NO.	AGE	S	PAGE
NR1TK22	18020576	D06424	0		2

INFORMATION:
042EAST HAMPTON,
TOWN OF EAST HAMPTON
13 WATROUS
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
07/12/05 17:24	07/13/05 14:54	07/27/05 10:44

REPORT		FINAL REPORT		COMMENT	
TEST(S)	RESULT(S)				
AROCFLOR 1248	ND	N/A	N/A		
AROCFLOR 1254	ND	0.486	0.2871		
AROCFLOR 1260	ND	0.582	0.2869		
BUTACHLOR	ND	N/A	N/A		
PROPACHLOR	ND	0.104	0.1431		
METOLACHLOR	ND	N/A	N/A		
METRIBUZIN	ND	N/A	N/A		
p,p'-DDE	ND	N/A	N/A		
p,p'-DDD	ND	N/A	N/A		
p,p'-DDT	ND	N/A	N/A		
ND = NONE DETECTED (RESULT LESS THAN THE PQL)					
PQL = PRACTICAL QUANTITATION LIMIT					
Values Calculated based on a Signal/Noise Ratio of 3:1 according to CFR Part 136 Appendix B					
* The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.22					
** The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.154					
*** END OF REPORT ***					

**STATE OF CONNECTICUT**

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT
THAD KING MPH, RS
20 E. HIGH ST.
EAST HAMPTON CT 06424

ID	ACCESSION NO.	ACCOUNT NO.	AGE	S	PAGE
NR:TK32	18021319	D06424	0		1

INFORMATION

042EAST HAMPTON
DAGLE THOMAS & JULIE
15 SUMMIT STR
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
09/13/06 13:25	09/14/06 09:31	09/26/06 10:41

REPORT**FINAL REPORT****COMMENT****TEST(S)****RESULT(S)****PESTICIDES
METHOD**

SAMPLING POINT:
COLLECTOR: KING, THAD TITLE: DOH RS
PRIVATE WELL TREATMENT:

ANALYTICAL METHOD - EPA METHOD 505
ANALYSIS OF ORGANOHALIDE PESTICIDES AND
COMMERCIAL POLYCHLORINATED BIPHENYLS (PCB)
PRODUCTS IN WATER BY MICROEXTRACTION AND
GAS CHROMATOGRAPHY

Date Extracted
Date Analyzed
RESULTS

9/19/06
9/19/06

COMPOUND	RESULT	MDL (ug/l)	PQL (ug/l)
ALDRIN	ND	0.006	0.0286
ALACHLOR	ND	0.080	0.2886
ATRAZINE	ND	1.438	* 2.0000
ALPHA CHLORDANE	ND	0.008	0.0286
GAMMA CHLORDANE	ND	0.006	0.0286
CHLORDANE (TECHNICAL)	3.66ug/l	0.247	0.2869
DIELDRIN	6.52ug/l	0.008	0.0286
ENDRIN	ND	0.037	0.0286
HEPTACHLOR	ND	0.005	0.0286
HEPTACHLOR EPOXIDE	ND	0.006	0.0286
HEXACHLOROBENZENE	ND	0.004	0.0286
HEXACHLOROCYCLOPENTADIENE	ND	0.007	0.0286
LINDANE	ND	0.005	0.0286
METHOXYCHLOR	ND	0.025	0.1429
CIS-NONACHLOR	ND	0.007	0.0286
TRANS-NONACHLOR	ND	0.006	0.0286
SIMAZINE	ND	2.262	** 2.0000
TOXAPHENE	ND	0.859	1.4329
AROCLOR 1016	ND	N/A	N/A
AROCLOR 1221	ND	N/A	N/A
AROCLOR 1232	ND	N/A	N/A
AROCLOR 1242	ND	N/A	N/A

*** CONTINUED ***

**STATE OF CONNECTICUT**

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT

THAD KING MPH, RS

20 E. HIGH ST.

EAST HAMPTON

CT 06424

ID	ACCESSION NO.	ACCOUNT NO.	AGE	S	PAGE
NR1TK32	18021319	D06424	0		2

INFORMATION

042 EAST HAMPTON
DAGLE THOMAS & JULIE
15 SUMMIT STR
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
09/13/06 13:25	09/14/06 09:31	09/28/06 10:41

REPORT	FINAL REPORT	COMMENT
TEST(S)	RESULT(S)	
AROCLO 124B	ND	N/A
AROCLO 1254	ND	0.486
AROCLO 1260	ND	0.582
BUTACHLO	ND	N/A
PROPACHLO	ND	0.104
METOLACHLO	ND	N/A
METIBUZIN	ND	N/A
p,p'-DDE	ND	N/A
p,p'-DDD	ND	N/A
p,p'-DDT	ND	N/A
ND = NONE DETECTED (RESULT LESS THAN THE PQL) PQL = PRACTICAL QUANTITATION LIMIT		
Values Calculated based on a Signal/Noise Ratio of 3:1 according to CFR Part 136 Appendix B		
* The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.22		
** The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.154		
<i>Handwritten signature</i>		
** END OF REPORT **		

**STATE OF CONNECTICUT**

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT
THAD KING MPH,RS
20 E.HIGH ST.
EAST HAMPTON CT 06424

ID	ACCESSION NO.	ACCOUNT NO.	AGE	S	PAGE
NR1TKJ3	18021320	D06424	0		1

INFORMATION

042EAST HAMPTON
WESCOTT DONALD
16 SUMMIT ST
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
09/13/06 13:35	09/14/06 09:31	09/28/06 09:50

REPORT	FINAL REPORT	COMMENT
--------	--------------	---------

TEST(S)	RESULT(S)
---------	-----------

SAMPLING POINT:
COLLECTOR: KING, THAD TITLE: DOH RS
PRIVATE WELL

* PESTICIDES
METHOD

ANALYTICAL METHOD - EPA METHOD 505
ANALYSIS OF ORGANOHALIDE PESTICIDES AND
COMMERCIAL POLYCHLORINATED BIPHENYLS (PCB)
PRODUCTS IN WATER BY MICROEXTRACTION AND
GAS CHROMATOGRAPHY

Date Extracted
Date Analyzed
RESULTS

9/19/06
9/19/06

COMPOUND	RESULT	MDL (ug/l)	PQL (ug/l)
ALDRIN	ND	0.006	0.0286
ALACHLOR	ND	0.080	0.2886
ATRAZINE	ND	1.438	* 2.0000
ALPHA CHLORDANE	ND	0.008	0.0286
GAMMA CHLORDANE	ND	0.006	0.0286
CHLORDANE (TECHNICAL)	2.05ug/l	0.247	0.2869
DIELDRIN	0.346ug/l	0.006	0.0286
ENDRIN	ND	0.037	0.0286
HEPTACHLOR	ND	0.005	0.0286
HEPTACHLOR EPOXIDE	ND	0.006	0.0286
HEXACHLOROBENZENE	ND	0.004	0.0286
HEXACHLOROCYCLOPENTADIENE	ND	0.007	0.0286
LINDANE	ND	0.005	0.0286
METHOXYCHLOR	ND	0.025	0.1429
CIS-NONACHLOR	ND	0.007	0.0286
TRANS-NONACHLOR	ND	0.006	0.0286
SIMAZINE	ND	2.262	** 2.0000
TOXAPHENE	ND	0.859	1.4329
AROCOR 1016	ND	N/A	N/A
AROCOR 1221	ND	N/A	N/A
AROCOR 1232	ND	N/A	N/A
AROCOR 1242	ND	N/A	N/A

*** CONTINUED ***

**STATE OF CONNECTICUT**

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT
THAD KING MPH, RS
20 E. HIGH ST.
EAST HAMPTON CT 06424

LO.	ACCESSION NO.	ACCOUNT NO.	AGE	3	PAGE
NR:TK33	18021320	D06424	0		2

INFORMATION

042 EAST HAMPTON
WESCOTT DONALD
16 SUMMIT ST
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
09/13/06 13:35	09/14/06 09:31	09/28/06 09:50

REPORT

FINAL REPORT

COMMENT

TEST(S)	RESULT(S)
AROCLOR 1248	ND N/A N/A
AROCLOR 1254	ND 0.486 0.2871
AROCLOR 1260	ND 0.582 0.2869
BUTACHLOR	ND N/A N/A
PROPACHLOR	ND 0.104 0.1431
METOLACHLOR	ND N/A N/A
METRIBUZIN	ND N/A N/A
P,p'-DDE	ND N/A N/A
P,p'-DDD	ND N/A N/A
P,p'-DDT	ND N/A N/A

ND = NONE DETECTED (RESULT LESS THAN THE PQL)

PQL = PRACTICAL QUANTITATION LIMIT

Values Calculated based on a Signal/Noise Ratio of 5:1
according to CFR Part 136 Appendix B

- * The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.22
- ** The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.154

W. J. Jones

** END OF REPORT **

**STATE OF CONNECTICUT**

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT
THAD KING MPH, RS
20 E. HIGH ST.
EAST HAMPTON

CT 06424

ID	ACCESSION NO.	ACCOUNT NO.	AGE	S	PAGE
NR:TK150	18020680	D06424	0		1

INFORMATION

042EAST HAMPTON
GRENMAN
17 WALNUT AVE.
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
10/13/05 12:18	10/14/05 09:34	10/27/05 17:12

REPORT	FINAL REPORT	COMMENT
--------	--------------	---------

TEST(S)	RESULT(S)
---------	-----------

SAMPLING POINT: DRILLED WELL
COLLECTOR: KING, THAD
PRIVATE WELL.

TITLE: DOH RS

*** PESTICIDES
METHOD

THAD KING

ANALYTICAL METHOD - EPA METHOD 505
ANALYSIS OF ORGANOHALIDE PESTICIDES AND
COMMERCIAL POLYCHLORINATED BIPHENYLS (PCB)
PRODUCTS IN WATER BY MICROEXTRACTION AND
GAS CHROMATOGRAPHY

Date Extracted
Date Analyzed
RESULTS

10/19/05
10/19/05

COMPOUND	RESULT	MDL (ug/l)	PQL (ug/l)
ALDRIN	ND	0.006	0.0286
ALACHLOR	ND	0.080	0.2886
ATRAZINE	ND	1.438	* 2.0000
ALPHA CHLORDANE	ND	0.008	0.0286
GAMMA CHLORDANE	ND	0.006	0.0286
CHLORDANE (TECHNICAL)	ND	0.247	0.2869
DIELDRIN	ND	0.008	0.0286
ENDRIN	ND	0.037	0.0286
HEPTACHLOR	ND	0.005	0.0286
HEPTACHLOR EPOXIDE	ND	0.006	0.0286
HEXACHLOROBENZENE	ND	0.004	0.0286
HEXACHLOROCYCLOPENTADIENE	ND	0.007	0.0286
LINDANE	ND	0.005	0.0286
METHOXYCHLOR	ND	0.025	0.1429
CIS-NONACHLOR	ND	0.007	0.0286
TRANS-NONACHLOR	ND	0.006	0.0286
SIMAZINE	ND	2.262	** 2.0000
TOXAPHENE	ND	0.859	1.4329
AROCLOR 1016	ND	N/A	N/A
AROCLOR 1221	ND	N/A	N/A
AROCLOR 1232	ND	N/A	N/A
AROCLOR 1242	ND	N/A	N/A

*** CONTINUED ***

**STATE OF CONNECTICUT**

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8300

CHATHAM HEALTH DISTRICT
THAD KING MPH,RS
20 E. HIGH ST.

EAST HAMPTON CT 06424

ID	ACCESSION NO.	ACCOUNT NO.	AGE	SEX	PAGE
NR:TK150	18020680	D06424	0		2

INFORMATION

042EAST HAMPTON
GRENMAN
17 WALNUT AVE
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
10/13/05 12:18	10/14/05 09:34	10/27/05 17:12

REPORT	FINAL REPORT	COMMENT
--------	--------------	---------

TEST(S)	RESULT(S)
AROCOR 1248	ND N/A N/A
AROCOR 1254	ND 0.486 0.2871
AROCOR 1260	ND 0.582 0.2869
BUTACHLOR	ND N/A N/A
PROPACHLOR	ND 0.104 0.1431
METOLACHLOR	ND N/A N/A
METRIBUZIN	ND N/A N/A
P,p'-DDE	ND N/A N/A
P,p'-DDD	ND N/A N/A
P,p'-DDT	ND N/A N/A

ND = NONE DETECTED (RESULT LESS THAN THE PQL)
PQL = PRACTICAL QUANTITATION LIMIT

Values Calculated based on a Signal/Noise Ratio of 5:1
according to CFR Part 136 Appendix B

- * The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.22
- ** The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.154

** END OF REPORT **



STATE OF CONNECTICUT

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT

THAD KING MPH, RS

20 E. HIGH ST.

EAST HAMPTON

CT 06424

ID	ACCESSION NO.	ACCOUNT NO.	AGE	S	PAGE
NR:TK151	18020681	D06424	0		1

INFORMATION

042EAST HAMPTON
PHEDNIX REDEVELOPMEN
17 WATROUS
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
10/13/05 11:05	10/14/05 09:34	10/27/05 17:12

REPORT

FINAL REPORT

COMMENT

TEST(S)

RESULT(S)

** PESTICIDES
METHOD

SAMPLING POINT: DRILLED WELL
COLLECTOR: KING, THAD
PRIVATE WELL

TITLE: DOH RS

ANALYTICAL METHOD - EPA METHOD 505
ANALYSIS OF ORGANOHALIDE PESTICIDES AND
COMMERCIAL POLYCHLORINATED BIPHENYLS (PCB)
PRODUCTS IN WATER BY MICROEXTRACTION AND
GAS CHROMATOGRAPHY

Date Extracted

10/19/05

Date Analyzed

10/20/05

RESULTS

COMPOUND	RESULT	MDL (ug/l)	PQL (ug/l)
ALDRIN	ND	0.006	0.0286
ALACHLOR	ND	0.080	0.2886
ATRAZINE	ND	1.438	* 2.0000
ALPHA CHLORDANE	ND	0.008	0.0286
GAMMA CHLORDANE	ND	0.006	0.0286
CHLORDANE (TECHNICAL)	ND	0.247	0.2869
DIELDRIN	0.096 UG/L	0.008	0.0286
ENDRIN	ND	0.037	0.0286
HEPTACHLOR	ND	0.005	0.0286
HEPTACHLOR EPOXIDE	ND	0.006	0.0286
HEXACHLOROBENZENE	ND	0.004	0.0286
HEXACHLOROCYCLOPENTADIENE	ND	0.007	0.0286
LINDANE	ND	0.005	0.0286
METHOXYCHLOR	ND	0.025	0.1429
CIS-NONACHLOR	ND	0.007	0.0286
TRANS-NONACHLOR	ND	0.006	0.0286
SIMAZINE	ND	2.262	** 2.0000
TOXAPHENE	ND	0.859	1.4329
AROCLOR 1016	ND	N/A	N/A
AROCLOR 1221	ND	N/A	N/A
AROCLOR 1232	ND	N/A	N/A
AROCLOR 1242	ND	N/A	N/A

*** CONTINUED ***

**STATE OF CONNECTICUT**

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT
THAD KING MPH,RS
20 E.HIGH ST.
EAST HAMPTON CT 06424

ID	ACCESSION NO.	ACCOUNT NO.	AGE	SEX	PAGE
NR:TK151	18020681	D06424	0		2

042EAST HAMPTON
PHOENIX REDEVELOPMEN
17 WATROUS
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
10/13/05 11:05	10/14/05 09:34	10/27/05 17:12

REPORT	FINAL REPORT	COMMENT
TEST(S)	RESULT(S)	
AROCLOR 1248	ND	N/A
AROCLOR 1254	ND	0.486
AROCLOR 1260	ND	0.582
BUTACHLOR	ND	N/A
PROPACHLOR	ND	0.104
METOLACHLOR	ND	N/A
METRIBUZIN	ND	N/A
P,p'-DDE	ND	N/A
P,p'-DDD	ND	N/A
P,p'-DDT	ND	N/A
ND = NONE DETECTED (RESULT LESS THAN THE PQL) PQL = PRACTICAL QUANTITATION LIMIT		
Values Calculated based on a Signal/Noise Ratio of 5:1 according to CFR Part 136 Appendix B		
* The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.22		
** The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.154		
** END OF REPORT **		

**STATE OF CONNECTICUT**

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT

THAD KING MPH,RS

20 E.HIGH ST.

EAST HAMPTON

CT 06424

ID	ACCESSION NO.	ACCOUNT NO.	AGE	S	PAGE
NR:TK34	18021321	D06424	0		1

INFORMATION

042EAST HAMPTON

HARVEY MICHAEL

18 SUMMIT ST

EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
09/13/06 13:15	09/14/06 09:31	09/28/06 09:50

REPORT	FINAL REPORT	COMMENT
TEST(S)	RESULT(S)	
	SAMPLING POINT: COLLECTOR: KING THAD PRIVATE WELL	TITLE: DOH RS
* PESTICIDES METHOD	ANALYTICAL METHOD - EPA METHOD 505 ANALYSIS OF ORGANOHALIDE PESTICIDES AND COMMERCIAL POLYCHLORINATED BIPHENYLS (PCB) PRODUCTS IN WATER BY MICROEXTRACTION AND GAS CHROMATOGRAPHY	
Date Extracted	9/19/06	
Date Analyzed	9/19/06	
RESULTS	COMPOUND	RESULT MDL (ug/l) PDL (ug/l)
	ALDRIN	ND 0.006 0.0286
	ALACHLOR	ND 0.080 0.2886
	ATRAZINE	ND 1.438 * 2.0000
	ALPHA CHLORDANE	ND 0.008 0.0286
	GAMMA CHLORDANE	ND 0.006 0.0286
	CHLORDANE (TECHNICAL)	ND 0.247 0.2869
	DIELDRIN	ND 0.008 0.0286
	ENDRIN	ND 0.037 0.0286
	HEPTACHLOR	ND 0.005 0.0286
	HEPTACHLOR EPOXIDE	ND 0.006 0.0286
	HEXACHLOROBENZENE	ND 0.004 0.0286
	HEXACHLOROCYCLOPENTADIENE	ND 0.007 0.0286
	LINDANE	ND 0.005 0.0286
	METHOXYCHLOR	ND 0.025 0.1429
	CIS-NONACHLOR	ND 0.007 0.0286
	TRANS-NONACHLOR	ND 0.006 0.0286
	SIMAZINE	ND 2.262 ** 2.0000
	TOXAPHENE	ND 0.859 1.4329
	ARDCOR 1016	ND N/A N/A
	ARDCOR 1221	ND N/A N/A
	ARDCOR 1232	ND N/A N/A
	ARDCOR 1242	ND N/A N/A
*** CONTINUED ***		

STATE OF CONNECTICUT

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT
THAD KING MPH,RS
20 E.HIGH ST.
EAST HAMPTON CT 0

CT 06424

ID	ACCESSION NO.	ACCOUNT NO.	AGE	S	PAGE
NR:TK34	18021321	D06424	0		2

INFORMATION

042EAST HAMPTON
HARVEY MICHAEL
18 SUMMIT ST
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
09/13/06 13:15	09/14/06 09:31	09/26/06 09:50

REPORT	FINAL REPORT	COMMENT
TEST(S)	RESULT(S)	
AROCOR 1248	ND	N/A
AROCOR 1254	ND	0.486
AROCOR 1260	ND	0.582
BUTACHLOR	ND	N/A
PROPACHLOR	ND	0.104
METOLACHLOR	ND	N/A
METRIBUZIN	ND	N/A
P,P'-DDE	ND	N/A
P,P'-DDD	ND	N/A
P,P'-DDT	ND	N/A
ND = NONE DETECTED (RESULT LESS THAN THE PQL) PQL = PRACTICAL QUANTITATION LIMIT Values Calculated based on a Signal/Noise Ratio of 5:1 according to CFR Part 136 Appendix B * The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.22 ** The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.154 <i>Signature</i>		

** END OF REPORT **

END OF REPORT



STATE OF CONNECTICUT

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT
THAD KING MPH, RS

20 E. HIGH ST.

EAST HAMPTON

CT 06424

LD	ACCESSION NO.	ACCOUNT NO.	AGE	SI	PAGE
NR:TK35	18021322	D06424	0		1

INFORMATION

042EAST HAMPTON
WHITE GEORGE
19 SUMMIT
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
09/13/06 13:10	09/14/06 09:31	09/28/06 10:41

REPORT

FINAL REPORT

COMMENT

TEST(S)

RESULT(S)

SAMPLING POINT:

COLLECTOR: KING, THAD
PRIVATE WELL

TITLE: DCH RS

** PESTICIDES
METHOD

ANALYTICAL METHOD - EPA METHOD 505
ANALYSIS OF ORGANOHALIDE PESTICIDES AND
COMMERCIAL POLYCHLORINATED BIPHENYLS (PCB)
PRODUCTS IN WATER BY MICROEXTRACTION AND
GAS CHROMATOGRAPHY

Date Extracted
Date Analyzed
RESULTS

9/19/06

9/19/06

COMPOUND

RESULT

MDL (ug/l)

PQL (ug/l)

ALDRIN	ND	0.006	0.0286
ALACHLOR	ND	0.080	0.2886
ATRAZINE	ND	1.438	* 2.0000
ALPHA CHLORDANE	ND	0.008	0.0286
GAMMA CHLORDANE	ND	0.006	0.0286
CHLORDANE (TECHNICAL)	2.04ug/l	0.247	0.2869
DELDRIIN	0.380ug/l	0.008	0.0286
ENDRIIN	ND	0.037	0.0286
HEPTACHLOR	ND	0.005	0.0286
HEPTACHLOR EPOXIDE	ND	0.006	0.0286
HEXACHLORO BENZENE	ND	0.004	0.0286
HEXACHLOROCYCLOPENTADIENE	ND	0.007	0.0286
LINDANE	ND	0.005	0.0286
METHOXYCHLOR	ND	0.025	0.1429
CIS-NONACHLOR	ND	0.007	0.0286
TRANS-NONACHLOR	ND	0.006	0.0286
SIMAZINE	ND	2.262	** 2.0000
TOXAPHENE	ND	0.859	1.4329
AROCLOR 1016	ND	N/A	N/A
AROCLOR 1221	ND	N/A	N/A
AROCLOR 1232	ND	N/A	N/A
AROCLOR 1242	ND	N/A	N/A

*** CONTINUED ***



STATE OF CONNECTICUT

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT
THAD KING MPH, RS
20 E. HIGH ST.
EAST HAMPTON CT 06424

LAB	ACCESSION NO.	ACCOUNT NO.	AGE	S	PAGE
NR:TK35	18021322	D06424	0		2

042EAST HAMPTON
WHITE GEORGE
19 SUMMIT
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
09/13/06 13:10	09/14/06 09:31	09/28/06 10:41

REPORT	FINAL REPORT	COMMENT
TEST(S)	RESULT(S)	
AROCLOR 1248	ND	N/A
AROCLOR 1254	ND	0.486
AROCLOR 1260	ND	0.582
BJTACHLOR	ND	N/A
PROPACHLOR	ND	0.104
METOLACHLOR	ND	N/A
METRIBUZIN	ND	N/A
p-p'-DDE	ND	N/A
p-p'-DDD	ND	N/A
p-p'-DDT	ND	N/A
ND = NONE DETECTED (RESULT LESS THAN THE PQL) PQL = PRACTICAL QUANTITATION LIMIT		
Values Calculated based on a Signal/Noise Ratio of 3:1 according to CFR Part 136 Appendix B		
* The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.22		
** The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.154		
*** END OF REPORT ***		

**STATE OF CONNECTICUT**

Department of Public Health
Division of Laboratory Services
10 Clifton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT
THAD KING MPH, RS
20 E. HIGH ST.
EAST HAMPTON CT 06424

LD	ACCESSION NO.	ACCOUNT NO.	AGE	S	PAGE
NR:TK36	18021323	DO6424	0		1

INFORMATION

042EAST HAMPTON
CUTLER BRIAN
23 SUMMIT ST
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
09/13/06 13:00	09/14/06 09:31	09/28/06 09:50

REPORT	FINAL REPORT	COMMENT
--------	--------------	---------

TEST(S)	RESULT(S)
---------	-----------

* PESTICIDES
METHOD

SAMPLING POINT:
COLLECTOR: KING, THAD TITLE: DON RS
PRIVATE WELL

ANALYTICAL METHOD - EPA METHOD 505
ANALYSIS OF ORGANOHALIDE PESTICIDES AND
COMMERCIAL POLYCHLORINATED BIPHENYLS (PCB)
PRODUCTS IN WATER BY MICROEXTRACTION AND
GAS CHROMATOGRAPHY

ate Extracted
ate Analyzed
ESULTS

COMPOUND	RESULT	MDL (ug/l)	PBL (ug/l)
ALDRIN	ND	0.006	0.0286
ALACHLOR	ND	0.080	0.2886
ATRAZINE	ND	1.438	* 2.0000
ALPHA CHLORDANE	ND	0.008	0.0286
GAMMA CHLORDANE	ND	0.006	0.0286
CHLORDANE (TECHNICAL)	ND	0.247	0.2869
DIELDRIN	ND	0.008	0.0286
ENDRIN	ND	0.037	0.0286
HEPTACHLOR	ND	0.005	0.0286
HEPTACHLOR EPOXIDE	ND	0.006	0.0286
HEXACHLOROBENZENE	ND	0.004	0.0286
HEXACHLOROCYCLOPENTADIENE	ND	0.007	0.0286
LINDANE	ND	0.005	0.0286
METHOXYCHLOR	ND	0.025	0.1429
CIS-NONACHLOR	ND	0.007	0.0286
TRANS-NONACHLOR	ND	0.006	0.0286
SIMAZINE	ND	2.262	** 2.0000
TOXAPHENE	ND	0.859	1.4329
AROCLOR 1016	ND	N/A	N/A
AROCLOR 1221	ND	N/A	N/A
AROCLOR 1232	ND	N/A	N/A
AROCLOR 1242	ND	N/A	N/A

*** CONTINUED ***

**STATE OF CONNECTICUT**

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT
THAD KING MPH, RS
20 E. HIGH ST.
EAST HAMPTON CT 06424

ID	ACCESSION NO.	ACCOUNT NO.	AGE	SEX	PAGE
NR:TK36	18021323	D06424	0		2

INFORMATION
042EAST HAMPTON
CUTLER BRIAN
23 SUMMIT ST
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
09/13/06 13:00	09/14/06 09:31	09/28/06 09:50

REPORT	FINAL REPORT	COMMENT																						
<table><thead><tr><th>TEST(S)</th><th>RESULT(S)</th></tr></thead><tbody><tr><td>AROCLOR 1248</td><td>ND N/A N/A</td></tr><tr><td>AROCLOR 1254</td><td>ND 0.486 0.2871</td></tr><tr><td>AROCLOR 1260</td><td>ND 0.582 0.2869</td></tr><tr><td>BITACHLOR</td><td>ND N/A N/A</td></tr><tr><td>PROPACHLOR</td><td>ND 0.104 0.1431</td></tr><tr><td>METOLACHLOR</td><td>ND N/A N/A</td></tr><tr><td>METRIBUZIN</td><td>ND N/A N/A</td></tr><tr><td>P,p'-DDE</td><td>ND N/A N/A</td></tr><tr><td>P,p'-DDD</td><td>ND N/A N/A</td></tr><tr><td>P,p'-DDT</td><td>ND N/A N/A</td></tr></tbody></table> ND = NONE DETECTED (RESULT LESS THAN THE PQL) PQL = PRACTICAL QUANTITATION LIMIT Values Calculated based on a Signal/Noise Ratio of 5:1 according to CFR Part 136 Appendix B * The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.22 ** The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.154 <i>R.M. Johnson</i> ** END OF REPORT **			TEST(S)	RESULT(S)	AROCLOR 1248	ND N/A N/A	AROCLOR 1254	ND 0.486 0.2871	AROCLOR 1260	ND 0.582 0.2869	BITACHLOR	ND N/A N/A	PROPACHLOR	ND 0.104 0.1431	METOLACHLOR	ND N/A N/A	METRIBUZIN	ND N/A N/A	P,p'-DDE	ND N/A N/A	P,p'-DDD	ND N/A N/A	P,p'-DDT	ND N/A N/A
TEST(S)	RESULT(S)																							
AROCLOR 1248	ND N/A N/A																							
AROCLOR 1254	ND 0.486 0.2871																							
AROCLOR 1260	ND 0.582 0.2869																							
BITACHLOR	ND N/A N/A																							
PROPACHLOR	ND 0.104 0.1431																							
METOLACHLOR	ND N/A N/A																							
METRIBUZIN	ND N/A N/A																							
P,p'-DDE	ND N/A N/A																							
P,p'-DDD	ND N/A N/A																							
P,p'-DDT	ND N/A N/A																							

**STATE OF CONNECTICUT**

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT**THAD KING MPH, RS****20 E. HIGH ST.****EAST HAMPTON CT 06424**

ID	ACCESSION NO.	ACCOUNT NO.	AGE	SEX	PAGE
NR:TK152	18020682	D06424	0		1

042 EAST HAMPTON
BASTIANI
29 WATROUS ST
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
10/13/05 11:20	10/14/05 09:35	10/27/05 17:12

REPORT	FINAL REPORT	COMMENT
--------	--------------	---------

TEST(S)	RESULT(S)
---------	-----------

**** PESTICIDES
METHOD**

SAMPLING POINT: DRILLED WELL
COLLECTOR: KING, THAD
PRIVATE WELL

TITLE: DOH RS

RAM

ANALYTICAL METHOD - EPA METHOD 505
ANALYSIS OF ORGANOHALIDE PESTICIDES AND
COMMERCIAL POLYCHLORINATED BIPHENYLS (PCB)
PRODUCTS IN WATER BY MICROEXTRACTION AND
GAS CHROMATOGRAPHY

Date Extracted
Date Analyzed
RESULTS

10/19/05
10/20/05

COMPOUND	RESULT	MDL (ug/l)	PGL (ug/l)
ALDRIN	ND	0.006	0.0286
ALACHLOR	ND	0.080	0.2886
ATRAZINE	ND	1.438	* 2.0000
ALPHA CHLORDANE	ND	0.008	0.0286
GAMMA CHLORDANE	ND	0.006	0.0286
CHLORDANE (TECHNICAL)	ND	0.247	0.2869
DIELDRIN	0.091 UG/L	0.008	0.0286
ENDRIN	ND	0.037	0.0286
HEPTACHLOR	ND	0.005	0.0286
HEPTACHLOR EPOXIDE	ND	0.006	0.0286
HEXACHLOROBENZENE	ND	0.004	0.0286
HEXACHLOROCYCLOPENTADIENE	ND	0.007	0.0286
LINDANE	ND	0.005	0.0286
METHOXYCHLOR	ND	0.025	0.1429
CIS-NONACHLOR	ND	0.007	0.0286
TRANS-NONACHLOR	ND	0.006	0.0286
SIMAZINE	ND	2.262	** 2.0000
TOXAPHENE	ND	0.859	1.4329
AROCLOR 1016	ND	N/A	N/A
AROCLOR 1221	ND	N/A	N/A
AROCLOR 1232	ND	N/A	N/A
AROCLOR 1242	ND	N/A	N/A

*** CONTINUED ***

**STATE OF CONNECTICUT**

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT
THAD KING MPH,RS

20 E. HIGH ST.

EAST HAMPTON

CT 06424

ID	ACCESSION NO.	ACCOUNT NO.	AGE	S.	PAGE
NR:TK152	18020682	DO6424	0		2

INFORMATION

042EAST HAMPTON
BASTIANI
29 WATROUS ST
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
10/13/05 11:20	10/14/05 09:35	10/27/05 17:12

REPORT**FINAL REPORT****COMMENT**

TEST(S)	RESULT(S)
AROCOR 1248	ND N/A N/A
AROCOR 1254	ND 0.486 0.2871
AROCOR 1260	ND 0.582 0.2869
BUTACHLOR	ND N/A N/A
PROPACHLOR	ND 0.104 0.1431
METOLACHLOR	ND N/A N/A
METRIBUZIN	ND N/A N/A
P,p'-DDE	ND N/A N/A
P,p'-DDD	ND N/A N/A
P,p'-DDT	ND N/A N/A

ND = NONE DETECTED (RESULT LESS THAN THE PQL)
PQL = PRACTICAL QUANTITATION LIMIT

Values Calculated based on a Signal/Noise Ratio of 5:1
according to CFR Part 136 Appendix B

- * The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.22
- ** The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.154

** END OF REPORT **

**STATE OF CONNECTICUT**

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT
THAD KING MPH,RS
20 E.HIGH ST.
EAST HAMPTON CT 06424

LAB	ACCESSION NO.	ACCOUNT NO.	AGE	S	PAGE
NR:TK213	18020745	D06424			

042EAST HAMPTON

45 CHATHAM FIE
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
10/27/05 12:10	10/28/05 09:04	11/17/05 13:57

REPORT	FINAL REPORT	COMMENT
TEST(S)	RESULT(S)	
** PESTICIDES METHOD	SAMPLING POINT: COLLECTOR: KING, THAD PRIVATE WELL	TITLE: DOH RS
Date Extracted Date Analyzed RESULTS	11/01/05 11/01/05	
	ANALYTICAL METHOD -- EPA METHOD 505 ANALYSIS OF ORGANOHALIDE PESTICIDES AND COMMERCIAL POLYCHLORINATED BIPHENYLS (PCB) PRODUCTS IN WATER BY MICROEXTRACTION AND GAS CHROMATOGRAPHY	
	COMPOUND	RESULT MDL(ug/l) PQL(ug/l)
	ALDRIN	ND 0.006 0.0286
	ALACHLOR	ND 0.080 0.2886
	ATRAZINE	ND 1.438 * 2.0000
	ALPHA CHLORDANE	ND 0.008 0.0286
	GAMMA CHLORDANE	ND 0.006 0.0286
	CHLORDANE (TECHNICAL)	ND 0.247 0.2869
	DIELDRIN	ND 0.008 0.0286
	ENDRIN	ND 0.037 0.0286
	HEPTACHLOR	ND 0.005 0.0286
	HEPTACHLOR EPOXIDE	ND 0.006 0.0286
	HEXACHLOROBENZENE	ND 0.004 0.0286
	HEXACHLOROCYCLOPENTADIENE	ND 0.007 0.0286
	LINDANE	ND 0.005 0.0286
	METHOXYCHLOR	ND 0.025 0.1429
	CIS-NONACHLOR	ND 0.007 0.0286
	TRANS-NONACHLOR	ND 0.006 0.0286
	SIMAZINE	ND 2.262 ** 2.0000
	TOXAPHENE	ND 0.859 1.4329
	AROCLOR 1016	ND N/A N/A
	AROCLOR 1221	ND N/A N/A
	AROCLOR 1232	ND N/A N/A
	AROCLOR 1242	ND N/A N/A
	*** CONTINUED ***	

**STATE OF CONNECTICUT**

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT
THAD KING MPH,RS
20 E. HIGH ST.
EAST HAMPTON CT 06424

ID	ACCESSION NO	ACCOUNT NO	AGE	SEX	PAGE
NR:TK213	18020745	D06424		C	2

042EAST HAMPTON

45 CHATHAM FIE
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
10/27/05 12:10	10/28/05 09:04	11/17/05 13:57

REPORT	FINAL REPORT	COMMENT
--------	--------------	---------

TEST(S)	RESULT(S)
AROCLOR 1248	ND N/A N/A
AROCLOR 1254	ND 0.486 0.2871
AROCLOR 1260	ND 0.582 0.2869
BUTACHLOR	ND N/A N/A
PROPACHLOR	ND 0.104 0.1431
METOLACHLOR	ND N/A N/A
METRIBUZIN	ND N/A N/A
p,p'-DDE	ND N/A N/A
p,p'-DDD	ND N/A N/A
p,p'-DDT	ND N/A N/A
ND = NONE DETECTED (RESULT LESS THAN THE PQL) PQL = PRACTICAL QUANTITATION LIMIT	
Values Calculated based on a Signal/Noise Ratio of 3:1 according to CFR Part 136 Appendix B	
* The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.22	
** The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.154	
<i>John J. Gannon</i>	
** END OF REPORT **	

**STATE OF CONNECTICUT**

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT
THAD KING MPH, RS
20 E. HIGH ST.
EAST HAMPTON CT 06424

ID	ACCESSION NO.	ACCOUNT NO.	AGE	SEX	PAGE
NR1TK214	18020746	D06424			

INFORMATION

042EAST HAMPTON
47 CHATHAM FIE
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
10/27/05 12:15	10/28/05 09:15	11/17/05 13:57

REPORT**FINAL REPORT****COMMENT****TEST(S)****RESULT(S)******* PESTICIDES
METHOD**

SAMPLING POINT:
COLLECTOR: KING, THAD
PRIVATE WELL

TITLE: DOH RS

ANALYTICAL METHOD - EPA METHOD 505
ANALYSIS OF ORGANOHALIDE PESTICIDES AND
COMMERCIAL POLYCHLORINATED BIPHENYLS (PCB)
PRODUCTS IN WATER BY MICROEXTRACTION AND
GAS CHROMATOGRAPHY

Date Extracted
Date Analyzed
RESULTS

11/01/05
11/01/05

COMPOUND	RESULT	MDL (ug/l)	PQL (ug/l)
ALDRIN	ND	0.006	0.0286
ALACHLOR	ND	0.080	0.2886
ATRAZINE	ND	1.438	* 2.0000
ALPHA CHLORDANE	ND	0.008	0.0286
GAMMA CHLORDANE	ND	0.006	0.0286
CHLORDANE (TECHNICAL)	ND	0.247	0.2869
DIELDRIN	ND	0.008	0.0286
ENDRIN	ND	0.037	0.0286
HEPTACHLOR	ND	0.005	0.0286
HEPTACHLOR EPOXIDE	ND	0.006	0.0286
HEXACHLORO BENZENE	ND	0.004	0.0286
HEXACHLOROCYCLOPENTADIENE	ND	0.007	0.0286
LINDANE	ND	0.005	0.0286
METHOXYCHLOR	ND	0.025	0.1429
CIS-NONACHLOR	ND	0.007	0.0286
TRANS-NONACHLOR	ND	0.006	0.0286
SIMAZINE	ND	2.262	** 2.0000
TOXAPHENE	ND	0.859	1.4329
AROCLOR 1016	ND	N/A	N/A
AROCLOR 1221	ND	N/A	N/A
AROCLOR 1232	ND	N/A	N/A
AROCLOR 1242	ND	N/A	N/A

*** CONTINUED ***

**STATE OF CONNECTICUT**

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT
THAD KING MPH, RS
20 E. HIGH ST.
EAST HAMPTON

CT 06424

ID	ACCESSION NO.	ACCOUNT NO.	AGE	SEX	PAGE
NR:TK214	18020746	D06624	0		2
INFORMATION					
042EAST HAMPTON					
47 CHATHAM FIE EAST HAMPTON CT 06424					
COLLECTED		RECEIVED	REPORTED		
10/27/05 12:15		10/28/05 09:15	11/17/05 13:57		

REPORT	FINAL REPORT	COMMENT																						
	<table border="1"><thead><tr><th>TEST(S)</th><th>RESULT(S)</th></tr></thead><tbody><tr><td>AROCLOR 1248</td><td>ND N/A N/A</td></tr><tr><td>AROCLOR 1254</td><td>ND 0.486 0.2871</td></tr><tr><td>AROCLOR 1260</td><td>ND 0.582 0.2869</td></tr><tr><td>BUTACHLOR</td><td>ND N/A N/A</td></tr><tr><td>PROPACHLOR</td><td>ND 0.104 0.1431</td></tr><tr><td>METOLACHLOR</td><td>ND N/A N/A</td></tr><tr><td>METRIBUZIN</td><td>ND N/A N/A</td></tr><tr><td>p,p'-DDE</td><td>ND N/A N/A</td></tr><tr><td>p,p'-DDD</td><td>ND N/A N/A</td></tr><tr><td>p,p'-DDT</td><td>ND N/A N/A</td></tr></tbody></table> ND = NONE DETECTED (RESULT LESS THAN THE PQL) PQL = PRACTICAL QUANTITATION LIMIT Values Calculated based on a Signal/Noise Ratio of 5:1 according to CFR Part 136 Appendix B * The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.22 ** The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.154 <i>W. M. Gorman</i> ***** ** END OF REPORT **	TEST(S)	RESULT(S)	AROCLOR 1248	ND N/A N/A	AROCLOR 1254	ND 0.486 0.2871	AROCLOR 1260	ND 0.582 0.2869	BUTACHLOR	ND N/A N/A	PROPACHLOR	ND 0.104 0.1431	METOLACHLOR	ND N/A N/A	METRIBUZIN	ND N/A N/A	p,p'-DDE	ND N/A N/A	p,p'-DDD	ND N/A N/A	p,p'-DDT	ND N/A N/A	
TEST(S)	RESULT(S)																							
AROCLOR 1248	ND N/A N/A																							
AROCLOR 1254	ND 0.486 0.2871																							
AROCLOR 1260	ND 0.582 0.2869																							
BUTACHLOR	ND N/A N/A																							
PROPACHLOR	ND 0.104 0.1431																							
METOLACHLOR	ND N/A N/A																							
METRIBUZIN	ND N/A N/A																							
p,p'-DDE	ND N/A N/A																							
p,p'-DDD	ND N/A N/A																							
p,p'-DDT	ND N/A N/A																							



STATE OF CONNECTICUT

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT
THAD KING MPH,RS
20 E. HIGH ST.
EAST HAMPTON CT 06424

LD	ACCESSION NO.	ACCOUNT NO.	AGE	S	PAGE
NR:TK217	18020749	D06424	0		

042EAST HAMPTON

88 MAIN ST
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
10/27/05 13:25	10/28/05 09:15	11/17/05 13:57

REPORT	FINAL REPORT	COMMENT
--------	--------------	---------

TEST(S)	RESULT(S)
---------	-----------

*** PESTICIDES
METHOD

SAMPLING POINT:
COLLECTOR: KING, THAD
PRIVATE WELL

TITLE: DOH RS

ANALYTICAL METHOD - EPA METHOD 505
ANALYSIS OF ORGANOHALIDE PESTICIDES AND
COMMERCIAL POLYCHLORINATED BIPHENYLS (PCB)
PRODUCTS IN WATER BY MICROEXTRACTION AND
GAS CHROMATOGRAPHY

Date Extracted
Date Analyzed
RESULTS

11/01/05
11/02/05

COMPOUND	RESULT	MDL (ug/l)	PQL (ug/l)
ALDRIN	ND	0.006	0.0286
ALACHLOR	ND	0.080	0.2886
ATRAZINE	ND	1.438	* 2.0000
ALPHA CHLORDANE	ND	0.008	0.0286
GAMMA CHLORDANE	ND	0.006	0.0286
CHLORDANE (TECHNICAL)	ND	0.247	0.2869
DIELDRIN	ND	0.008	0.0286
ENDRIN	ND	0.037	0.0286
HEPTACHLOR	ND	0.005	0.0286
HEPTACHLOR EPOXIDE	ND	0.006	0.0286
HEXACHLOROBENZENE	ND	0.004	0.0286
HEXACHLOROCYCLOPENTADIENE	ND	0.007	0.0286
LINDANE	ND	0.005	0.0286
METHOXYCHLOR	ND	0.025	0.1429
CIS-NONACHLOR	ND	0.007	0.0286
TRANS-NONACHLOR	ND	0.006	0.0286
SIMAZINE	ND	2.262	** 2.0000
TOXAPHENE	ND	0.859	1.4329
AROCLOR 1016	ND	N/A	N/A
AROCLOR 1221	ND	N/A	N/A
AROCLOR 1232	ND	N/A	N/A
AROCLOR 1242	ND	N/A	N/A

*** CONTINUED ***

**STATE OF CONNECTICUT**

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT
THAD KING MPH, RS
20 E. HIGH ST.
EAST HAMPTON CT 06424

ID	ACCESSION NO.	ACCOUNT NO.	AGE	SEX	PAGE
NR:TK217	18020749	D06424	0		2

042EAST HAMPTON

88 MAIN ST
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
10/27/05 13:25	10/28/05 09:15	11/17/05 13:57

REPORT	FINAL REPORT	COMMENT
TEST(S)	RESULT(S)	
AROCLOR 1248	ND	N/A
AROCLOR 1254	ND	0.486
AROCLOR 1260	ND	0.582
BUTACHLOR	ND	N/A
PROPACHLOR	ND	0.104
METOLACHLOR	ND	N/A
METRIBUZIN	ND	N/A
p,p'-DDE	ND	N/A
p,p'-DDD	ND	N/A
p,p'-DDT	ND	N/A
ND = NONE DETECTED (RESULT LESS THAN THE PQL) PQL = PRACTICAL QUANTITATION LIMIT		
Values Calculated based on a Signal/Noise Ratio of 5:1 according to CFR Part 136 Appendix B		
* The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.22		
** The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.154		
<i>A. M. Jones</i>		
** END OF REPORT **		



STATE OF CONNECTICUT

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT

THAD KING MPH, RS

20 E. HIGH ST.

EAST HAMPTON

CT 06424

LAB.	ACCESSION NO.	ACCOUNT NO.	AGE	S.	PAGE
NR:TK218	18020750	DO6424	0		2

INFORMATION

042EAST HAMPTON

91 MAIN ST

EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
10/27/05 11:15	10/28/05 09:15	11/17/05 13:57

REPORT

FINAL REPORT

COMMENT

TEST(S)

RESULT(S)

*** PESTICIDES
METHOD

SAMPLING POINT:

COLLECTOR: KING, THAD
PRIVATE WELL

TITLE: DDH RS

ANALYTICAL METHOD - EPA METHOD 505

ANALYSIS OF ORGANOHALIDE PESTICIDES AND
COMMERCIAL POLYCHLORINATED BIPHENYLS (PCB)
PRODUCTS IN WATER BY MICROEXTRACTION AND
GAS CHROMATOGRAPHY

Date Extracted

11/01/05

Date Analyzed

11/02/05

RESULTS

COMPOUND	RESULT	MDL (ug/l)	PQL (ug/l)
ALDRIN	ND	0.006	0.0286
ALACHLOR	ND	0.080	0.2886
ATRAZINE	ND	1.438	* 2.0000
ALPHA CHLORDANE	ND	0.008	0.0286
GAMMA CHLORDANE	ND	0.006	0.0286
CHLORDANE (TECHNICAL)	ND	0.247	0.2869
DIELDRIN	ND	0.008	0.0286
ENDRIN	ND	0.037	0.0286
HEPTACHLOR	ND	0.005	0.0286
HEPTACHLOR EPOXIDE	ND	0.006	0.0286
HEXACHLOROBENZENE	ND	0.004	0.0286
HEXACHLOROCYCLOPENTADIENE	ND	0.007	0.0286
LINDANE	ND	0.005	0.0286
METHOXYCHLOR	ND	0.025	0.1429
CIS-NONACHLOR	ND	0.007	0.0286
TRANS-NONACHLOR	ND	0.006	0.0286
SIMAZINE	ND	2.262	** 2.0000
TOXAPHENE	ND	0.859	1.4329
AROCLOR 1016	ND	N/A	N/A
AROCLOR 1221	ND	N/A	N/A
AROCLOR 1232	ND	N/A	N/A
AROCLOR 1242	ND	N/A	N/A

*** CONTINUED ***

**STATE OF CONNECTICUT**

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT
THAD KING MPH,RS
20 E.HIGH ST.
EAST HAMPTON CT 06424

ID	ACCESSION NO.	ACCOUNT NO.	AGE	SEX	PAGE
NR:TK218	18020750	D06424	C		2

INFORMATION

042EAST HAMPTON
91 MAIN ST
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
10/27/05 11:15	10/28/05 09:15	11/17/05 13:57

REPORT**FINAL REPORT****COMMENT**

TEST(S)	RESULT(S)
AROCLOR 1248	ND N/A N/A
AROCLOR 1254	ND 0.486 0.2871
AROCLOR 1260	ND 0.582 0.2869
BUTACHLOR	ND N/A N/A
PROPACHLOR	ND 0.104 0.1431
METOLACHLOR	ND N/A N/A
METRIBUZIN	ND N/A N/A
P,p'-DDE	ND N/A N/A
P,p'-DDD	ND N/A N/A
P,p'-DDT	ND N/A N/A
ND = NONE DETECTED (RESULT LESS THAN THE PQL) PQL = PRACTICAL QUANTITATION LIMIT	
Values Calculated based on a Signal/Noise Ratio of 5:1 according to CFR Part 136 Appendix B	
* The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.22	
** The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.154	
<i>all. gerner</i>	

** END OF REPORT **	



STATE OF CONNECTICUT

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT

THAD KING MPH, RS

20 E. HIGH ST.

EAST HAMPTON

CT 06424

ID	ACCESSION NO.	ACCOUNT NO.	AGE	S	PAGE
NR:TK 206	18020738	D06424			

042EAST HAMPTON

95 MAIN ST
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
10/27/05 13:05	10/28/05 08:55	11/17/05 13:57

REPORT	FINAL REPORT	COMMENT
--------	--------------	---------

TEST(S)	RESULT(S)
---------	-----------

SAMPLING POINT:
COLLECTOR: KING, THAD
PRIVATE WELL

TITLE: DOH RS

*** PESTICIDES
METHOD

ANALYTICAL METHOD - EPA METHOD 505
ANALYSIS OF ORGANOHALIDE PESTICIDES AND
COMMERCIAL POLYCHLORINATED BIPHENYLS (PCB)
PRODUCTS IN WATER BY MICROEXTRACTION AND
GAS CHROMATOGRAPHY

Date Extracted

11/01/05

Date Analyzed

11/01/05

RESULTS

COMPOUND	RESULT	MDL (ug/l)	PGL (ug/l)
ALDRIN	ND	0.006	0.0286
ALACHLOR	ND	0.080	0.2886
ATRAZINE	ND	1.438	* 2.0000
ALPHA CHLORDANE	ND	0.008	0.0286
GAMMA CHLORDANE	ND	0.006	0.0286
CHLORDANE (TECHNICAL)	ND	0.247	0.2869
DIELDRIN	ND	0.008	0.0286
ENDRIN	ND	0.037	0.0286
HEPTACHLOR	ND	0.005	0.0286
HEPTACHLOR EPOXIDE	ND	0.006	0.0286
HEXACHLOROBENZENE	ND	0.004	0.0286
HEXACHLOROCYCLOPENTADIENE	ND	0.007	0.0286
LINDANE	ND	0.005	0.0286
METHOXYCHLOR	ND	0.025	0.1429
CIS-NONACHLOR	ND	0.007	0.0286
TRANS-NONACHLOR	ND	0.006	0.0286
SIMAZINE	ND	2.262	** 2.0000
TOXAPHENE	ND	0.859	1.4329
AROCLOR 1016	ND	N/A	N/A
AROCLOR 1221	ND	N/A	N/A
AROCLOR 1232	ND	N/A	N/A
AROCLOR 1242	ND	N/A	N/A

*** CONTINUED ***



STATE OF CONNECTICUT

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT
THAD KING MPH, RS
20 E. HIGH ST.
EAST HAMPTON

CT 06424

ID	ACCESSION NO.	ACCOUNT NO.	AGE	SEX	PAGE
NR:TK 206	18020738	D06424	0		2

INFORMATION

042EAST HAMPTON

95 MAIN ST
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
10/27/05 13:05	10/28/05 08:55	11/17/05 13:57

REPORT	FINAL REPORT	COMMENT
TEST(S)	RESULTS	
AROCLOR 1248	ND	N/A
AROCLOR 1254	ND	0.486
AROCLOR 1260	ND	0.582
BUTACHLOR	ND	N/A
PROPACHLOR	ND	0.104
METOLACHLOR	ND	N/A
METRIBUZIN	ND	N/A
p,p'-DDE	ND	N/A
p,p'-DDD	ND	N/A
p,p'-DDT	ND	N/A
ND = NONE DETECTED (RESULT LESS THAN THE POL)		
POL = PRACTICAL QUANTITATION LIMIT		
Values Calculated based on a Signal/Noise Ratio of 5:1 according to CFR Part 136 Appendix B		
* The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.22		
** The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.154		
<i>A. M. Gurnee</i>		
** END OF REPORT **		



STATE OF CONNECTICUT

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT
THAD KING MPH.RS
20 E. HIGH ST.
EAST HAMPTON CT 06424

LD	ACCESSION NO.	ACCOUNT NO.	AGE	SEX	PAGE
NR:TK 207	18020739	D06424	0		1
INFORMATION					
042EAST HAMPTON					
105 MAIN ST EAST HAMPTON CT 06424					
COLLECTED	RECEIVED	REPORTED			
10/27/05 00:00	10/28/05 09:03	11/17/05 13:57			

REPORT	FINAL REPORT	COMMENT		
TEST(S)	RESULTS			
** PESTICIDES METHOD	SAMPLING POINT: COLLECTOR: KING, THAD PRIVATE WELL			
	TITLE: DOH RS			
	ANALYTICAL METHOD - EPA METHOD 505 ANALYSIS OF ORGANOHALIDE PESTICIDES AND COMMERCIAL POLYCHLORINATED BIPHENYLS (PCB) PRODUCTS IN WATER BY MICROEXTRACTION AND GAS CHROMATOGRAPHY			
Date Extracted	11/01/05			
Date Analyzed	11/01/05			
RESULTS	COMPOUND	RESULT	MDL (ug/l)	PQL (ug/l)
	ALDRIN	ND	0.006	0.0286
	ALACHLOR	ND	0.080	0.2886
	ATRAZINE	ND	1.438	* 2.0000
	ALPHA CHLORDANE	ND	0.008	0.0286
	GAMMA CHLORDANE	ND	0.006	0.0286
	CHLORDANE (TECHNICAL)	ND	0.247	0.2869
	DIELDRIN	ND	0.008	0.0286
	ENDRIN	ND	0.037	0.0286
	HEPTACHLOR	ND	0.005	0.0286
	HEPTACHLOR EPOXIDE	ND	0.006	0.0286
	HEXACHLOROBENZENE	ND	0.004	0.0286
	HEXACHLOROCYCLOPENTADIENE	ND	0.007	0.0286
	LINDANE	ND	0.005	0.0286
	METHOXYCHLOR	ND	0.025	0.1429
	CIS-NONACHLOR	ND	0.007	0.0286
	TRANS-NONACHLOR	ND	0.006	0.0286
	SIMAZINE	ND	2.262	** 2.0000
	TOXAPHENE	ND	0.859	1.4329
	AROCOR 1016	ND	N/A	N/A
	AROCOR 1221	ND	N/A	N/A
	AROCOR 1232	ND	N/A	N/A
	AROCOR 1242	ND	N/A	N/A
*** CONTINUED ***				

**STATE OF CONNECTICUT**

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT
THAD KING MPH, RS
20 E. HIGH ST.
EAST HAMPTON CT 06424

ID	ACCESSION NO.	ACCOUNT NO.	AGE	SEX	PAGE
NR:TK 207	18020739	006424	0		2

INFORMATION

042EAST HAMPTON
105 MAIN ST
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
10/27/05 00:00	10/28/05 09:03	11/17/05 13:57

REPORT	FINAL REPORT	COMMENT																						
<table><thead><tr><th>TEST(S)</th><th>RESULT(S)</th></tr></thead><tbody><tr><td>AROCLOL 1248</td><td>ND N/A N/A</td></tr><tr><td>AROCLOL 1254</td><td>ND 0.486 0.2871</td></tr><tr><td>AROCLOL 1260</td><td>ND 0.582 0.2869</td></tr><tr><td>BUTACHLOR</td><td>ND N/A N/A</td></tr><tr><td>PROPACHLOR</td><td>ND 0.104 0.1431</td></tr><tr><td>METOLACHLOR</td><td>ND N/A N/A</td></tr><tr><td>METRIBUZIN</td><td>ND N/A N/A</td></tr><tr><td>p,p'-DDE</td><td>ND N/A N/A</td></tr><tr><td>p,p'-DDD</td><td>ND N/A N/A</td></tr><tr><td>p,p'-DDT</td><td>ND N/A N/A</td></tr></tbody></table> ND = NONE DETECTED (RESULT LESS THAN THE PQL) PQL = PRACTICAL QUANTITATION LIMIT Values Calculated based on a Signal/Noise Ratio of 5:1 according to CFR Part 136 Appendix B * The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.22 ** The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.154 <i>Don Farmer</i> ** END OF REPORT **			TEST(S)	RESULT(S)	AROCLOL 1248	ND N/A N/A	AROCLOL 1254	ND 0.486 0.2871	AROCLOL 1260	ND 0.582 0.2869	BUTACHLOR	ND N/A N/A	PROPACHLOR	ND 0.104 0.1431	METOLACHLOR	ND N/A N/A	METRIBUZIN	ND N/A N/A	p,p'-DDE	ND N/A N/A	p,p'-DDD	ND N/A N/A	p,p'-DDT	ND N/A N/A
TEST(S)	RESULT(S)																							
AROCLOL 1248	ND N/A N/A																							
AROCLOL 1254	ND 0.486 0.2871																							
AROCLOL 1260	ND 0.582 0.2869																							
BUTACHLOR	ND N/A N/A																							
PROPACHLOR	ND 0.104 0.1431																							
METOLACHLOR	ND N/A N/A																							
METRIBUZIN	ND N/A N/A																							
p,p'-DDE	ND N/A N/A																							
p,p'-DDD	ND N/A N/A																							
p,p'-DDT	ND N/A N/A																							



STATE OF CONNECTICUT

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT

THAD KING MPH,RS

20 E. HIGH ST.

EAST HAMPTON

CT 06424

ID	ACCESSION NO.	ACCOUNT NO.	AGE	SEX	PAGE
NR:TK 208	18020740	DO6424	0		

042EAST HAMPTON

107 MAIN ST
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
10/27/05 12:13	10/28/05 09:04	11/17/05 13:57

REPORT	FINAL REPORT	COMMENT																																																																																												
TEST(S)	RESULTS																																																																																													
*** PESTICIDES METHOD	SAMPLING POINT: COLLECTOR: KING, THAD PRIVATE WELL TITLE: DOH RS ANALYTICAL METHOD - EPA METHOD 505 ANALYSIS OF ORGANOHALIDE PESTICIDES AND COMMERCIAL POLYCHLORINATED BIPHENYLS (PCB) PRODUCTS IN WATER BY MICROEXTRACTION AND GAS CHROMATOGRAPHY																																																																																													
Date Extracted	11/01/05																																																																																													
Date Analyzed	11/01/05																																																																																													
RESULTS	<table><thead><tr><th>COMPOUND</th><th>RESULT</th><th>MDL (ug/l)</th><th>PQL (ug/l)</th></tr></thead><tbody><tr><td>ALDRIN</td><td>ND</td><td>0.006</td><td>0.0286</td></tr><tr><td>ALACHLOR</td><td>ND</td><td>0.080</td><td>0.2886</td></tr><tr><td>ATRAZINE</td><td>ND</td><td>1.438</td><td>* 2.0000</td></tr><tr><td>ALPHA CHLORDANE</td><td>ND</td><td>0.008</td><td>0.0286</td></tr><tr><td>GAMMA CHLORDANE</td><td>ND</td><td>0.006</td><td>0.0286</td></tr><tr><td>CHLORDANE (TECHNICAL)</td><td>ND</td><td>0.247</td><td>0.2869</td></tr><tr><td>DIELDRIN</td><td>ND</td><td>0.008</td><td>0.0286</td></tr><tr><td>ENDRIN</td><td>ND</td><td>0.037</td><td>0.0286</td></tr><tr><td>HEPTACHLOR</td><td>ND</td><td>0.005</td><td>0.0286</td></tr><tr><td>HEPTACHLOR EPOXIDE</td><td>ND</td><td>0.006</td><td>0.0286</td></tr><tr><td>HEXACHLOROBENZENE</td><td>ND</td><td>0.004</td><td>0.0286</td></tr><tr><td>HEXACHLOROCYCLOPENTADIENE</td><td>ND</td><td>0.007</td><td>0.0286</td></tr><tr><td>LINDANE</td><td>ND</td><td>0.005</td><td>0.0286</td></tr><tr><td>METHOXYCHLOR</td><td>ND</td><td>0.025</td><td>0.1429</td></tr><tr><td>CIS-NONACHLOR</td><td>ND</td><td>0.007</td><td>0.0286</td></tr><tr><td>TRANS-NONACHLOR</td><td>ND</td><td>0.006</td><td>0.0286</td></tr><tr><td>SIMAZINE</td><td>ND</td><td>2.262</td><td>** 2.0000</td></tr><tr><td>TOXAPHENE</td><td>ND</td><td>0.859</td><td>1.4329</td></tr><tr><td>AROCLOR 1016</td><td>ND</td><td>N/A</td><td>N/A</td></tr><tr><td>AROCLOR 1221</td><td>ND</td><td>N/A</td><td>N/A</td></tr><tr><td>AROCLOR 1232</td><td>ND</td><td>N/A</td><td>N/A</td></tr><tr><td>AROCLOR 1242</td><td>ND</td><td>N/A</td><td>N/A</td></tr></tbody></table>	COMPOUND	RESULT	MDL (ug/l)	PQL (ug/l)	ALDRIN	ND	0.006	0.0286	ALACHLOR	ND	0.080	0.2886	ATRAZINE	ND	1.438	* 2.0000	ALPHA CHLORDANE	ND	0.008	0.0286	GAMMA CHLORDANE	ND	0.006	0.0286	CHLORDANE (TECHNICAL)	ND	0.247	0.2869	DIELDRIN	ND	0.008	0.0286	ENDRIN	ND	0.037	0.0286	HEPTACHLOR	ND	0.005	0.0286	HEPTACHLOR EPOXIDE	ND	0.006	0.0286	HEXACHLOROBENZENE	ND	0.004	0.0286	HEXACHLOROCYCLOPENTADIENE	ND	0.007	0.0286	LINDANE	ND	0.005	0.0286	METHOXYCHLOR	ND	0.025	0.1429	CIS-NONACHLOR	ND	0.007	0.0286	TRANS-NONACHLOR	ND	0.006	0.0286	SIMAZINE	ND	2.262	** 2.0000	TOXAPHENE	ND	0.859	1.4329	AROCLOR 1016	ND	N/A	N/A	AROCLOR 1221	ND	N/A	N/A	AROCLOR 1232	ND	N/A	N/A	AROCLOR 1242	ND	N/A	N/A	
COMPOUND	RESULT	MDL (ug/l)	PQL (ug/l)																																																																																											
ALDRIN	ND	0.006	0.0286																																																																																											
ALACHLOR	ND	0.080	0.2886																																																																																											
ATRAZINE	ND	1.438	* 2.0000																																																																																											
ALPHA CHLORDANE	ND	0.008	0.0286																																																																																											
GAMMA CHLORDANE	ND	0.006	0.0286																																																																																											
CHLORDANE (TECHNICAL)	ND	0.247	0.2869																																																																																											
DIELDRIN	ND	0.008	0.0286																																																																																											
ENDRIN	ND	0.037	0.0286																																																																																											
HEPTACHLOR	ND	0.005	0.0286																																																																																											
HEPTACHLOR EPOXIDE	ND	0.006	0.0286																																																																																											
HEXACHLOROBENZENE	ND	0.004	0.0286																																																																																											
HEXACHLOROCYCLOPENTADIENE	ND	0.007	0.0286																																																																																											
LINDANE	ND	0.005	0.0286																																																																																											
METHOXYCHLOR	ND	0.025	0.1429																																																																																											
CIS-NONACHLOR	ND	0.007	0.0286																																																																																											
TRANS-NONACHLOR	ND	0.006	0.0286																																																																																											
SIMAZINE	ND	2.262	** 2.0000																																																																																											
TOXAPHENE	ND	0.859	1.4329																																																																																											
AROCLOR 1016	ND	N/A	N/A																																																																																											
AROCLOR 1221	ND	N/A	N/A																																																																																											
AROCLOR 1232	ND	N/A	N/A																																																																																											
AROCLOR 1242	ND	N/A	N/A																																																																																											
*** CONTINUED ***																																																																																														



STATE OF CONNECTICUT

Department of Public Health
Division of Laboratory Services
10 Clinton St.
P.O. Box 1689
Hartford, CT 06144
Telephone (860) 509-4500

CRATHAM HEALTH DISTRICT
THAD KING MPH, RS
20 E. HIGH ST.
EAST HAMPTON CT 06424

ID	ACCESSION NO.	ACCOUNT NO.	AGE	S	PAGE
NR:TK182	16138501	D06424	0		1

042EAST HAMPTON
107 MAIN ST
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
10/27/05 12:13	10/28/05 10:28	11/15/05 12:27

REPORT	FINAL REPORT	COMMENT																																						
TESTS	RESULTS																																							
*** DATE ANALYZED	SAMPLING POINT: COLLECTOR: KING, THAD PRIVATE WELL TREATMENT: 11/3/05 ANALYTICAL METHOD: EPA METHOD 524.2 MEASUREMENT OF ORGANIC COMPOUNDS IN WATER BY CAPILLARY COLUMN GAS CHROMATOGRAPHY/MASS SPECTROMETRY. ****QUALITY ASSURANCE NOTE**** This method requires that the sample be chilled to 4 degrees centigrade or less at the time of collection and maintained at that temperature until analysis. This sample was received by the DPH Laboratory at a temperature greater than 4 degrees centigrade. FINAL RESULT: <table border="1"><thead><tr><th>COMPOUND</th><th>QUANTITY (UG/L)</th></tr></thead><tbody><tr><td>BENZENE</td><td>ND</td></tr><tr><td>BROMOBENZENE</td><td>ND</td></tr><tr><td>BROMOCHLOROMETHANE</td><td>ND</td></tr><tr><td>BROMODICHLOROMETHANE</td><td>ND</td></tr><tr><td>BROMOFORM</td><td>ND</td></tr><tr><td>BROMOMETHANE</td><td>ND</td></tr><tr><td>N-BUTYLBENZENE</td><td>ND</td></tr><tr><td>SEC-BUTYLBENZENE</td><td>ND</td></tr><tr><td>TERT-BUTYLBENZENE</td><td>ND</td></tr><tr><td>CARBON TETRACHLORIDE</td><td>ND</td></tr><tr><td>CHLOROBENZENE</td><td>ND</td></tr><tr><td>CHLOROETHANE</td><td>ND</td></tr><tr><td>CHLOROFORM</td><td>ND</td></tr><tr><td>CHLOROMETHANE</td><td>ND</td></tr><tr><td>2-CHLOROTOLUENE</td><td>ND</td></tr><tr><td>4-CHLOROTOLUENE</td><td>ND</td></tr><tr><td>DIBROMOCHLOROMETHANE</td><td>ND</td></tr><tr><td>1,2-DIBROMO-3-CHLOROPROPANE</td><td>ND</td></tr></tbody></table>	COMPOUND	QUANTITY (UG/L)	BENZENE	ND	BROMOBENZENE	ND	BROMOCHLOROMETHANE	ND	BROMODICHLOROMETHANE	ND	BROMOFORM	ND	BROMOMETHANE	ND	N-BUTYLBENZENE	ND	SEC-BUTYLBENZENE	ND	TERT-BUTYLBENZENE	ND	CARBON TETRACHLORIDE	ND	CHLOROBENZENE	ND	CHLOROETHANE	ND	CHLOROFORM	ND	CHLOROMETHANE	ND	2-CHLOROTOLUENE	ND	4-CHLOROTOLUENE	ND	DIBROMOCHLOROMETHANE	ND	1,2-DIBROMO-3-CHLOROPROPANE	ND	TITLE: DOH RS <i>Att. [Signature]</i>
COMPOUND	QUANTITY (UG/L)																																							
BENZENE	ND																																							
BROMOBENZENE	ND																																							
BROMOCHLOROMETHANE	ND																																							
BROMODICHLOROMETHANE	ND																																							
BROMOFORM	ND																																							
BROMOMETHANE	ND																																							
N-BUTYLBENZENE	ND																																							
SEC-BUTYLBENZENE	ND																																							
TERT-BUTYLBENZENE	ND																																							
CARBON TETRACHLORIDE	ND																																							
CHLOROBENZENE	ND																																							
CHLOROETHANE	ND																																							
CHLOROFORM	ND																																							
CHLOROMETHANE	ND																																							
2-CHLOROTOLUENE	ND																																							
4-CHLOROTOLUENE	ND																																							
DIBROMOCHLOROMETHANE	ND																																							
1,2-DIBROMO-3-CHLOROPROPANE	ND																																							
EPA 524.2																																								
*** CONTINUED ***																																								

**STATE OF CONNECTICUT**

Department of Public Health
Division of Laboratory Services
10 Clinco St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT

THAD KING MPH,RS

20 E.HIGH ST.

EAST HAMPTON

CT 06424

ID	ACCESSION NO.	ACCOUNT NO.	AGE	S	PAGE
NR:TK209	18020741	DO6424	0		

042EAST HAMPTON

108 MAIN ST

EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
10/27/05 12:00	10/28/05 09:04	11/17/05 13:57

REPORT

FINAL REPORT

COMMENT

TEST(S)

RESULT(S)

**** PESTICIDES
METHOD**

SAMPLING POINT:

COLLECTOR: KING, THAD

PRIVATE WELL

TITLE: DOH RS

ANALYTICAL METHOD - EPA METHOD 505
ANALYSIS OF ORGANOHALIDE PESTICIDES AND
COMMERCIAL POLYCHLORINATED BIPHENYLS (PCB)
PRODUCTS IN WATER BY MICROEXTRACTION AND
GAS CHROMATOGRAPHY

Date Extracted

11/01/05

Date Analyzed

11/01/05

RESULTS

COMPOUND

RESULT

MDL (ug/l)

PDL (ug/l)

ALDRIN

ND

0.006

0.0286

ALACHLOR

ND

0.080

0.2886

ATRAZINE

ND

1.438

* 2.0000

ALPHA CHLORDANE

ND

0.008

0.0286

GAMMA CHLORDANE

ND

0.006

0.0286

CHLORDANE (TECHNICAL)

ND

0.247

0.2869

DIELDRIN

ND

0.008

0.0286

ENDRIN

ND

0.037

0.0286

HEPTACHLOR

ND

0.005

0.0286

HEPTACHLOR EPOXIDE

ND

0.006

0.0286

HEXACHLOROBENZENE

ND

0.004

0.0286

HEXACHLOROCYCLOPENTADIENE

ND

0.007

0.0286

LINDANE

ND

0.005

0.0286

METHOXYCHLOR

ND

0.025

0.1429

CIS-NONACHLOR

ND

0.007

0.0286

TRANS-NONACHLOR

ND

0.006

0.0286

SIMAZINE

ND

2.262

** 2.0000

TOXAPHENE

ND

0.859

1.4329

AROCLOR 1016

ND

N/A

N/A

AROCLOR 1221

ND

N/A

N/A

AROCLOR 1232

ND

N/A

N/A

AROCLOR 1242

ND

N/A

N/A

*** CONTINUED ***

**STATE OF CONNECTICUT**

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT
THAD KING MPH,RS
20 E.HIGH ST.
EAST HAMPTON CT 06424

ID	ACCESSION NO.	ACCOUNT NO.	AGE	S	PAGE
NR:TK209	18020741	DO6424	C		2

INFORMATION

042EAST HAMPTON

108 MAIN ST
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
10/27/05 12:00	10/28/05 09:04	11/17/05 13:57

REPORT	FINAL REPORT	COMMENT
TEST(S)	RESULTS	
AROCLOR 1248	ND	N/A
AROCLOR 1254	ND	0.486
AROCLOR 1260	ND	0.582
BUTACHLOR	ND	N/A
PROPACHLOR	ND	0.104
METOLACHLOR	ND	N/A
METRIBUZIN	ND	N/A
p,p'-DDE	ND	N/A
p,p'-DDD	ND	N/A
p,p'-DDT	ND	N/A
ND = NONE DETECTED (RESULT LESS THAN THE PQL) PQL = PRACTICAL QUANTITATION LIMIT		
Values Calculated based on a Signal/Noise Ratio of 5:1 according to CFR Part 136 Appendix B		
* The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.22		
** The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.154		
<i>M. J. Garner</i>		

** END OF REPORT **		



STATE OF CONNECTICUT

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT
THAD KING MPH,RS
20 E.HIGH ST.
EAST HAMPTON

CT 06424

LAB	ACCESSION NO.	ACCOUNT NO.	AGE	S	PAGE
NR:TK 210	18020742	D06424	0		2

INFORMATION

042EAST HAMPTON

111 MAIN ST
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
10/27/05 12:35	10/28/05 09:04	11/17/05 13:57

REPORT	FINAL REPORT	COMMENT
--------	--------------	---------

TEST(S)	RESULT(S)																																																																																												
*** PESTICIDES METHOD	SAMPLING POINT: COLLECTOR: KING, THAD PRIVATE WELL TITLE: DQH RS ANALYTICAL METHOD - EPA METHOD 505 ANALYSIS OF ORGANOHALIDE PESTICIDES AND COMMERCIAL POLYCHLORINATED BIPHENYLS (PCB) PRODUCTS IN WATER BY MICROEXTRACTION AND GAS CHROMATOGRAPHY																																																																																												
Date Extracted	11/01/05																																																																																												
Date Analyzed	11/01/05																																																																																												
RESULTS	<table><tr><th>COMPOUND</th><th>RESULT</th><th>MDL(ug/l)</th><th>PGL(ug/l)</th></tr><tr><td>ALDRIN</td><td>ND</td><td>0.006</td><td>0.0286</td></tr><tr><td>ALACHLOR</td><td>ND</td><td>0.080</td><td>0.2886</td></tr><tr><td>ATRAZINE</td><td>ND</td><td>1.438</td><td>* 2.0000</td></tr><tr><td>ALPHA CHLORDANE</td><td>ND</td><td>0.008</td><td>0.0286</td></tr><tr><td>GAMMA CHLORDANE</td><td>ND</td><td>0.006</td><td>0.0286</td></tr><tr><td>CHLORDANE (TECHNICAL)</td><td>ND</td><td>0.247</td><td>0.2869</td></tr><tr><td>DIELDRIN</td><td>ND</td><td>0.008</td><td>0.0286</td></tr><tr><td>ENDRIN</td><td>ND</td><td>0.037</td><td>0.0286</td></tr><tr><td>HEPTACHLOR</td><td>ND</td><td>0.005</td><td>0.0286</td></tr><tr><td>HEPTACHLOR EPOXIDE</td><td>ND</td><td>0.006</td><td>0.0286</td></tr><tr><td>HEXACHLOROBENZENE</td><td>ND</td><td>0.004</td><td>0.0286</td></tr><tr><td>HEXACHLOROCYCLOPENTADIENE</td><td>ND</td><td>0.007</td><td>0.0286</td></tr><tr><td>LINDANE</td><td>ND</td><td>0.005</td><td>0.0286</td></tr><tr><td>METHOXYCHLOR</td><td>ND</td><td>0.025</td><td>0.1429</td></tr><tr><td>CIS-NONACHLOR</td><td>ND</td><td>0.007</td><td>0.0286</td></tr><tr><td>TRANS-NONACHLOR</td><td>ND</td><td>0.006</td><td>0.0286</td></tr><tr><td>SIMAZINE</td><td>ND</td><td>2.262</td><td>** 2.0000</td></tr><tr><td>TOXAPHENE</td><td>ND</td><td>0.859</td><td>1.4329</td></tr><tr><td>AROCLOR 1016</td><td>ND</td><td>N/A</td><td>N/A</td></tr><tr><td>AROCLOR 1221</td><td>ND</td><td>N/A</td><td>N/A</td></tr><tr><td>AROCLOR 1232</td><td>ND</td><td>N/A</td><td>N/A</td></tr><tr><td>AROCLOR 1242</td><td>ND</td><td>N/A</td><td>N/A</td></tr></table>	COMPOUND	RESULT	MDL(ug/l)	PGL(ug/l)	ALDRIN	ND	0.006	0.0286	ALACHLOR	ND	0.080	0.2886	ATRAZINE	ND	1.438	* 2.0000	ALPHA CHLORDANE	ND	0.008	0.0286	GAMMA CHLORDANE	ND	0.006	0.0286	CHLORDANE (TECHNICAL)	ND	0.247	0.2869	DIELDRIN	ND	0.008	0.0286	ENDRIN	ND	0.037	0.0286	HEPTACHLOR	ND	0.005	0.0286	HEPTACHLOR EPOXIDE	ND	0.006	0.0286	HEXACHLOROBENZENE	ND	0.004	0.0286	HEXACHLOROCYCLOPENTADIENE	ND	0.007	0.0286	LINDANE	ND	0.005	0.0286	METHOXYCHLOR	ND	0.025	0.1429	CIS-NONACHLOR	ND	0.007	0.0286	TRANS-NONACHLOR	ND	0.006	0.0286	SIMAZINE	ND	2.262	** 2.0000	TOXAPHENE	ND	0.859	1.4329	AROCLOR 1016	ND	N/A	N/A	AROCLOR 1221	ND	N/A	N/A	AROCLOR 1232	ND	N/A	N/A	AROCLOR 1242	ND	N/A	N/A
COMPOUND	RESULT	MDL(ug/l)	PGL(ug/l)																																																																																										
ALDRIN	ND	0.006	0.0286																																																																																										
ALACHLOR	ND	0.080	0.2886																																																																																										
ATRAZINE	ND	1.438	* 2.0000																																																																																										
ALPHA CHLORDANE	ND	0.008	0.0286																																																																																										
GAMMA CHLORDANE	ND	0.006	0.0286																																																																																										
CHLORDANE (TECHNICAL)	ND	0.247	0.2869																																																																																										
DIELDRIN	ND	0.008	0.0286																																																																																										
ENDRIN	ND	0.037	0.0286																																																																																										
HEPTACHLOR	ND	0.005	0.0286																																																																																										
HEPTACHLOR EPOXIDE	ND	0.006	0.0286																																																																																										
HEXACHLOROBENZENE	ND	0.004	0.0286																																																																																										
HEXACHLOROCYCLOPENTADIENE	ND	0.007	0.0286																																																																																										
LINDANE	ND	0.005	0.0286																																																																																										
METHOXYCHLOR	ND	0.025	0.1429																																																																																										
CIS-NONACHLOR	ND	0.007	0.0286																																																																																										
TRANS-NONACHLOR	ND	0.006	0.0286																																																																																										
SIMAZINE	ND	2.262	** 2.0000																																																																																										
TOXAPHENE	ND	0.859	1.4329																																																																																										
AROCLOR 1016	ND	N/A	N/A																																																																																										
AROCLOR 1221	ND	N/A	N/A																																																																																										
AROCLOR 1232	ND	N/A	N/A																																																																																										
AROCLOR 1242	ND	N/A	N/A																																																																																										
*** CONTINUED ***																																																																																													

**STATE OF CONNECTICUT**

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT
THAD KING MPH, RS
20 E. HIGH ST.
EAST HAMPTON CT 06424

ID	ACCESSION NO.	ACCOUNT NO.	AGE	SEX	PAGE
NR:TK 210	18020742	005424	0		2

INFORMATION**042EAST HAMPTON**

111 MAIN ST
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
10/27/05 12:35	10/28/05 09:04	11/17/05 13:57

REPORT**FINAL REPORT****COMMENT**

TEST(S)	RESULT(S)
AROCLOR 1248	ND N/A N/A
AROCLOR 1254	ND 0.486 0.2871
AROCLOR 1260	ND 0.582 0.2869
BUTACHLOR	ND N/A N/A
PROPACHLOR	ND 0.104 0.1431
METOLACHLOR	ND N/A N/A
METRIBUZIN	ND N/A N/A
p,p'-DDE	ND N/A N/A
p,p'-DDD	ND N/A N/A
p,p'-DDT	ND N/A N/A
ND = NONE DETECTED (RESULT LESS THAN THE PQL) PQL = PRACTICAL QUANTITATION LIMIT	
Values Calculated based on a Signal/Noise Ratio of 5:1 according to CFR Part 136 Appendix B	
* The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.22	
** The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.154	
	

** END OF REPORT **	

**STATE OF CONNECTICUT**

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT
THAD KING MPH, RS
20 E. HIGH ST.
EAST HAMPTON CT 06424

ID	ACCESSION NO.	ACCOUNT NO.	AGE	IS	PAGE
NR:TK 211	18020743	DO6424	0		

042EAST HAMPTON

112 MAIN ST
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
10/27/05 12:40	10/28/05 09:04	11/17/05 13:57

REPORT	FINAL REPORT	COMMENT
--------	--------------	---------

TEST(S)	RESULT(S)
---------	-----------

SAMPLING POINT:
COLLECTOR: KING, THAD TITLE: DOH RS
PRIVATE WELL

*** PESTICIDES
METHOD

ANALYTICAL METHOD - EPA METHOD 505
ANALYSIS OF ORGANOHALIDE PESTICIDES AND
COMMERCIAL POLYCHLORINATED BIPHENYLS (PCB)
PRODUCTS IN WATER BY MICROEXTRACTION AND
GAS CHROMATOGRAPHY

Date Extracted
Date Analyzed
RESULTS

11/01/05
11/01/05

COMPOUND	RESULT	MDL (ug/l)	PQL (ug/l)
ALDRIN	ND	0.006	0.0286
ALACHLOR	ND	0.080	0.2886
ATRAZINE	ND	1.438	* 2.0000
ALPHA CHLORDANE	ND	0.008	0.0286
GAMMA CHLORDANE	ND	0.006	0.0286
CHLORDANE (TECHNICAL)	ND	0.247	0.2869
DIELDRIN	ND	0.008	0.0286
ENDRIN	ND	0.037	0.0286
HEPTACHLOR	ND	0.005	0.0286
HEPTACHLOR EPOXIDE	ND	0.006	0.0286
HEXACHLOROBENZENE	ND	0.004	0.0286
HEXACHLOROCYCLOPENTADIENE	ND	0.007	0.0286
LINDANE	ND	0.005	0.0286
METHOXYCHLOR	ND	0.025	0.1429
CIS-NONACHLOR	ND	0.007	0.0286
TRANS-NONACHLOR	ND	0.006	0.0286
SIMAZINE	ND	2.262	** 2.0000
TOXAPHENE	ND	0.859	1.4329
AROCLOR 1016	ND	N/A	N/A
AROCLOR 1221	ND	N/A	N/A
AROCLOR 1232	ND	N/A	N/A
AROCLOR 1242	ND	N/A	N/A

*** CONTINUED ***



STATE OF CONNECTICUT

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 309-8500

CHATHAM HEALTH DISTRICT
THAD KING MPH, RS
20 E. HIGH ST.
EAST HAMPTON CT 06424

ID	ACCESSION NO.	ACCOUNT NO.	AGE	SEX	PAGE
NR:TK 211	18020743	DO6424	0		2

042EAST HAMPTON

112 MAIN ST
EAST HAMPTON CT 06424

COLLECTED	RECEIVED	REPORTED
10/27/05 12:40	10/28/05 09:04	11/17/05 13:57

REPORT	FINAL REPORT	COMMENT																						
<table border="1"><thead><tr><th>TEST(S)</th><th>RESULT(S)</th></tr></thead><tbody><tr><td>AROCLOR 1248</td><td>ND N/A N/A</td></tr><tr><td>AROCLOR 1254</td><td>ND 0.486 0.2871</td></tr><tr><td>AROCLOR 1260</td><td>ND 0.582 0.2869</td></tr><tr><td>BUTACHLOR</td><td>ND N/A N/A</td></tr><tr><td>PROPACHLOR</td><td>ND 0.104 0.1431</td></tr><tr><td>METOLACHLOR</td><td>ND N/A N/A</td></tr><tr><td>METRIBUZIN</td><td>ND N/A N/A</td></tr><tr><td>p,p'-DDE</td><td>ND N/A N/A</td></tr><tr><td>p,p'-DDD</td><td>ND N/A N/A</td></tr><tr><td>p,p'-DDT</td><td>ND N/A N/A</td></tr></tbody></table> ND = NONE DETECTED (RESULT LESS THAN THE PQL) PQL = PRACTICAL QUANTITATION LIMIT Values Calculated based on a Signal/Noise Ratio of 5:1 according to CFR Part 136 Appendix B * The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.22 ** The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.154 <i>AMJ</i> ** END OF REPORT **			TEST(S)	RESULT(S)	AROCLOR 1248	ND N/A N/A	AROCLOR 1254	ND 0.486 0.2871	AROCLOR 1260	ND 0.582 0.2869	BUTACHLOR	ND N/A N/A	PROPACHLOR	ND 0.104 0.1431	METOLACHLOR	ND N/A N/A	METRIBUZIN	ND N/A N/A	p,p'-DDE	ND N/A N/A	p,p'-DDD	ND N/A N/A	p,p'-DDT	ND N/A N/A
TEST(S)	RESULT(S)																							
AROCLOR 1248	ND N/A N/A																							
AROCLOR 1254	ND 0.486 0.2871																							
AROCLOR 1260	ND 0.582 0.2869																							
BUTACHLOR	ND N/A N/A																							
PROPACHLOR	ND 0.104 0.1431																							
METOLACHLOR	ND N/A N/A																							
METRIBUZIN	ND N/A N/A																							
p,p'-DDE	ND N/A N/A																							
p,p'-DDD	ND N/A N/A																							
p,p'-DDT	ND N/A N/A																							



STATE OF CONNECTICUT

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8300

CHATHAM HEALTH DISTRICT

THAD KING MPH,RS

20 E.HIGH ST.

EAST HAMPTON

CT 06424

ID	ACCESSION NO.	ACCOUNT NO.	AGE	S	PAGE
NR:TK212	18020744	DO6424	0		
INFORMATION					
042EAST HAMPTON					
116 MAIN ST					
EAST HAMPTON CT 06424					
COLLECTED		RECEIVED		REPORTED	
10/27/05 12:57		10/28/05 09:04		11/17/05 13:57	

REPORT	FINAL REPORT	COMMENT
TEST(S)	RESULT(S)	
*** PESTICIDES METHOD	SAMPLING POINT: COLLECTOR: KING, THAD PRIVATE WELL	TITLE: DOH RS
Date Extracted	11/01/05	
Date Analyzed	11/01/05	
RESULTS	ANALYTICAL METHOD - EPA METHOD 505 ANALYSIS OF ORGANOHALIDE PESTICIDES AND COMMERCIAL POLYCHLORINATED BIPHENYLS (PCB) PRODUCTS IN WATER BY MICROEXTRACTION AND GAS CHROMATOGRAPHY	
COMPOUND	RESULT	MDL (ug/l) PQL (ug/l)
ALDRIN	ND	0.006 0.0286
ALACHLOR	ND	0.080 0.2886
ATRAZINE	ND	1.438 * 2.0000
ALPHA CHLORDANE	ND	0.008 0.0286
GAMMA CHLORDANE	ND	0.006 0.0286
CHLORDANE (TECHNICAL)	ND	0.247 0.2869
DIELDRIN	ND	0.008 0.0286
ENDRIN	ND	0.037 0.0286
HEPTACHLOR	ND	0.005 0.0286
HEPTACHLOR EPOXIDE	ND	0.006 0.0286
HEXACHLOROBENZENE	ND	0.004 0.0286
HEXACHLOROCYCLOPENTADIENE	ND	0.007 0.0286
LINDANE	ND	0.005 0.0286
METHOXYCHLOR	ND	0.025 0.1429
CIS-NONACHLOR	ND	0.007 0.0286
TRANS-NONACHLOR	ND	0.006 0.0286
SIMAZINE	ND	2.262 ** 2.0000
TOXAPHENE	ND	0.859 1.4329
AROCLOR 1016	ND	N/A N/A
AROCLOR 1221	ND	N/A N/A
AROCLOR 1232	ND	N/A N/A
AROCLOR 1242	ND	N/A N/A
*** CONTINUED ***		

STATE OF CONNECTICUT

Department of Public Health
Division of Laboratory Services
10 Clinton St., P.O. Box 1689
Hartford, CT 06144

CONN. CLINICAL TESTING LICENSE # CL-0197
TELEPHONE: (860) 509-8500

CHATHAM HEALTH DISTRICT
THAD KING MPH,RS
20 E.HIGH ST.
EAST HAMPTON CT 06424

CT 06424

LD	ACCESSION NO.	ACCOUNT NO.	AGE	S	PAGE
NR:TK212	18020744	D06424	0		
INFORMATION					
042EAST HAMPTON					
116 MAIN ST EAST HAMPTON CT 06424					
COLLECTED		RECEIVED	REPORTED		
10/27/05 12:57		10/28/05 09:04	11/17/05 13:57		

REPORT	FINAL REPORT	COMMENT
TEST(S)	RESULT(S)	
AROCLOR 1248	ND	N/A
AROCLOR 1254	ND	0.486
AROCLOR 1260	ND	0.582
BUTACHLOR	ND	N/A
PROPACHLOR	ND	0.104
METOLACHLOR	ND	N/A
METRIBUZIN	ND	N/A
p,p'-DDE	ND	N/A
p,p'-DDD	ND	N/A
p,p'-DDT	ND	N/A

ND = NONE DETECTED (RESULT LESS THAN THE PQL)
PQL = PRACTICAL QUANTITATION LIMIT

Values Calculated based on a Signal/Noise Ratio of 5:1
according to CFR Part 136 Appendix B

- * The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.22
- ** The 2.2 multiple of the MDL for this compound exceeds the federal upper control limit (UCL) of 0.154

[Signature]

** END OF REPORT **