


Inland Wetland and Watercourses Map Town of East Hampton, Connecticut





- I. Glacial Till Soils Soils formed in unstratified sand, silt and rock derived from materials weathered from schist, granite and gneiss
 - Ridgebury fine sandy loam
 - Ridgebury, Leicester, and Whitman soils, extremely stony
 - Leicester fine sandy loam
- II. Glaciofluvial Soils Soils formed in stratified sand and gravel derived from acid cristalline rocks and deposited by glacial meltwater
- 12 Raypol silt loam
- 13 Walpole sandy loam
- 15 Scarboro muck
- III. Flooplain Soils Soils formed in alluvium deposited by streams and
 - 100 Suncook loamy fine sand
- 101 Occum fine sandy loam
- 102 Pootatuck fine sandy loam
- 103 Rippowam fine sandy loam
- 108 Saco silt loam
- 109 Fluvaquents-Udifluvents complex, frequently flooded
- 301 Beaches-Udipsamments complex, coastal
- IV. Organic Soils Soils formed in shallow to deep organic deposits
 - 17 Timakwa and Natchaug soils
 - 18 Catden and Freetown soils
- V. **Disturbed Wetland Soils** Soils which have had two or more feet of their original soil surface disturbed through fillinf, excavation or grading; have a wetlnad hydrologi regime; and are capable of supporting wetland vegetation
 - 309 Aquents



MAP SCALE & ACCURACY: Soils mapped at a scale of 1:12,000 (1 inch = 1,000 feet) Minimum soil map unit delineation is 3 acres in size

MAP REFERENCES Planimetrics Data Source: AT&T/SBC Parcel Data Source: Town of East Hampton Soils Data Source: USDA, NRCS Soil Survey Geographic (SSURGO) database for the State of Connecticut.

L4	L5	
K4	K5	
J4	J5	